





|                                                                                                              |                                                                                                              |                                                                                                              |                                                                                                              |                                                                                                               |                                                                                                                |
|--------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>401</b><br><br>Pag 414   | <b>402</b><br><br>Pag 414   | <b>403</b><br><br>Pag 415   | <b>404</b><br><br>Pag 415   | <b>407</b><br><br>Pag 416   | <b>408</b><br><br>Pag 416   |
| <b>409</b><br><br>Pag 417   | <b>499</b><br><br>Pag 417   | <b>410</b><br><br>Pag 418   | <b>411</b><br><br>Pag 418   | <b>426</b><br><br>Pag 419    | <b>432</b><br><br>Pag 419   |
| <b>427</b><br><br>Pag 420 | <b>425</b><br><br>Pag 420 | <b>413</b><br><br>Pag 421 | <b>417</b><br><br>Pag 421 | <b>414</b><br><br>Pag 422 | <b>419</b><br><br>Pag 423 |
| <b>420</b><br><br>Pag 423 | <b>415</b><br><br>Pag 424 | <b>416</b><br><br>Pag 425 | <b>428</b><br><br>Pag 426 | <b>429</b><br><br>Pag 426 | <b>430</b><br><br>Pag 426 |
| <b>418</b><br><br>Pag 427 | <b>421</b><br><br>Pag 428 | <b>422</b><br><br>Pag 428 | <b>423</b><br><br>Pag 428 | <b>424</b><br><br>Pag 428 |                                                                                                                |

**Materiale / Material / Materialien:**

Basi: Poliammide/Base: Polyamide/Halter: Polyamid


Viti e rondelle: Acciaio inox/Screws and washers: Stainless steel/Schrauben und Scheibe: Edelstahl

Inserti e dadi: ottone nichelato/Inserts nuts: nickel plated brass/Mutter: Messing vernickelt


# 401

Base a due braccia  
Bipod / Zweibeinhalter

Delivery: **Easy** **Standard** Screw included



| Part | Article-Nr. | ØA   |
|------|-------------|------|
| 401  | 40101       | 48,3 |
| 401  | 40105       | 50,9 |
| 401  | 40102       | 60,3 |



**Tube sliding load resistance**


$P = 8000 \text{ N}$

**Max applicable load**

$P = 9600 \text{ N}$

**Bolts tightening torque**


25 N.m




# 402

Base a due braccia 180° con giunto  
Bipod 180° with connector / Zweibeinhalter 180° m. Verbinder

Delivery: **Easy** **Standard** Screw included



| Part | Article-Nr. | ØA   | ØB   |
|------|-------------|------|------|
| 402  | 40201       | 48,3 | 48,3 |
| 402  | 40205       | 50,9 | 48,3 |
| 402  | 40202       | 60,3 | 48,3 |
| 402  | 40203       | 48,3 | 42,4 |
| 402  | 40206       | 50,9 | 42,4 |
| 402  | 40204       | 60,3 | 42,4 |



**Tube sliding load resistance**


$P = 8000 \text{ N}$

**Max applicable load**

$P = 8000 \text{ N}$

**Bolts tightening torque**

25 N.m



# Materiale / Material / Materialien:

Basi: Poliammide/Base: Polyamide/Halter: Polyamid

Viti e rondelle: Acciaio inox/Screws and washers: Stainless steel/Schrauben und Scheibe: Edelstahl  
Inserti e dadi: ottone nichelato/Inserts nuts: nickel plated brass/Mutter: Messing vernickelt

# 403-404


Componenti di supporto / Conveyor support components / Stützelemente

## 403


Base a due braccia 120° con giunto

Bipod 120° with connector / Zweibeinhalter 120° m. Verbinder

Delivery: **Easy** **Standard** Screw included



| Part | Article-Nr. | ØA   | ØB   |
|------|-------------|------|------|
| 403  | 40301       | 48,3 | 48,3 |
| 403  | 40305       | 50,9 | 48,3 |
| 403  | 40302       | 60,3 | 48,3 |
| 403  | 40303       | 48,3 | 42,4 |
| 403  | 40306       | 50,9 | 42,4 |
| 403  | 40304       | 60,3 | 42,4 |



Tube sliding load resistance


P= 8000 N

Max applicable load

P= 8000 N

Bolts tightening torque

25 N.m




Example of application

## 404


Base a tre braccia

Tripod / Dreibeinhalter

Delivery: **Easy** **Standard** Screw included



| Part | Article-Nr. | ØA   |
|------|-------------|------|
| 404  | 40401       | 48,3 |
| 404  | 40405       | 50,9 |
| 404  | 40402       | 60,3 |



Tube sliding load resistance


P= 8000 N

Max applicable load

P= 10000 N

Bolts tightening torque

25 N.m



Example of application

# Materiale / Material / Materialien:

Testata: Poliammide/Side bracket: Polyamide/Halter: Polyamid

Viti e rondelle: Acciaio inox/Screws and washers: Stainless steel/Schrauben und Scheibe: Edelstahl

Dadi: ottone nichelato/Nuts: nickel plated brass/Mutter: Messing vernickelt

# 407



Testata laterale

Side mounting top bracket / seitlicher Stützkopf

Delivery: **Easy** **Standard** Max recommended tightening torque 2 kgm



| Part | Article-Nr. | ØA   |
|------|-------------|------|
| 407  | 40701       | 48,3 |
| 407  | 40702       | 50,9 |



# 408



Testata laterale

Side mounting top bracket / seitlicher Stützkopf

Delivery: **Easy** **Standard** Max recommended tightening torque 2,5 kg/m | Screw not included



| Part | Article-Nr. |
|------|-------------|
| 408  | 40801       |





## 409 Testata laterale Side mounting top bracket / seitlicher Stützkopf

Stainless Steel | AISI 304

Delivery: **Easy** **Standard** Screw included

| Part | Article-Nr. | ØA   |
|------|-------------|------|
| 409  | 40901       | 48,3 |





## 499 Testata laterale Side mounting top bracket / seitlicher Stützkopf

Stainless Steel | AISI 304

Delivery: **Easy** **Standard** Screw not included

| Part | Article-Nr. | ØA   |
|------|-------------|------|
| 499  | 49995       | 48,3 |



**Materiale / Material / Materialien:**

Testata: Poliammide/Support head: Polyamide/Halter: Polyamid  
Viti e rondelle e dado: Acciaio inox/Screws, washers and nut:  
Stainless steel/Schrauben, Scheibe und Mutter: Edelstahl




# 410

Testata d'appoggio  
Support head / Stützkopf

Delivery: **Easy** **Standard** Max recommended tightening torque 3,5 kgm



| Part | Article-Nr. | ØA   |
|------|-------------|------|
| 410  | 41001       | 48,3 |
| 410  | 41002       | 60,3 |






# 411

Testata d'appoggio  
Support head / Stützkopf

Delivery: **Easy** **Standard** Max recommended tightening torque 1,5 kgm



| Part | Article-Nr. | ØA   |
|------|-------------|------|
| 411  | 41101       | 48,3 |
| 411  | 41102       | 50,9 |



## 426 Testata d'appoggio Support head / Stützkopf




Stainless Steel | AISI 304

Screw included

Part Article-Nr.

426

42601



## 432 Tappo per tubi metrici tondi Plug for Round Metric Tubes / Runde Lamellenstopfen für metrische Röhren




New

Delivery: Easy Standard

Part Article-Nr.

432

43201








## 427 Supporto laterale Side bracket / Seitenhalter

Stainless Steel | AISI 304

Delivery: **Easy** **Standard** Screw-washer not included

| Part | Article-Nr. | ØA |
|------|-------------|----|
| 427  | 42701       | 16 |
| 427  | 42702       | 20 |





## 425 Morsetto a collare Clamp collar / Klemmschelle

Stainless Steel | AISI 304

Delivery: **Easy** **Standard**

| Part | Article-Nr. | A    | ØB   |
|------|-------------|------|------|
| 425  | 42501       | 25   | 48,3 |
| 425  | 42511       | 25   | 50,8 |
| 425  | 42521       | 76,2 | 50,8 |





# Materiale / Material / Materialien:

Giunto: Poliammide/Joint: Polyamide/Verbinder: Polyamid

Viti e rondelle: Acciaio inox/Screws and washers: Stainless steel/ Schrauben und Scheibe: Edelstahl

Inserti e dadi: Acciaio inox/Inserts nuts: Stainless steel/ Mutter: Edelstahl




# 413-417

Componenti di supporto / Conveyor support components / Stützelemente

## 413 Giunto di collegamento Connecting joint / Verbindungselement

Delivery: **Easy** **Standard** Max recommended tightening torque 1,5 kgm




| Part                                                                                  | Article-Nr. | ØA   | ØB   | C   | D  | E  |
|---------------------------------------------------------------------------------------|-------------|------|------|-----|----|----|
|  413 | 41301       | 48,3 | 48,3 | 134 | 86 | 68 |
|  413 | 41302       | 60,3 | 48,3 | 146 | 98 | 80 |
|  413 | 41303       | 60,3 | 60,3 | 146 | 98 | 80 |



## 417 Giunto di collegamento Connecting joint / Verbindungselement

Delivery: **Easy** **Standard**

| Part | Article-Nr. | ØA   |
|------|-------------|------|
| 417  | 41701       | 48,3 |
| 417  | 41702       | 50,9 |






# 414

Giunto di collegamento (acciaio inox)  
Connecting joint (SS) / Verbindungselement (Edelstahl)

Stainless Steel | AISI 304

Delivery: **Easy** **Standard** Max recommended tightening torque 2,5 kgm

| Part | Article-Nr. | ØA   | ØB   | C   | D   | E    |
|------|-------------|------|------|-----|-----|------|
| 414  | 41401       | 48,3 | 48,3 | 100 | 130 | 72,5 |
| 414  | 41402       | 60,3 | 60,3 | 110 | 150 | 92,5 |






## 419 Tappi ad espansione Expansions plugs / Gewindezapfen, Spreizbar

Delivery: **Easy** **Standard**



| Part      | Article-Nr. |         | ØA   | B  | C | M   |
|-----------|-------------|---------|------|----|---|-----|
|           | Brass Bush  | PA Bush |      |    |   |     |
| 419       | 41907       | -       | 20   | 19 | 3 | M8  |
| 419       | 41908       | -       | 20   | 19 | 3 | M10 |
| Oadby 419 | 41901       | -       | 20   | 20 | 4 | M8  |
| Oadby 419 | 41902       | -       | 20   | 20 | 4 | M10 |
| Oadby 419 | 41903       | 41913   | 38   | 40 | 5 | M8  |
| 419       | 41904       | 41914   | 38   | 40 | 5 | M10 |
| 419       | 41905       | 41915   | 42,4 | 40 | 5 | M8  |
| 419       | 41906       | 41916   | 42,4 | 40 | 5 | M10 |






## 420 Tappi ad espansione Expansions plugs / Gewindezapfen, Spreizbar

Delivery: **Easy** **Standard**



| Part      | Article-Nr. |         | A  | B  | C | D   | M   |
|-----------|-------------|---------|----|----|---|-----|-----|
|           | Brass Bush  | PA Bush |    |    |   |     |     |
| Oadby 420 | 42001       | -       | 20 | 20 | 4 | 1,5 | M8  |
| 420       | 42002       | -       | 20 | 20 | 4 | 1,5 | M10 |
| 420       | 42003       | -       | 20 | 20 | 4 | 2   | M8  |
| 420       | 42004       | -       | 20 | 20 | 4 | 2   | M10 |
| 420       | 42005       | 42015   | 40 | 40 | 5 | 2   | M8  |
| 420       | 42006       | 42016   | 40 | 40 | 5 | 2   | M10 |






# 415

Tappi tondi filettati

Threaded bushings for round tubes / Gewindezapfen f. Rund-Rohr

Delivery: **Easy** **Standard**






| Part | Art.-Nr. | ØA   | B   | C   | D  |
|------|----------|------|-----|-----|----|
| 415  | 41507    | 30   | 1   | M10 | 33 |
| 415  | 41508    |      |     | M12 | 33 |
| 415  | 41509    |      |     | M14 | 33 |
| 415  | 41510    |      |     | M16 | 33 |
| 415  | 41511    | 30   | 1,5 | M10 | 33 |
| 415  | 41512    |      |     | M12 | 33 |
| 415  | 41513    |      |     | M14 | 33 |
| 415  | 41514    |      |     | M16 | 33 |
| 415  | 41515    | 30   | 2   | M10 | 33 |
| 415  | 41516    |      |     | M12 | 33 |
| 415  | 41517    |      |     | M14 | 33 |
| 415  | 41518    |      |     | M16 | 33 |
| 415  | 41519    | 30   | 2,5 | M10 | 33 |
| 415  | 41520    |      |     | M12 | 33 |
| 415  | 41521    |      |     | M14 | 33 |
| 415  | 41522    |      |     | M16 | 33 |
| 415  | 41523    | 38   | 1,5 | M10 | 40 |
| 415  | 41524    |      |     | M12 | 40 |
| 415  | 41525    |      |     | M14 | 40 |
| 415  | 41526    |      |     | M16 | 40 |
| 415  | 41527    | 38   | 2   | M10 | 40 |
| 415  | 41528    |      |     | M12 | 40 |
| 415  | 41529    |      |     | M14 | 40 |
| 415  | 41530    |      |     | M16 | 40 |
| 415  | 41531    | 38   | 2,5 | M10 | 40 |
| 415  | 41532    |      |     | M12 | 40 |
| 415  | 41533    |      |     | M14 | 40 |
| 415  | 41534    |      |     | M16 | 40 |
| 415  | 41535    | 42,4 | 1,5 | M10 | 43 |
| 415  | 41536    |      |     | M12 | 43 |
| 415  | 41537    |      |     | M14 | 43 |
| 415  | 41538    |      |     | M16 | 43 |
| 415  | 41539    | 42,4 | 2   | M10 | 43 |
| 415  | 41540    |      |     | M12 | 43 |
| 415  | 41541    |      |     | M14 | 43 |
| 415  | 41542    |      |     | M16 | 43 |
| 415  | 41543    | 42,4 | 2,5 | M10 | 43 |
| 415  | 41544    |      |     | M12 | 43 |
| 415  | 41545    |      |     | M14 | 43 |
| 415  | 41546    |      |     | M16 | 43 |
| 415  | 41547    | 48,3 | 1,5 | M10 | 48 |
| 415  | 41548    |      |     | M12 | 48 |
| 415  | 41549    |      |     | M14 | 48 |
| 415  | 41550    |      |     | M16 | 48 |
| 415  | 41551    | 48,3 | 2   | M10 | 48 |
| 415  | 41552    |      |     | M12 | 48 |
| 415  | 41553    |      |     | M14 | 48 |
| 415  | 41554    |      |     | M16 | 48 |

| Part | Art.-Nr. | ØA   | B   | C   | D  |
|------|----------|------|-----|-----|----|
| 415  | 41555    | 48,3 | 2   | M10 | 48 |
| 415  | 41556    |      |     | M12 | 48 |
| 415  | 41557    |      |     | M14 | 48 |
| 415  | 41558    |      |     | M16 | 48 |
| 415  | 41559    | 48,3 | 2,5 | M10 | 48 |
| 415  | 41560    |      |     | M12 | 48 |
| 415  | 41561    |      |     | M14 | 48 |
| 415  | 41562    |      |     | M16 | 48 |
| 415  | 41563    | 50   | 1,5 | M10 | 50 |
| 415  | 41564    |      |     | M12 | 50 |
| 415  | 41565    |      |     | M14 | 50 |
| 415  | 41566    |      |     | M16 | 50 |
| 415  | 41567    | 50,9 | 1,5 | M10 | 50 |
| 415  | 41568    |      |     | M12 | 50 |
| 415  | 41569    |      |     | M14 | 50 |
| 415  | 41570    |      |     | M16 | 50 |
| 415  | 41571    | 50,9 | 2   | M10 | 50 |
| 415  | 41572    |      |     | M12 | 50 |
| 415  | 41573    |      |     | M14 | 50 |
| 415  | 41574    |      |     | M16 | 50 |
| 415  | 41575    | 50,9 | 2,5 | M10 | 50 |
| 415  | 41576    |      |     | M12 | 50 |
| 415  | 41577    |      |     | M14 | 50 |
| 415  | 41578    |      |     | M16 | 50 |
| 415  | 41579    | 60,3 | 1,5 | M10 | 55 |
| 415  | 41580    |      |     | M12 | 55 |
| 415  | 41581    |      |     | M14 | 55 |
| 415  | 41582    |      |     | M16 | 55 |
| 415  | 41583    | 60,3 | 2   | M10 | 55 |
| 415  | 41584    |      |     | M12 | 55 |
| 415  | 41585    |      |     | M14 | 55 |
| 415  | 41586    |      |     | M16 | 55 |
| 415  | 41587    | 60,3 | 2,5 | M10 | 55 |
| 415  | 41588    |      |     | M12 | 55 |
| 415  | 41589    |      |     | M14 | 55 |
| 415  | 41590    |      |     | M16 | 55 |
| 415  | 41591    | 60,3 | 2   | M10 | 55 |
| 415  | 41592    |      |     | M12 | 55 |
| 415  | 41593    |      |     | M14 | 55 |
| 415  | 41594    |      |     | M16 | 55 |

# 416

Tappi quadri filettati  
Threaded bushings for square tubes / Gewindezapfen f. Vierkant-Rohr

Delivery: **Easy** **Standard**



| Part | Article-Nr. | A    | B   | C   | D  |
|------|-------------|------|-----|-----|----|
| 416  | 41601       | 25   | 1,5 | M10 | 30 |
| 416  | 41602       |      |     | M12 | 30 |
| 416  | 41611       | 30   | 1,5 | M10 | 33 |
| 416  | 41603       |      |     | M12 | 33 |
| 416  | 41612       |      |     | M14 | 33 |
| 416  | 41604       |      |     | M16 | 33 |
| 416  | 41613       | 30   | 2   | M10 | 33 |
| 416  | 41614       |      |     | M12 | 33 |
| 416  | 41615       |      |     | M14 | 33 |
| 416  | 41616       |      |     | M16 | 33 |
| 416  | 41617       | 35   | 1,5 | M10 | 43 |
| 416  | 41618       |      |     | M12 | 43 |
| 416  | 41619       |      |     | M14 | 43 |
| 416  | 41620       |      |     | M16 | 43 |
| 416  | 41621       |      |     | M20 | 43 |
| 416  | 41622       |      |     | M10 | 43 |
| 416  | 41623       | 35   | 2   | M12 | 43 |
| 416  | 41624       |      |     | M14 | 43 |
| 416  | 41625       |      |     | M16 | 43 |
| 416  | 41626       |      |     | M20 | 43 |
| 416  | 41681       |      |     | M10 | 43 |
| 416  | 41682       | 38,1 | 1,6 | M12 | 43 |
| 416  | 41683       |      |     | M14 | 43 |
| 416  | 41684       |      |     | M16 | 43 |
| 416  | 41685       |      |     | M20 | 43 |
| 416  | 41686       |      |     | M10 | 43 |
| 416  | 41687       | 38,1 | 3   | M12 | 43 |
| 416  | 41688       |      |     | M14 | 43 |
| 416  | 41689       |      |     | M16 | 43 |
| 416  | 41690       |      |     | M20 | 43 |
| 416  | 41627       | 40   | 1,2 | M10 | 43 |
| 416  | 41628       |      |     | M12 | 43 |
| 416  | 41629       |      |     | M14 | 43 |
| 416  | 41630       |      |     | M16 | 43 |
| 416  | 41631       |      |     | M20 | 43 |
| 416  | 41632       | 40   | 1,5 | M10 | 43 |
| 416  | 41605       |      |     | M12 | 43 |
| 416  | 41633       |      |     | M14 | 43 |
| 416  | 41606       |      |     | M16 | 43 |
| 416  | 41634       | 40   | 2   | M20 | 43 |
| 416  | 41635       |      |     | M10 | 43 |
| 416  | 41636       |      |     | M12 | 43 |
| 416  | 41637       |      |     | M14 | 45 |
| 416  | 41607       | 40   | 2,5 | M16 | 45 |
| 416  | 41608       |      |     | M20 | 45 |
| 416  | 41638       | 40   | 2,5 | M10 | 45 |
| 416  | 41639       |      |     | M12 | 45 |
| 416  | 41640       |      |     | M14 | 45 |
| 416  | 41641       |      |     | M16 | 45 |
| 416  | 41642       |      |     | M20 | 45 |

| Part | Article-Nr. | A  | B   | C   | D  |
|------|-------------|----|-----|-----|----|
| 416  | 41643       | 45 | 2   | M10 | 50 |
| 416  | 41644       |    |     | M12 | 50 |
| 416  | 41645       |    |     | M14 | 50 |
| 416  | 41646       |    |     | M16 | 50 |
| 416  | 41647       |    |     | M20 | 50 |
| 416  | 41648       | 50 | 1,2 | M10 | 50 |
| 416  | 41649       |    |     | M12 | 50 |
| 416  | 41650       |    |     | M14 | 50 |
| 416  | 41651       |    |     | M16 | 50 |
| 416  | 41652       |    |     | M20 | 50 |
| 416  | 41653       | 50 | 1,5 | M10 | 50 |
| 416  | 41654       |    |     | M12 | 50 |
| 416  | 41655       |    |     | M14 | 50 |
| 416  | 41656       |    |     | M16 | 50 |
| 416  | 41657       |    |     | M20 | 50 |
| 416  | 41658       | 50 | 2   | M10 | 50 |
| 416  | 41659       |    |     | M12 | 50 |
| 416  | 41660       |    |     | M14 | 50 |
| 416  | 41609       |    |     | M16 | 50 |
| 416  | 41610       |    |     | M20 | 50 |
| 416  | 41661       | 50 | 2,5 | M10 | 50 |
| 416  | 41662       |    |     | M12 | 50 |
| 416  | 41663       |    |     | M14 | 50 |
| 416  | 41664       |    |     | M16 | 50 |
| 416  | 41665       |    |     | M20 | 50 |
| 416  | 41666       | 50 | 3   | M10 | 50 |
| 416  | 41667       |    |     | M12 | 50 |
| 416  | 41668       |    |     | M14 | 50 |
| 416  | 41669       |    |     | M16 | 50 |
| 416  | 41670       |    |     | M20 | 50 |
| 416  | 41671       | 60 | 2   | M10 | 55 |
| 416  | 41672       |    |     | M12 | 55 |
| 416  | 41673       |    |     | M14 | 55 |
| 416  | 41674       |    |     | M16 | 55 |
| 416  | 41675       |    |     | M20 | 55 |
| 416  | 41676       | 60 | 3   | M10 | 55 |
| 416  | 41677       |    |     | M12 | 55 |
| 416  | 41678       |    |     | M14 | 55 |
| 416  | 41679       |    |     | M16 | 55 |
| 416  | 41680       |    |     | M20 | 55 |

# 428

Tappi quadri filettati


Threaded bushings for square tube / Gewindezapfen f. Vierkant-Rohr

Stainless Steel | AISI 304

Delivery: **Easy** **Standard**



| Part | Article-Nr. | A  | C   | ØB | E    |
|------|-------------|----|-----|----|------|
| 428  | 42801       | 40 | M16 | 20 | 10   |
| 428  | 42802       | 40 | M20 | 23 | 11,5 |
| 428  | 42803       | 45 | M16 | 20 | 10   |
| 428  | 42804       | 45 | M20 | 23 | 11,5 |
| 428  | 42805       | 50 | M16 | 20 | 10   |
| 428  | 42806       | 50 | M20 | 23 | 11,5 |
| 428  | 42807       | 60 | M16 | 20 | 10   |
| 428  | 42808       | 60 | M20 | 23 | 11,5 |



# 429

Tappi tondi filettati


Threaded bushings for round tube / Gewindezapfen f. Rund-Rohr

Stainless Steel | AISI 304

Delivery: **Easy** **Standard**



| Part | Article-Nr. | C   | ØB | E    |
|------|-------------|-----|----|------|
| 429  | 42901       | M16 | 20 | 10   |
| 429  | 42902       | M20 | 23 | 11,5 |



# 430

Tappi rettangolari filettati


Threaded bushings for rectangular tube / Gewindezapfen f. Rechteck

Stainless Steel | AISI 304

Delivery: **Easy** **Standard**



| Part | Article-Nr. | C   | ØB | E    |
|------|-------------|-----|----|------|
| 430  | 43001       | M16 | 20 | 10   |
| 430  | 43002       | M20 | 23 | 11,5 |




# 418

Giunto di collegamento  
Connecting joint / Verbindungselement


Delivery: **Easy** Standard

Type A




| Part | Article-Nr. | Type                                                                                |
|------|-------------|-------------------------------------------------------------------------------------|
| 418  | 41801       |  A |

Type B




| Part | Article-Nr. | Type |
|------|-------------|------|
| 418  | 41802       | B    |

Type C



| Part | Article-Nr. | Type                                                                                  |
|------|-------------|---------------------------------------------------------------------------------------|
| 418  | 41803       |  C |

Type D




| Part | Article-Nr. | Type                                                                                  |
|------|-------------|---------------------------------------------------------------------------------------|
| 418  | 41804       |  D |

Type E



| Part | Article-Nr. | Type |
|------|-------------|------|
| 418  | 41805       | E    |

Type F



| Part | Article-Nr. | Type                                                                                    |
|------|-------------|-----------------------------------------------------------------------------------------|
| 418  | 41806       |  F |

Type G




| Part | Article-Nr. | Type |
|------|-------------|------|
| 418  | 41807       | G    |


Type H



| Part | Article-Nr. | Type |
|------|-------------|------|
| 418  | 41808       | H    |



Example of application





For Tubes  
25 x 25 x 1.5 mm



## 421 Blocco per pannelli Panel clamp / Panelklemme




Delivery: **Easy** **Standard**



| Part | Article-Nr. | A  | B  | C |
|------|-------------|----|----|---|
| 421  | 42101       | 25 | 40 | 4 |
| 421  | 42102       | 25 | 40 | 5 |
| 421  | 42103       | 25 | 40 | 6 |
| 421  | 42104       | 30 | 45 | 4 |
| 421  | 42105       | 30 | 45 | 5 |
| 421  | 42106       | 30 | 45 | 6 |

## 422 Fermaporta Door stop / Türstopper



Delivery: **Easy** **Standard**



| Part | Article-Nr. | A  | B  |
|------|-------------|----|----|
| 422  | 42201       | 25 | 31 |

## 423 Blocchetto di fissaggio Fixing lock / Anschlag




Delivery: **Easy** **Standard**



| Part | Article-Nr. |
|------|-------------|
| 423  | 42301       |

## 424 Fermaporta a molla Spring loaded latch / Türverschluss

Delivery: **Easy** **Standard**



| Part | Article-Nr. |
|------|-------------|
| 424  | 42401       |