


Product Overview



Extruded Profiles









Movex[®]
OFFICIAL UK PARTNER












L-Profile

See product page for specific details and materials available.

<p>1094</p>  <p>Page 399</p>	<p>175</p>  <p>Page 399</p>	<p>1038</p>  <p>Page 399</p>
<p>150</p>  <p>Page 399</p>	<p>1058</p>  <p>Page 400</p>	<p>174</p>  <p>Page 400</p>

Z-Profile

See product page for specific details and materials available.

<p>101</p>  <p>Page 400</p>	<p>102</p>  <p>Page 401</p>	<p>176</p>  <p>Page 401</p>
<p>1121</p>  <p>Page 401</p>	<p>102</p>  <p>Page 402</p>	<p>1116</p>  <p>Page 402</p>
<p>1074</p>  <p>Page 402</p>	<p>1118</p>  <p>Page 402</p>	<p>1117</p>  <p>Page 403</p>

Material Info:




pg. 380>385

Special shape


See product page for specific details and materials available.

107



Page 403


108 Fit on 4 mm



Page 403


105

A: 20/25/30/40/50/60/70/100
B: 3/5



Page 404

106




Page 404

J-Profile


See product page for specific details and materials available.

103 Fit on 2,5 to 3,5 mm




Page 405

104 Fit on 2,5 to 3,5 mm




Page 405

179 Fit on 2,5 to 3,5 mm




Page 405

1014 Fit on 3 mm




Page 406

1015 Fit on 2,5 to 3,5 mm




Page 406

1016 Fit on 3 mm




Page 406

1112




Page 407

1017 Fit on 3 mm




Page 407

1018 Fit on 3 mm




Page 407

1019 Fit on 3 mm




Page 408

1020 Fit on 3 mm




Page 408

1091 Fit on 3 mm




Page 408

1068 Fit on 2,5 mm




Page 409

1090 Fit on 3 mm




Page 409

1021 Fit on 3 mm




Page 409

1022 Fit on 3 mm




Page 410

1023 Fit on 3 mm




Page 410

1024 Fit on 3 mm




Page 410

1025 Fit on 3 mm



Page 411

1026 Fit on 3 mm




Page 411

J-Profile


See product page for specific details and materials available.

1027 Fit on 3 mm




Page 411

1028 Fit on 3 mm




Page 412

1046 Fit on 3 mm




Page 412

1029 Fit on 3 mm




Page 412

1030 Fit on 3 mm




Page 413

1031 Fit on 3 mm




Page 413

1032 Fit on 3 mm




Page 413

1035 Fit on 3 mm




Page 414

1033 Fit on 3 mm



Page 414

1034 Fit on 3 mm




Page 414

U-Profile


See product page for specific details and materials available.

109




Page 415

1111




Page 415

1113 Staggered




Page 416

110




Page 416

156




Page 417

156




Page 417

149



Page 417

1066




Page 418

177




Page 418

1059



Page 419

178



Page 419

111




Page 420

U-Profile


See product page for specific details and materials available.

1060



Page 420

199




Page 421

199




Page 421

199 Staggered




Page 421

1115




Page 422

1080




Page 422

1081




Page 422

133




Page 423

148




Page 423

157




Page 424

157




Page 424

118 Stainless steel




Page 425

112 Stainless steel



Page 425

147 Aluminum




Page 425

C-Profile


See product page for specific details and materials available.

1041 Fit on 25 x 5 mm




Page 426

1082 Fit on 38,1 x 6,35 mm




Page 426

1044 Fit on 38,1 x 12,7 mm




Page 426

1053 Fit on 38,1 x 6,35 mm




Page 427

1054 Fit on 38,1 x 6,35 mm



Page 427

1101 Fit on 40 x 6 mm




Page 427

137 Fit on 40 x 8 mm



Page 428

137 Fit on 40 x 8 mm




Page 428

C-Profile


See product page for specific details and materials available.

137 Fit on 40 x 8 mm




Page 428

1042 Fit on 50 x 6 mm




Page 429

1045 Fit on 50,8 x 12,7 mm




Page 429

158 Fit on 50 x 6 mm




Page 429

1102 Fit on 80 x 5 mm




Page 430

1107 Fit on 90 x 12 mm




Page 430

163 See dimension available
Used with Part. 164/165




Page 431

160 Used with Part. 164/165




Page 432

161 Used with Part. 164/165




Page 432

1092 Used with Part. 164/165




Page 432

162 Used with Part. 164/165




Page 433

164 Aluminum




Page 433

165 Aluminum




Page 433

1114




Page 434

1039



Page 434


1083



Page 434


166

ØA: 8/10/12/16
ØB: 12/14/16/20




Page 435

154 Aluminum




Page 435

155 Aluminum



Page 436

134 Stainless steel




Page 436

Transfer plate and NoseBar


See product page for specific details and materials available.

199 Fit on 3 mm




Page 437

238




Page 437

228



Page 437

235



Page 437

Bar cap and cover CAN BE USED AS STANDARD BELT SUPPORT

See product page for specific details and materials available.

1000


Fit on 1,5 mm



Page 438

1001


Fit on 1,5 mm



Page 438

1002


Fit on 3 mm



Page 438

1109


Fit on 3 mm



Page 438

1003


Fit on 3 mm



Page 439

1004


Fit on 3 mm



Page 439

1084


Fit on 3 mm



Page 439

1085


Fit on 3 mm



Page 440

153


Fit on 4/5 mm



Page 440

1006


Fit on 5 mm



Page 440

1007


Fit on 5 mm



Page 441

1095


Fit on 4 mm



Page 441

1040


Fit on 3 mm



Page 441

1008


Fit on 5 mm



Page 442

1009


Fit on 6 mm



Page 442

1010


Fit on 6 mm



Page 442

1086


Fit on 8 mm



Page 443

1011


Fit on 10 mm



Page 443

1127


Fit on 12 mm



Page 443

1013


Fit on 10 mm



Page 444


1012

Fit on 12/13 mm




Page 444

181 Fit on 25,4 x 25,4 mm




Page 444

1052 Fit on 38,1 x 50,8 mm




Page 445

180 Fit on 30,5 x 46 mm



Page 445

1108




Page 445

Side guide rail USED WITH PLATE


See product page for specific details and materials available.

1063
Fit on mm
30 x 4




Page 446

137
Fit on mm
40 x 8




Page 446

137
Fit on mm
40 x 10




Page 447

158
Fit on mm
50 x 6



Page 447

1107
Fit on mm
90 x 12




Page 448

1064
Fit on mm
55 x 4




Page 448

183
Fit on mm
40 x 8




Page 449

1103
Fit on mm
40 x 4




Page 449

158
Fit on mm
50 x 6




Page 450

194 Label saver
Fit on mm
50 x 6




Page 450

189
Fit on mm
40 x 8




Page 451

189 Label saver
Fit on mm
40 x 8




Page 451/452

1079 RS
Fit on mm
40 x 8




Page 452

1079 RS
Fit on mm
40 x 8




Page 452

1104
Fit on mm
40 x 4




Page 453

1096
Fit on mm
50 x 5




Page 453

189
Fit on mm
50 x 6




Page 454

189 Label saver
Fit on mm
50 x 6




Page 454/455

187
Fit on mm
60 x 6



Page 456

187 Label saver
Fit on mm
60 x 6




Page 456

Side guide rail USED WITH PLATE AND CLAMP


See product page for specific details and materials available.

135
Fit on mm
60 x 6




Page 457

136
Fit on mm
60 x 6




Page 457

1057
Fit on mm
50 x 6




Page 458

1077 Label saver
Fit on mm
50 x 6




Page 458

1077 RS
Fit on mm
50 x 6




Page 459

1078 RS
Fit on mm
50 x 6




Page 459

1057
Fit on mm
60 x 6




Page 460

1077 Label saver
Fit on mm
60 x 6




Page 460

1077 RS
Fit on mm
60 x 6




Page 461

1078 RS
Fit on mm
60 x 6




Page 461

193
Fit on mm
60 x 5




Page 462

189
Fit on mm
60 x 5




Page 462/463

193
Fit on mm
60 x 6




Page 464

189 Label saver
Fit on mm
60 x 6



Page 464/465

1075 RS
Fit on mm
60 x 6




Page 465

117
Stainless steel
Fit on mm
40 x 6
40 x 8
40 x 10




Page 466

1055
Stainless steel
Fit on mm
40 x 8
50 x 6



Page 466

159 - 1088 - 1089
Aluminum
Fit on mm
50 x 6
60 x 5
60 x 6



Page 467
























3017 Profile
Stainless steel



Page 467


Guide rail

See product page for specific details and materials available. | Assembled with stainless steel profile AISI 304.

<p>119</p>  <p>Hygienic Version AVAILABLE</p> <p>Page 468</p>	<p>121</p>  <p>Hygienic Version AVAILABLE</p> <p>Page 469</p>	<p>120</p>  <p>Hygienic Version AVAILABLE</p> <p>Page 470</p>	<p>152</p>  <p>Page 471</p>
<p>1067</p>  <p>Page 471</p>	<p>143</p>  <p>Page 472</p>	<p>122</p>  <p>Hygienic Version AVAILABLE</p> <p>Page 473</p>	<p>123</p>  <p>Hygienic Version AVAILABLE</p> <p>Page 474</p>
<p>140</p>  <p>Page 475</p>	<p>146</p>  <p>Page 475</p>	<p>124</p>  <p>Page 476</p>	<p>141</p>  <p>Hygienic Version AVAILABLE</p> <p>Page 477</p>
<p>142</p>  <p>Page 478</p>	<p>125</p>  <p>Page 478</p>	<p>144</p>  <p>Hygienic Version AVAILABLE</p> <p>Page 479</p>	<p>145</p>  <p>Hygienic Version AVAILABLE</p> <p>Page 480</p>
<p>1087</p>  <p>Page 481</p>	<p>184</p>  <p>Page 481</p>	<p>191</p>  <p>Page 482</p>	<p>126</p>  <p>Page 482</p>
<p>127</p>  <p>Page 482</p>	<p>128</p>  <p>Page 483</p>	<p>129</p>  <p>Page 483</p>	

Bending machines and rollers


See product page for specific details.

<p>198</p>  <p>Page 484</p>	<p>199</p>  <p>Page 484</p>	<p>151</p>  <p>Page 485/486</p>
---	---	--

Neck guide


See product page for specific details and materials available.

170 Fit on 2,5 mm




Page 487

168 Fit on 2,5 mm




Page 487

169 Fit on 2,5 mm




Page 487

167 Fit on 1,8/2 mm




Page 488

192 Fit on 1,8/2 mm




Page 488

1062 Fit on 1,8/2 mm




Page 488

1072 Fit on 1,8/2 mm




Page 488

1073 Fit on 1,8/2 mm




Page 489

1076 Fit on 1,8/2 mm




Page 489

1037 Fit on 3 mm




Page 489

171 Fit on 3 mm




Page 489

172 Fit on 3 mm



Page 490

131
TYPE A
TYPE B




Page 490

198 Fit on 2 mm




Page 490

130 Aluminum



Page 491

188 Aluminum



Page 491

BluLub® STABILIZED DO YOU KNOW WHAT IT IS?

All Movex neck guides are now made with **BluLub® STABILIZED**, a new compound based on our BluLub and developed specifically for this type of product and its application. Thanks to the addition of a special additive we have improved dimensional stability and reduced the thermal expansion.

Shoes and connecting elements

See product page for specific details and materials available.

113



Page 492

113



Page 493

114



Page 493

116



Page 494

116



Page 495

115





Page 495


Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1094 Profilo "L" / L-Profile / L-Profil





Article-Nr.	Material	Availability	Supply*
109404	BluLub	On request	60 m coils
109403	Ti-White	On request	60 m coils
109401	Black	On request	60 m coils
109405	Blue	On request	60 m coils
109402	Green	On request	60 m coils




175 Profilo "L" / L-Profile / L-Profil

Delivery: **Easy** **Standard**





Article-Nr.	Material	Availability	Supply*
17504	BluLub	On request	60 m coils
17503	Ti-White	On request	60 m coils
17501	Black	Stock item	60 m coils
17505	Blue	On request	60 m coils
17502	Green	Stock item	60 m coils




1038 Profilo "L" / L-Profile / L-Profil

North America STANDARD





Article-Nr.	Material	Availability	Supply*
103804	BluLub	On request	60 m coils
103803	Ti-White	On request	60 m coils
103805	Blue	On request	60 m coils




150 Profilo "L" / L-Profile / L-Profil

Delivery: **Easy** **Standard**




Article-Nr.	Material	Availability	Supply*
15004	BluLub	On request	60 m coils
15003	Ti-White	On request	60 m coils
15001	Black	Stock item	60 m coils
15005	Blue	On request	60 m coils
15002	Green	Stock item	60 m coils




1058 Profilo "L" / L-Profile / L-Profil

Delivery: **Easy** **Standard**





Article-Nr.	Material	Availability	Supply*
105800BC	BluLub	On request	3 m bars
105800B	BluLub	On request	6 m bars
105803C	Ti-White	On request	3 m bars
105803	Ti-White	On request	6 m bars
105801C	Black	Stock item	3 m bars
105801	Black	On request	6 m bars
105805C	Blue	On request	3 m bars
105805	Blue	On request	6 m bars
105802C	Green	Stock item	3 m bars
105802	Green	On request	6 m bars




174 Profilo "L" / L-Profile / L-Profil

Delivery: **Easy** **Standard**





Article-Nr.	Material	Availability	Supply*
17404C	BluLub	On request	3 m bars
17404	BluLub	On request	6 m bars
17403C	Ti-White	On request	3 m bars
17403	Ti-White	On request	6 m bars
17401C	Black	Stock item	3 m bars
17401	Black	On request	6 m bars
17405C	Blue	On request	3 m bars
17405	Blue	On request	6 m bars
17402C	Green	Stock item	3 m bars
17402	Green	On request	6 m bars




101 Profilo "Z" / Z-Profile / Z-Profil

Delivery: **Easy** **Standard**



Article-Nr.	Material	Availability	Supply*
10104	BluLub	On request	60 m coils
10103	Ti-White	On request	60 m coils
10101	Black	Stock item	60 m coils
10105	Blue	On request	60 m coils
10102	Green	Stock item	60 m coils





* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.


* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

102 Profilo "Z" / Z-Profile / Z-Profil

Delivery: **Easy** **Standard**





Article-Nr.	Material	Availability	Supply*
10202B	BluLub	Stock item	60 m coils
10203	Ti-White	On request	60 m coils
10201	Black	Stock item	60 m coils
10205	Blue	On request	60 m coils
10202	Green	Stock item	60 m coils
10201A	AS	Stock item	60 m coils




176 Profilo "Z" / Z-Profile / Z-Profil

Delivery: **Easy** **Standard**





Article-Nr.	Material	Availability	Supply*
17604	BluLub	On request	60 m coils
17603	Ti-White	On request	60 m coils
17601	Black	On request	60 m coils
17605	Blue	On request	60 m coils
17602	Green	Stock item	60 m coils




NEW 1121 Profilo "Z" / Z-Profile / Z-Profil

Delivery: **Easy** **Standard**



Article-Nr.	Material	Availability	Supply*
112100B-60	BluLub	On request	60 m coils
112103-60	Ti-White	On request	60 m coils
112101-60	Black	On request	60 m coils
112105-60	Blue	On request	60 m coils
112102-60	Green	On request	60 m coils





* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.


* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

102 Profilo "Z" / Z-Profile / Z-Profil



Delivery: **Easy** **Standard**




Article-Nr.	Material	Availability	Supply*
10299B	BluLub	Stock item	60 m coils
10293	Ti-White	On request	60 m coils
10297	Black	On request	60 m coils
10295	Blue	On request	60 m coils
10298	Green	Stock item	60 m coils



NEW 1116 Profilo "Z" / Z-Profile / Z-Profil





Article-Nr.	Material	Availability	Supply*
111600B-60	BluLub	On request	60 m coils
111603-60	Ti-White	On request	60 m coils
111601-60	Black	On request	60 m coils
111605-60	Blue	On request	60 m coils
111602-60	Green	On request	60 m coils




1074 Profilo "Z" / Z-Profile / Z-Profil



Delivery: **Easy** **Standard**




Article-Nr.	Material	Availability	Supply*
107404	BluLub	On request	60 m coils
107403	Ti-White	On request	60 m coils
107401	Black	Stock item	60 m coils
107405	Blue	On request	60 m coils



NEW 1118 Profilo "Z" / Z-Profile / Z-Profil



Article-Nr.	Material	Availability	Supply*
111800B-60	BluLub	On request	60 m coils
111801-60	Black	On request	60 m coils
111803-60	Blue	On request	60 m coils
111805-60	Green	On request	60 m coils





* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.


* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

NEW 1117

Profilo "Z" / Z-Profile / Z-Profil





Article-Nr.	Material	Availability	Supply*
111700B-60	BluLub	On request	60 m coils
111703-60	Ti-White	On request	60 m coils
111701-60	Black	On request	60 m coils
111705-60	Blue	On request	60 m coils
111702-60	Green	On request	60 m coils




107

Profilo guida catena / Wear strip / Rückführleiste

Delivery: **Easy** **Standard**



Article-Nr.	Material	Availability	Supply*
10704	BluLub	On request	60 m coils
10703	Ti-White	Stock item	60 m coils
10701	Black	On request	60 m coils
10705	Blue	On request	60 m coils
10702	Green	Stock item	60 m coils





Supports available
Part 230/231
Page 508




108

Profilo T / T-profile / T-Profil

Delivery: **Easy** **Standard** Fit on 4 mm





Article-Nr.	Material	Availability	Supply*
10800BC	BluLub	On request	3 m bars
10800B	BluLub	Stock item	6 m bars
10803C	Ti-White	On request	3 m bars
10803	Ti-White	On request	6 m bars
10801C	Black	Stock item	3 m bars
10801	Black	On request	6 m bars
10805C	Blue	On request	3 m bars
10805	Blue	On request	6 m bars
10802C	Green	Stock item	3 m bars
10802	Green	Stock item	6 m bars




105 Profilo piatto / Flat profile / Flachprofil

Delivery: **Easy** **Standard**





Article-Nr.	Material	A	B	Availability	Supply*
10502BL	BluLub	20	3	On request	60 m coils
10504BL	BluLub	20	5	On request	60 m coils
10595BL	BluLub	25	3	On request	60 m coils
10592BL	BluLub	30	3	On request	60 m coils
10594BL	BluLub	30	5	On request	60 m coils
10596BL	BluLub	40	3	On request	60 m coils
10597BL	BluLub	50	3	On request	60 m coils
10506BL	BluLub	60	3	On request	60 m coils
10508BL	BluLub	70	3	On request	60 m coils
10510BL	BluLub	100	3	On request	60 m coils
10502W	Ti-White	20	3	On request	60 m coils
10504W	Ti-White	20	5	On request	60 m coils
10595W	Ti-White	25	3	On request	60 m coils
10592W	Ti-White	30	3	On request	60 m coils
10594W	Ti-White	30	5	On request	60 m coils
10596W	Ti-White	40	3	On request	60 m coils
10597W	Ti-White	50	3	On request	60 m coils
10506W	Ti-White	60	3	On request	60 m coils
10508W	Ti-White	70	3	On request	60 m coils
10510W	Ti-White	100	3	On request	60 m coils
10501	Black	20	3	Stock item	60 m coils
10503	Black	20	5	Stock item	60 m coils
10505	Black	60	3	Stock item	60 m coils
10507	Black	70	3	Stock item	60 m coils
10509	Black	100	3	On request	60 m coils
10501B	Blue	20	3	On request	60 m coils
10503B	Blue	20	5	On request	60 m coils
10505B	Blue	60	3	On request	60 m coils
10507B	Blue	70	3	On request	60 m coils
10509B	Blue	100	3	On request	60 m coils
10502	Green	20	3	Stock item	60 m coils
10504	Green	20	5	Stock item	60 m coils
10595	Green	25	3	Stock item	60 m coils
10592	Green	30	3	On request	60 m coils
10594	Green	30	5	Stock item	60 m coils
10596	Green	40	3	Stock item	60 m coils
10597	Green	50	3	On request	60 m coils
10506	Green	60	3	Stock item	60 m coils
10508	Green	70	3	Stock item	60 m coils
10510	Green	100	3	Stock item	60 m coils




106 Profilo guida catena / Flat profile with nose / Flachprofil mit Nase

Delivery: **Easy** **Standard**



Article-Nr.	Material	Availability	Supply*
10604	BluLub	On request	60 m coils
10603	Ti-White	On request	60 m coils
10601	Black	Stock item	60 m coils
10605	Blue	On request	60 m coils
10602	Green	Stock item	60 m coils





* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.


* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

103 Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 2,5 to 3,5 mm





Article-Nr.	Material	Availability	Supply*
10300B-30	BluLub	Stock item	30 m coils
10303	Ti-White	Stock item	60 m coils
10301	Black	Stock item	60 m coils
10305	Blue	On request	60 m coils
10302	Green	Stock item	60 m coils




104 Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 2,5 to 3,5 mm





Article-Nr.	Material	Availability	Supply*
10400B	BluLub	Stock item	60 m coils
10403	Ti-White	On request	60 m coils
10401	Black	Stock item	60 m coils
10405	Blue	On request	60 m coils
10402	Green	Stock item	60 m coils




179 Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 2,5 to 3,5 mm



Article-Nr.	Material	Availability	Supply*
17902BC	BluLub	On request	3 m bars
17902B	BluLub	On request	6 m bars
17902B-60	BluLub	Stock item	60 m coils
17902WC	Ti-White	On request	3 m bars
17902W	Ti-White	On request	6 m bars
17902W-60	Ti-White	On request	60 m coils
17901C	Black	Stock item	3 m bars
17901	Black	On request	6 m bars
17901BC	Blue	On request	3 m bars
17901B	Blue	On request	6 m bars
17901B-60	Blue	On request	60 m coils
17902C	Green	Stock item	3 m bars
17902	Green	On request	6 m bars
17902-60	Green	Stock item	60 m coils



1014-1015-1016

Guide estruse / Extruded profiles / Extrudiertes Profil



* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1014


Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



North America STANDARD



Article-Nr.	Material	Availability	Supply*
101400BC	BluLub	On request	3 m bars
101400B	BluLub	On request	6 m bars
101400B-30	BluLub	On request	30 m coils
101403C	Ti-White	Stock item	3 m bars
101403	Ti-White	On request	6 m bars
101403-30	Ti-White	Stock item	30 m coils
101405C	Blue	On request	3 m bars
101405	Blue	On request	6 m bars
101405-30	Blue	On request	30 m coils



1015


Profilo "J" / J-Profile / J-Profil

Fit on 2,5 to 3,5 mm (1/8")



North America STANDARD



Article-Nr.	Material	Availability	Supply*
101500BC	BluLub	On request	3 m bars
101500B	BluLub	On request	6 m bars
101500B-30	BluLub	On request	30 m coils
101503C	Ti-White	On request	3 m bars
101503	Ti-White	On request	6 m bars
101503-30	Ti-White	On request	30 m coils
101505C	Blue	On request	3 m bars
101505	Blue	On request	6 m bars
101505-30	Blue	On request	30 m coils



1016


Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



North America STANDARD

Article-Nr.	Material	Availability	Supply*
101600BC	BluLub	On request	3 m bars
101600B	BluLub	On request	6 m bars
101600B-30	BluLub	On request	30 m coils
101603C	Ti-White	Stock item	3 m bars
101603	Ti-White	On request	6 m bars
101603-30	Ti-White	Stock item	30 m coils
101601C	Black	On request	3 m bars
101601	Black	On request	6 m bars
101601-30	Black	On request	30 m coils
101605C	Blue	On request	3 m bars
101605	Blue	On request	6 m bars
101605-30	Blue	On request	30 m coils
101602C	Green	On request	3 m bars
101602	Green	On request	6 m bars
101602-30	Green	On request	30 m coils





* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

* Products stored in coils will have tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.


NEW 1112

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")






Article-Nr.	Material	Availability	Supply*
111200BC	BluLub	On request	3 m bars
111200B	BluLub	On request	6 m bars
111203C	Ti-White	On request	3 m bars
111203	Ti-White	On request	6 m bars
111205C	Blue	On request	3 m bars
111205	Blue	On request	6 m bars
111202C	Green	On request	3 m bars
111202	Green	On request	6 m bars



1017

Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")





North America STANDARD

Article-Nr.	Material	Availability	Supply*
101700BC	BluLub	On request	3 m bars
101700B	BluLub	On request	6 m bars
101700B-30	BluLub	On request	30 m coils
101703C	Ti-White	Stock item	3 m bars
101703	Ti-White	On request	6 m bars
101703-30	Ti-White	Stock item	30 m coils
101701C	Black	On request	3 m bars
101701	Black	On request	6 m bars
101701-30	Black	On request	30 m coils
101705C	Blue	On request	3 m bars
101705	Blue	On request	6 m bars
101705-30	Blue	On request	30 m coils
101702C	Green	On request	3 m bars
101702	Green	On request	6 m bars
101702-30	Green	On request	30 m coils

1018


Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



North America STANDARD

Article-Nr.	Material	Availability	Supply*
101800BC	BluLub	On request	3 m bars
101800B	BluLub	On request	6 m bars
101800B-30	BluLub	On request	30 m coils
101803C	Ti-White	Stock item	3 m bars
101803	Ti-White	On request	6 m bars
101803-30	Ti-White	On request	30 m coils
101805C	Blue	On request	3 m bars
101805	Blue	On request	6 m bars
101805-30	Blue	On request	30 m coils



1019-1020-1091

Guide estruse / Extruded profiles / Extrudiertes Profil



* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1019


Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



North America STANDARD



Article-Nr.	Material	Availability	Supply*
101900BC	BluLub	On request	3 m bars
101900B	BluLub	On request	6 m bars
101900B-30	BluLub	On request	30 m coils
101903C	Ti-White	Stock item	3 m bars
101903	Ti-White	On request	6 m bars
101903-30	Ti-White	On request	30 m coils
101905C	Blue	On request	3 m bars
101905	Blue	On request	6 m bars
101905-30	Blue	On request	30 m coils



1020


Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



North America STANDARD



Article-Nr.	Material	Availability	Supply*
102000BC	BluLub	On request	3 m bars
102000B	BluLub	On request	6 m bars
102003C	Ti-White	Stock item	3 m bars
102003	Ti-White	Stock item	6 m bars
102001C	Black	On request	3 m bars
102001	Black	On request	6 m bars
102005C	Blue	On request	3 m bars
102005	Blue	On request	6 m bars
102002C	Green	On request	3 m bars
102002	Green	On request	6 m bars




NEW 1091

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")



Article-Nr.	Material	Availability	Supply*
109100B-30	BluLub	On request	30 m coils
109103-30	Ti-White	On request	30 m coils
109105-30	Blue	On request	30 m coils





* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.


1068

Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 1,8 to 2 mm





Article-Nr.	Material	Availability	Supply*
106800B	BluLub	Stock item	30 m coils
106802	Ti-White	On request	30 m coils
106805	Blue	On request	30 m coils




1090

Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")





Article-Nr.	Material	Availability	Supply*
109000B	BluLub	On request	30 m coils
109002	Ti-White	On request	30 m coils
109005	Blue	On request	30 m coils



1021


Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



North America STANDARD

Article-Nr.	Material	Availability	Supply*
102100BC	BluLub	On request	3 m bars
102100B	BluLub	On request	6 m bars
102100B-30	BluLub	On request	30 m coils
102103C	Ti-White	Stock item	3 m bars
102103	Ti-White	On request	6 m bars
102103-30	Ti-White	Stock item	30 m coils
102101C	Black	On request	3 m bars
102101	Black	On request	6 m bars
102101-30	Black	On request	30 m coils
102105C	Blue	On request	3 m bars
102105	Blue	On request	6 m bars
102105-30	Blue	On request	30 m coils
102102C	Green	On request	3 m bars
102102	Green	On request	6 m bars
102102-30	Green	On request	30 m coils



1022-1023-1024

Guide estruse / Extruded profiles / Extrudiertes Profil



* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1022


Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



North America STANDARD



Article-Nr.	Material	Availability	Supply*
102200BC	BluLub	On request	3 m bars
102200B	BluLub	On request	6 m bars
102200B-30	BluLub	On request	30 m coils
102203C	Ti-White	Stock item	3 m bars
102203	Ti-White	On request	6 m bars
102203-30	Ti-White	On request	30 m coils
102205C	Blue	On request	3 m bars
102205	Blue	On request	6 m bars
102205-30	Blue	On request	30 m coils



1023


Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



North America STANDARD



Article-Nr.	Material	Availability	Supply*
102300BC	BluLub	On request	3 m bars
102300B	BluLub	On request	6 m bars
102303C	Ti-White	Stock item	3 m bars
102303	Ti-White	On request	6 m bars
102305C	Blue	On request	3 m bars
102305	Blue	On request	6 m bars



1024


Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



North America STANDARD

Article-Nr.	Material	Availability	Supply*
102400BC	BluLub	On request	3 m bars
102400B	BluLub	On request	6 m bars
102400B-30	BluLub	On request	30 m coils
102403C	Ti-White	Stock item	3 m bars
102403	Ti-White	On request	6 m bars
102403-30	Ti-White	Stock item	30 m coils
102401C	Black	On request	3 m bars
102401	Black	On request	6 m bars
102401-30	Black	On request	30 m coils
102405C	Blue	On request	3 m bars
102405	Blue	On request	6 m bars
102405-30	Blue	On request	30 m coils
102402C	Green	Stock item	3 m bars
102402	Green	Stock item	6 m bars
102402-30	Green	On request	30 m coils



* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.




1025-1026-1027

Guide estruse / Extruded profiles / Extrudiertes Profil

1025

Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")





North America STANDARD

Article-Nr.	Material	Availability	Supply*
102500BC	BluLub	On request	3 m bars
102500B	BluLub	On request	6 m bars
102500B-30	BluLub	On request	30 m coils
102503C	Ti-White	Stock item	3 m bars
102503	Ti-White	On request	6 m bars
102503-30	Ti-White	Stock item	30 m coils
102501C	Black	On request	3 m bars
102501	Black	On request	6 m bars
102501-30	Black	On request	30 m coils
102505C	Blue	On request	3 m bars
102505	Blue	On request	6 m bars
102505-30	Blue	On request	30 m coils
102502C	Green	On request	3 m bars
102502	Green	On request	6 m bars
102502-30	Green	On request	30 m coils

1026


Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



North America STANDARD



Article-Nr.	Material	Availability	Supply*
102600BC	BluLub	On request	3 m bars
102600B	BluLub	On request	6 m bars
102600B-30	BluLub	On request	30 m coils
102603C	Ti-White	Stock item	3 m bars
102603	Ti-White	On request	6 m bars
102603-30	Ti-White	On request	30 m coils
102605C	Blue	On request	3 m bars
102605	Blue	On request	6 m bars
102605-30	Blue	On request	30 m coils



1027


Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



North America STANDARD

Article-Nr.	Material	Availability	Supply*
102700BC	BluLub	On request	3 m bars
102700B	BluLub	On request	6 m bars
102700B-30	BluLub	On request	30 m coils
102703C	Ti-White	Stock item	3 m bars
102703	Ti-White	On request	6 m bars
102703-30	Ti-White	On request	30 m coils
102705C	Blue	On request	3 m bars
102705	Blue	On request	6 m bars
102705-30	Blue	On request	30 m coils



1028-1046-1029

Guide estruse / Extruded profiles / Extrudiertes Profil



* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1028


Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



North America STANDARD



Article-Nr.	Material	Availability	Supply*
102800BC	BluLub	On request	3 m bars
102800B	BluLub	On request	6 m bars
102800B-30	BluLub	On request	30 m coils
102803C	Ti-White	Stock item	3 m bars
102803	Ti-White	On request	6 m bars
102803-30	Ti-White	Stock item	30 m coils
102805C	Blue	On request	3 m bars
102805	Blue	On request	6 m bars
102805-30	Blue	On request	30 m coils



1046


Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



North America STANDARD



Article-Nr.	Material	Availability	Supply*
104600BC	BluLub	On request	3 m bars
104600B	BluLub	On request	6 m bars
104600B-30	BluLub	Stock item	30 m coils
104603C	Ti-White	Stock item	3 m bars
104603	Ti-White	On request	6 m bars
104603-30	Ti-White	Stock item	30 m coils
104601C	Black	On request	3 m bars
104601	Black	On request	6 m bars
104601-30	Black	On request	30 m coils
104605C	Blue	On request	3 m bars
104605	Blue	On request	6 m bars
104605-30	Blue	On request	30 m coils
104602C	Green	Stock item	3 m bars
104602	Green	On request	6 m bars
104602-30	Green	Stock item	30 m coils



1029


Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



North America STANDARD

Article-Nr.	Material	Availability	Supply*
102900BC	BluLub	On request	3 m bars
102900B	BluLub	On request	6 m bars
102900B-30	BluLub	On request	30 m coils
102903C	Ti-White	Stock item	3 m bars
102903	Ti-White	On request	6 m bars
102903-30	Ti-White	On request	30 m coils
102905C	Blue	On request	3 m bars
102905	Blue	On request	6 m bars
102905-30	Blue	On request	30 m coils





* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1030


Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



North America STANDARD



Article-Nr.	Material	Availability	Supply*
103000BC	BluLub	On request	3 m bars
103000B	BluLub	On request	6 m bars
103003C	Ti-White	Stock item	3 m bars
103003	Ti-White	On request	6 m bars
103005C	Blue	On request	3 m bars
103005	Blue	On request	6 m bars



1031


Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



North America STANDARD



Article-Nr.	Material	Availability	Supply*
103100BC	BluLub	Stock item	3 m bars
103100B	BluLub	On request	6 m bars
103103C	Ti-White	Stock item	3 m bars
103103	Ti-White	Stock item	6 m bars
103105C	Blue	On request	3 m bars
103105	Blue	On request	6 m bars



1032


Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



North America STANDARD

Article-Nr.	Material	Availability	Supply*
103200BC	BluLub	On request	3 m bars
103200B	BluLub	On request	6 m bars
103203C	Ti-White	Stock item	3 m bars
103203	Ti-White	On request	6 m bars
103205C	Blue	On request	3 m bars
103205	Blue	On request	6 m bars



1035-1033-1034

Guide estruse / Extruded profiles / Extrudiertes Profil



* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1035


Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



North America STANDARD



Article-Nr.	Material	Availability	Supply*
103500BC	BluLub	On request	3 m bars
103500B	BluLub	On request	6 m bars
103503C	Ti-White	Stock item	3 m bars
103503	Ti-White	On request	6 m bars
103505C	Blue	On request	3 m bars
103505	Blue	On request	6 m bars



1033


Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



North America STANDARD



Article-Nr.	Material	Availability	Supply*
103300BC	BluLub	Stock item	3 m bars
103300B	BluLub	On request	6 m bars
103303C	Ti-White	Stock item	3 m bars
103303	Ti-White	On request	6 m bars
103305C	Blue	On request	3 m bars
103305	Blue	On request	6 m bars



1034


Profilo "J" / J-Profile / J-Profil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



North America STANDARD

Article-Nr.	Material	Availability	Supply*
103400BC	BluLub	On request	3 m bars
103400B	BluLub	On request	6 m bars
103403C	Ti-White	Stock item	3 m bars
103403	Ti-White	On request	6 m bars
103405C	Blue	On request	3 m bars
103405	Blue	On request	6 m bars





* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.


109

Profilo "U" / U-Profile / U-Profil

Delivery: **Easy** **Standard**





Article-Nr.	Material	Availability	Supply*
10901BC	BluLub	Stock item	3 m bars
10901B	BluLub	On request	6 m bars
10901B-30	BluLub	On request	30 m coils
10903C	Ti-White	Stock item	3 m bars
10903	Ti-White	Stock item	6 m bars
10903-30	Ti-White	On request	30 m coils
10901C	Black	Stock item	3 m bars
10901	Black	Stock item	6 m bars
10901-30	Black	Stock item	30 m coils
10905C	Blue	On request	3 m bars
10905	Blue	On request	6 m bars
10905-30	Blue	On request	30 m coils
10902C	Green	Stock item	3 m bars
10902	Green	Stock item	6 m bars
10902-30	Green	On request	30 m coils
10901AC	AS	Stock item	3 m bars
10901A	AS	Stock item	6 m bars




NEW

1111

Profilo "U" / U-Profile / U-Profil





Article-Nr.	Material	Availability	Supply*
111101BC	BluLub	On request	3 m bars
111101B	BluLub	On request	6 m bars
111101B-30	BluLub	On request	30 m coils
111103C	Ti-White	On request	3 m bars
111103	Ti-White	On request	6 m bars
111103-30	Ti-White	On request	30 m coils
111101C	Black	On request	3 m bars
111101	Black	On request	6 m bars
111101-30	Black	On request	30 m coils
111105C	Blue	On request	3 m bars
111105	Blue	On request	6 m bars
111105-30	Blue	On request	30 m coils
111102C	Green	On request	3 m bars
111102	Green	On request	6 m bars
111102-30	Green	On request	30 m coils
111101AC	AS	On request	3 m bars
111101A	AS	On request	6 m bars




NEW 1113

Profilo "U" / U-Profile staggered version / U-Profil





Article-Nr.	Material	Availability	Supply*
111300BC	BluLub	On request	3 m bars
111300B	BluLub	On request	6 m bars
111300B-30	BluLub	On request	30 m coils
111303C	Ti-White	On request	3 m bars
111303	Ti-White	On request	6 m bars
111303-30	Ti-White	On request	30 m coils
111301C	Black	On request	3 m bars
111301	Black	On request	6 m bars
111301-30	Black	On request	30 m coils
111305C	Blue	On request	3 m bars
111305	Blue	On request	6 m bars
111305-30	Blue	On request	30 m coils
111302C	Green	On request	3 m bars
111302	Green	On request	6 m bars
111302-30	Green	On request	30 m coils




110

Profilo "U" / U-Profile / U-Profil


Delivery: **Easy** **Standard**



Article-Nr.	Material	Availability	Supply*
11000BC	BluLub	On request	3 m bars
11000B	BluLub	On request	6 m bars
11000B-30	BluLub	On request	30 m coils
11003C	Ti-White	On request	3 m bars
11003	Ti-White	On request	6 m bars
11003-30	Ti-White	On request	30 m coils
11001C	Black	Stock item	3 m bars
11001	Black	On request	6 m bars
11001-30	Black	On request	30 m coils
11005C	Blue	On request	3 m bars
11005	Blue	On request	6 m bars
11005-30	Blue	On request	30 m coils
11002C	Green	Stock item	3 m bars
11002	Green	On request	6 m bars
11002-30	Green	On request	30 m coils



Used with Part 112 and Part 147 Pag 425







* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.


156

Profilo "U" / U-Profile / U-Profil

Delivery: **Easy** **Standard** Coils available




Used with
Part 112 and
Part 147 Pag 425



Article-Nr.	Material	Availability	Supply*
15601BC	<i>BluLub</i>	On request	3 m bars
15601B	<i>BluLub</i>	On request	6 m bars
15603C	<i>Ti-White</i>	On request	3 m bars
15603	<i>Ti-White</i>	On request	6 m bars
15601C	Black	Stock item	3 m bars
15601	Black	On request	6 m bars
15605C	Blue	On request	3 m bars
15605	Blue	On request	6 m bars
15602C	Green	Stock item	3 m bars
15602	Green	On request	6 m bars



Article-Nr.	Material	Availability	Supply*
15699BC	<i>BluLub</i>	Stock item	3 m bars
15699WC	<i>Ti-White</i>	On request	3 m bars
15699NC	Black	On request	3 m bars
15694C	Blue	On request	3 m bars
15699C	Green	Stock item	3 m bars




149

Profilo "U" / U-Profile / U-Profil

Delivery: **Easy** **Standard** Coils available





Article-Nr.	Material	Availability	Supply*
14950BC	<i>BluLub</i>	On request	3 m bars
14950B	<i>BluLub</i>	On request	6 m bars
14953C	<i>Ti-White</i>	On request	3 m bars
14953	<i>Ti-White</i>	On request	6 m bars
14950C	Black	Stock item	3 m bars
14950	Black	On request	6 m bars
14955C	Blue	On request	3 m bars
14955	Blue	On request	6 m bars
14952C	Green	Stock item	3 m bars
14952	Green	On request	6 m bars




NEW 1066

Profilo "U" / U-Profile / U-Profil





Article-Nr.	Material	Availability	Supply*
106600BC	BluLub	On request	3 m bars
106600B	BluLub	On request	6 m bars
106600B-30	BluLub	On request	30 m coils
106603C	Ti-White	On request	3 m bars
106603	Ti-White	On request	6 m bars
106603-30	Ti-White	On request	30 m coils
106601C	Black	On request	3 m bars
106601	Black	On request	6 m bars
106601-30	Black	On request	30 m coils
106605C	Blue	On request	3 m bars
106605	Blue	On request	6 m bars
106605-30	Blue	On request	30 m coils
106602C	Green	On request	3 m bars
106602	Green	On request	6 m bars
106602-30	Green	On request	30 m coils




177

Profilo "U" / U-Profile / U-Profil

Delivery: **Easy** **Standard**



Article-Nr.	Material	Availability	Supply*
17701BC	BluLub	Stock item	3 m bars
17701B	BluLub	On request	6 m bars
17701B-30	BluLub	On request	30 m coils
17703C	Ti-White	On request	3 m bars
17703	Ti-White	On request	6 m bars
17703-30	Ti-White	On request	30 m coils
17701C	Black	Stock item	3 m bars
17701	Black	Stock item	6 m bars
17701-30	Black	On request	30 m coils
17705C	Blue	On request	3 m bars
17705	Blue	On request	6 m bars
17705-30	Blue	On request	30 m coils
17702C	Green	Stock item	3 m bars
17702	Green	On request	6 m bars
17702-30	Green	On request	30 m coils





* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.


1059

Profilo "U" / U-Profile / U-Profil

Delivery: **Easy** **Standard** Coils available





Article-Nr.	Material	Availability	Supply*
105901BC	BluLub	Stock item	3 m bars
105901B	BluLub	On request	6 m bars
105901B-30	BluLub	On request	30 m coils
105903C	Ti-White	On request	3 m bars
105903	Ti-White	On request	6 m bars
105903-30	Ti-White	On request	30 m coils
105901C	Black	Stock item	3 m bars
105901	Black	On request	6 m bars
105901-30	Black	On request	30 m coils
105905C	Blue	On request	3 m bars
105905	Blue	On request	6 m bars
105905-30	Blue	On request	30 m coils
105902C	Green	Stock item	3 m bars
105902	Green	On request	6 m bars
105902-30	Green	On request	30 m coils




178

Profilo "U" / U-Profile / U-Profil

Delivery: **Easy** **Standard** Coils available



Article-Nr.	Material	Availability	Supply*
17801BC	BluLub	Stock item	3 m bars
17801B	BluLub	On request	6 m bars
17801B-30	BluLub	Stock item	30 m coils
17803C	Ti-White	On request	3 m bars
17803	Ti-White	On request	6 m bars
17803-30	Ti-White	Stock item	30 m coils
17801C	Black	Stock item	3 m bars
17801	Black	On request	6 m bars
17801-30	Black	On request	30 m coils
17805C	Blue	On request	3 m bars
17805	Blue	On request	6 m bars
17805-30	Blue	On request	30 m coils
17802C	Green	Stock item	3 m bars
17802	Green	On request	6 m bars
17802-30	Green	Stock item	30 m coils





* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.


111

Profilo "U" / U-Profile / U-Profil

Delivery: **Easy** **Standard** Coils available





Article-Nr.	Material	Availability	Supply*
11101BC	<i>BluLub</i>	Stock item	3 m bars
11101B	<i>BluLub</i>	On request	6 m bars
11101B-30	<i>BluLub</i>	On request	30 m coils
11103C	<i>Ti-White</i>	On request	3 m bars
11103	<i>Ti-White</i>	On request	6 m bars
11103-30	<i>Ti-White</i>	On request	30 m coils
11101C	Black	Stock item	3 m bars
11101	Black	Stock item	6 m bars
11101-30	Black	Stock item	30 m coils
11105C	Blue	On request	3 m bars
11105	Blue	On request	6 m bars
11105-30	Blue	On request	30 m coils
11102C	Green	Stock item	3 m bars
11102	Green	Stock item	6 m bars
11102-30	Green	On request	30 m coils




1060

Profilo "U" / U-Profile / U-Profil

Delivery: **Easy** **Standard** Coils available



Article-Nr.	Material	Availability	Supply*
106000BC	<i>BluLub</i>	On request	3 m bars
106000B	<i>BluLub</i>	On request	6 m bars
106003C	<i>Ti-White</i>	On request	3 m bars
106003	<i>Ti-White</i>	On request	6 m bars
106001C	Black	Stock item	3 m bars
106001	Black	On request	6 m bars
106005C	Blue	On request	3 m bars
106005	Blue	On request	6 m bars
106002C	Green	Stock item	3 m bars
106002	Green	Stock item	6 m bars





* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.


* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

199 Profilo "U" / U-Profile / U-Profil

Delivery: **Easy** **Standard** Coils available





Article-Nr.	Material	Availability	Supply*
19976BC	BluLub	On request	3 m bars
19976B	BluLub	On request	6 m bars
19976C	Ti-White	Stock item	3 m bars
19976	Ti-White	On request	6 m bars
19976BLC	Blue	On request	3 m bars
19976BL	Blue	On request	6 m bars





199 Profilo "U" / U-Profile / U-Profil

Delivery: **Easy** **Standard** Coils available





Article-Nr.	Material	Availability	Supply*
19944B-30	BluLub	Stock item	30 m coils
19944W-30	Ti-White	On request	30 m coils
19944-30	Black	On request	30 m coils
19944BL-30	Blue	On request	30 m coils
19940-30	Green	Stock item	30 m coils

Staggered version



Article-Nr.	Material	Availability	Supply*
19945B-30	BluLub	Stock item	30 m coils
19945W-30	Ti-White	On request	30 m coils
19945-30	Black	Stock item	30 m coils
19945BL-30	Blue	On request	30 m coils
19946-30	Green	Stock item	30 m coils






1115-1080-1081

Guide estruse / Extruded profiles / Extrudiertes Profil

* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.



* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

NEW 1115 Profilo "U" / U-Profile / U-Profil




Article-Nr.	Material	Availability	Supply*
111500BC	BluLub	On request	3 m bars
111500B	BluLub	On request	6 m bars
111500B-30	BluLub	On request	30 m coils
111503C	Ti-White	On request	3 m bars
111503	Ti-White	On request	6 m bars
111503-30	Ti-White	On request	30 m coils
111501C	Black	On request	3 m bars
111501	Black	On request	6 m bars
111501-30	Black	On request	30 m coils
111505C	Blue	On request	3 m bars
111505	Blue	On request	6 m bars
111505-30	Blue	On request	30 m coils
111502C	Green	On request	3 m bars
111502	Green	On request	6 m bars
111502-30	Green	On request	30 m coils



1080 Profilo "U" / U-Profile / U-Profil




Article-Nr.	Material	Availability	Supply*
108000BC	BluLub	On request	3 m bars
108003C	Ti-White	On request	3 m bars
108001C	Black	On request	3 m bars
108005C	Blue	On request	3 m bars
108002C	Green	On request	3 m bars



1081 Profilo "U" / U-Profile / U-Profil



Article-Nr.	Material	Availability	Supply*
108100BC	BluLub	On request	3 m bars
108100B	BluLub	On request	6 m bars
108103C	Ti-White	On request	3 m bars
108103	Ti-White	On request	6 m bars
108101C	Black	On request	3 m bars
108101	Black	On request	6 m bars
108105C	Blue	On request	3 m bars
108105	Blue	On request	6 m bars
108102C	Green	On request	3 m bars
108102	Green	On request	6 m bars





* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

133

Profilo "U" assemblato clip-on / U-Profile assembled clip-on / U-Profil montiert clip-on

Delivery: **Easy** **Standard**



Article-Nr.	Material	Metal	Availability	Supply*
13305BC	<i>BluLub</i>	AISI 304	Stock item	3 m bars
13305B	<i>BluLub</i>	AISI 304	On request	6 m bars
13307C	<i>Ti-White</i>	AISI 304	On request	3 m bars
13307	<i>Ti-White</i>	AISI 304	On request	6 m bars
13303C	Black	AISI 304	Stock item	3 m bars
13303	Black	AISI 304	On request	6 m bars
13303BLC	Blue	AISI 304	On request	3 m bars
13303BL	Blue	AISI 304	On request	6 m bars
13301C	Green	AISI 304	Stock item	3 m bars
13301	Green	AISI 304	On request	6 m bars
13303AC	AS	AISI 304	Stock item	3 m bars
13304A	AS	AISI 304	On request	6 m bars

Article-Nr.	Material	Metal	Availability	Supply*
13306BC	<i>BluLub</i>	AISI 430	Stock item	3 m bars
13306B	<i>BluLub</i>	AISI 430	On request	6 m bars
13308C	<i>Ti-White</i>	AISI 430	On request	3 m bars
13308	<i>Ti-White</i>	AISI 430	On request	6 m bars
13304C	Black	AISI 430	Stock item	3 m bars
13304	Black	AISI 430	On request	6 m bars
13304BLC	Blue	AISI 430	On request	3 m bars
13304BL	Blue	AISI 430	On request	6 m bars
13302C	Green	AISI 430	Stock item	3 m bars
13302	Green	AISI 430	On request	6 m bars
13304AC	AS	AISI 430	Stock item	3 m bars
13304A	AS	AISI 430	On request	6 m bars



Assembled with
Accessories
Pag 492 >> 495



148

Profilo "U" assemblato clip-on / U-Profile assembled clip-on / U-Profil montiert clip-on

Delivery: **Easy** **Standard**





Article-Nr.	Material	Metal	Availability	Supply*
14801BC	<i>BluLub</i>	Aluminum	Stock item	3 m bars
14801B	<i>BluLub</i>	Aluminum	On request	6 m bars
14803C	<i>Ti-White</i>	Aluminum	Stock item	3 m bars
14803	<i>Ti-White</i>	Aluminum	On request	6 m bars
14802C	Black	Aluminum	Stock item	3 m bars
14802	Black	Aluminum	On request	6 m bars
14805C	Blue	Aluminum	On request	3 m bars
14805	Blue	Aluminum	On request	6 m bars
14801C	Green	Aluminum	Stock item	3 m bars
14801	Green	Aluminum	On request	6 m bars
14802AC	AS	Aluminum	Stock item	3 m bars
14802A	AS	Aluminum	On request	6 m bars

157


Profilo "U" assemblato clip-on / U-Profile assembled clip-on / U-Profil montiert clip-on

Delivery: **Easy** Standard





Article-Nr.	Material	Metal	Availability	Supply
15700BC	<i>BluLub</i>	AISI 304	On request	3 m bars
15700B	<i>BluLub</i>	AISI 304	On request	6 m bars
15703C	<i>Ti-White</i>	AISI 304	On request	3 m bars
15703	<i>Ti-White</i>	AISI 304	On request	6 m bars
15704C	Black	AISI 304	On request	3 m bars
15704	Black	AISI 304	On request	6 m bars
15705C	Blue	AISI 304	On request	3 m bars
15705	Blue	AISI 304	On request	6 m bars
15701C	Green	AISI 304	Stock item	3 m bars
15701	Green	AISI 304	On request	6 m bars

Article-Nr.	Material	Metal	Availability	Supply
15706BC	<i>BluLub</i>	AISI 430	On request	3 m bars
15706B	<i>BluLub</i>	AISI 430	On request	6 m bars
15707C	<i>Ti-White</i>	AISI 430	On request	3 m bars
15707	<i>Ti-White</i>	AISI 430	On request	6 m bars
15708C	Black	AISI 430	On request	3 m bars
15708	Black	AISI 430	On request	6 m bars
15706C	Blue	AISI 430	On request	3 m bars
15706	Blue	AISI 430	On request	6 m bars
15702C	Green	AISI 430	Stock item	3 m bars
15702	Green	AISI 430	On request	6 m bars




157

Profilo "U" assemblato clip-on / U-Profile assembled clip-on / U-Profil montiert clip-on





Article-Nr.	Material	Metal	Availability	Supply
15799BC	<i>BluLub</i>	AISI 304	On request	3 m bars
15799WC	<i>Ti-White</i>	AISI 304	On request	3 m bars
15799NC	Black	AISI 304	On request	3 m bars
15799BLC	Blue	AISI 304	On request	3 m bars
15799C	Green	AISI 304	On request	3 m bars




118 Profilo in Acciaio inox / Stainless steel profile / Edelstahl-Profil

Delivery: **Easy** **Standard**





Article-Nr.	Material	Availability	Supply*
11801C	AISI 304	Stock item	3 m bars
11801	AISI 304	Stock item	6 m bars
11802C	AISI 430	Stock item	3 m bars
11802	AISI 430	On request	6 m bars




112 Profilo in Acciaio inox / Stainless steel profile / Edelstahl-Profil

Delivery: **Easy** **Standard**





Article-Nr.	Material	Availability	Supply*	Profile cover	Box
11201C	AISI 304	Stock item	3 m bars	301401	60 pcs
11201	AISI 304	Stock item	6 m bars	301401	60 pcs
11202C	AISI 430	Stock item	3 m bars	301401	60 pcs
11202	AISI 430	Stock item	6 m bars	301401	60 pcs




147 Profilo in alluminio / Aluminum profile / Aluminium-Profil

Delivery: **Easy** **Standard**





Article-Nr.	Material	Availability	Supply*	Profile cover	Box
14701C	Aluminum	Stock item	3 m bars	301402	60 pcs
14701	Aluminum	Stock item	6 m bars	301402	60 pcs



1041


Profilo "C" / C-Profile / C-Profil

Delivery: **Easy** **Standard** Fit on 25 x 5 mm



North America STANDARD



Article-Nr.	Material	Availability	Supply*
104100BC	BluLub	On request	3 m bars
104100B	BluLub	On request	6 m bars
104103C	Ti-White	Stock item	3 m bars
104103	Ti-White	On request	6 m bars
104105C	Blue	On request	3 m bars
104105	Blue	On request	6 m bars
104102C	Green	On request	3 m bars
104102	Green	On request	6 m bars




1082

Profilo "C" / C-Profile / C-Profil

Fit on 38.1 x 6.35 mm





Article-Nr.	Material	Availability	Supply*
108200BC	BluLub	On request	3 m bars
108200B	BluLub	On request	6 m bars
108203C	Ti-White	On request	3 m bars
108203	Ti-White	On request	6 m bars
108205C	Blue	On request	3 m bars
108205	Blue	On request	6 m bars



1044


Profilo "C" / C-Profile / C-Profil

Delivery: **Easy** **Standard** Fit on 38.1 x 12.7 mm



North America STANDARD



Article-Nr.	Material	Availability	Supply*
104400BC	BluLub	On request	3 m bars
104400B	BluLub	On request	6 m bars
104403C	Ti-White	Stock item	3 m bars
104403	Ti-White	On request	6 m bars
104405C	Blue	On request	3 m bars
104405	Blue	On request	6 m bars



1053


Profilo "C" / C-Profile / C-Profil

Delivery: **Easy** **Standard** Fit on 38.1 x 6.35 mm



North America STANDARD



Article-Nr.	Material	Availability	Supply*
105300BC	BluLub	On request	3 m bars
105300B	BluLub	On request	6 m bars
105303C	Ti-White	Stock item	3 m bars
105303	Ti-White	On request	6 m bars
105305C	Blue	On request	3 m bars
105305	Blue	On request	6 m bars



1054


Profilo "C" / C-Profile / C-Profil

Delivery: **Easy** **Standard** Fit on 38.1 x 6.35 mm



North America STANDARD



Article-Nr.	Material	Availability	Supply*
105400BC	BluLub	On request	3 m bars
105400B	BluLub	On request	6 m bars
105403C	Ti-White	Stock item	3 m bars
105403	Ti-White	On request	6 m bars
105405C	Blue	On request	3 m bars
105405	Blue	On request	6 m bars




NEW 1101

Profilo "C" / C-Profile / C-Profil

Fit on 40 x 6 mm





Article-Nr.	Material	Availability	Supply*
110100BC	BluLub	On request	3 m bars
110100B	BluLub	On request	6 m bars
110103C	Ti-White	On request	3 m bars
110103	Ti-White	On request	6 m bars
110105C	Blue	On request	3 m bars
110105	Blue	On request	6 m bars




137 Profilo "C" / C-Profile / C-Profil

Delivery: **Easy** **Standard** Fit on 40 x 8 mm




Article-Nr.	Material	Availability	Supply*
13701BC	BluLub	Stock item	3 m bars
13701B	BluLub	On request	6 m bars
13703C	Ti-White	Stock item	3 m bars
13703	Ti-White	On request	6 m bars
13702C	Black	Stock item	3 m bars
13702	Black	On request	6 m bars
13705C	Blue	On request	3 m bars
13705	Blue	On request	6 m bars
13701C	Green	Stock item	3 m bars
13701	Green	Stock item	6 m bars




137 Profilo "C" / C-Profile / C-Profil



Delivery: **Easy** **Standard**




Fit on 40 x 8 mm




Article-Nr.	Material	Availability	Supply*
13711BC	BluLub	Stock item	3 m bars
13711B	BluLub	On request	6 m bars
13713C	Ti-White	On request	3 m bars
13713	Ti-White	On request	6 m bars
13712C	Black	On request	3 m bars
13712	Black	On request	6 m bars
13715C	Blue	On request	3 m bars
13715	Blue	On request	6 m bars
13711C	Green	Stock item	3 m bars
13711	Green	Stock item	6 m bars



Fit on 40 x 10 mm





Article-Nr.	Material	Availability	Supply*
13720BC	BluLub	On request	3 m bars
13720B	BluLub	On request	6 m bars
13720C	Ti-White	On request	3 m bars
13720	Ti-White	On request	6 m bars
13725C	Blue	On request	3 m bars
13725	Blue	On request	6 m bars




1042

Profilo "C" / C-Profile / C-Profil

Delivery: **Easy** **Standard** Fit on 50 x 6 mm





Article-Nr.	Material	Availability	Supply*
104200BC	BluLub	On request	3 m bars
104200B	BluLub	On request	6 m bars
104203C	Ti-White	Stock item	3 m bars
104203	Ti-White	On request	6 m bars
104205C	Blue	On request	3 m bars
104205	Blue	On request	6 m bars
104201C	Green	On request	3 m bars
104201	Green	On request	6 m bars



1045


Profilo "C" / C-Profile / C-Profil

Fit on 50.8 x 12.7 mm



North America STANDARD



Article-Nr.	Material	Availability	Supply*
104500BC	BluLub	On request	3 m bars
104500B	BluLub	On request	6 m bars
104503C	Ti-White	On request	3 m bars
104503	Ti-White	On request	6 m bars
104505C	Blue	On request	3 m bars
104505	Blue	On request	6 m bars



158


Profilo "C" / C-Profile / C-Profil

Delivery: **Easy** **Standard** Fit on 50 x 6 mm



North America STANDARD

Article-Nr.	Material	Availability	Supply*
15800BC	BluLub	Stock item	3 m bars
15894C	Ti-White	On request	3 m bars
15898C	Black	Stock item	3 m bars
15894BLC	Blue	On request	3 m bars
15897C	Green	Stock item	3 m bars
15800C	Grey	Stock item	3 m bars



1102-1107



Guide estruse / Extruded profiles / Extrudiertes Profil

* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.


NEW 1102

Profilo "C" / C-Profile / C-Profil

Fit on 80 x 5 mm





Article-Nr.	Material	Availability	Supply*
110200BC	BluLub	On request	3 m bars
110200B	BluLub	On request	6 m bars
110203C	Ti-White	On request	3 m bars
110203	Ti-White	On request	6 m bars
110205C	Blue	On request	3 m bars
110205	Blue	On request	6 m bars




NEW 1107

Profilo "C" / C-Profile / C-Profil

Fit on 90 x 12 mm



Article-Nr.	Material	Availability	Supply*
110700BC	BluLub	On request	3 m bars
110703C	Ti-White	On request	3 m bars
110701C	Black	On request	3 m bars
110705C	Blue	On request	3 m bars





* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.


163

Profilo "C" / C-Profile / C-Profil


Delivery: **Easy** **Standard** Coils available



Article-Nr.	Material	A	Availability	Supply*
16303BC	BluLub	25,4	Stock item	3 m bars
16303B	BluLub	25,4	On request	6 m bars
16303B-30	BluLub	25,4	Stock item	30 m coils
16313BC	BluLub	31,75	On request	3 m bars
16313B	BluLub	31,75	On request	6 m bars
16313B-30	BluLub	31,75	On request	30 m coils
16323BC	BluLub	35	On request	3 m bars
16323B	BluLub	35	On request	6 m bars
16323B-30	BluLub	35	On request	30 m coils
16324BC	BluLub	38,1	On request	3 m bars
16324B	BluLub	38,1	On request	6 m bars
16324B-30	BluLub	38,1	On request	30 m coils
16325BC	BluLub	54,1	On request	3 m bars
16325B	BluLub	54,1	On request	6 m bars
16325B-30	BluLub	54,1	On request	30 m coils
16303C	Ti-White	25,4	Stock item	3 m bars
16303	Ti-White	25,4	On request	6 m bars
16303-30	Ti-White	25,4	Stock item	30 m coils
16313C	Ti-White	31,75	Stock item	3 m bars
16313	Ti-White	31,75	On request	6 m bars
16313-30	Ti-White	31,75	On request	30 m coils
16323C	Ti-White	35	Stock item	3 m bars
16323	Ti-White	35	On request	6 m bars
16323-30	Ti-White	35	On request	30 m coils
16324C	Ti-White	38,1	Stock item	3 m bars
16324	Ti-White	38,1	Stock item	6 m bars
16324-30	Ti-White	38,1	On request	30 m coils
16325C	Ti-White	54,1	On request	3 m bars
16325	Ti-White	54,1	On request	6 m bars
16325-30	Ti-White	54,1	On request	30 m coils
16303BLC	Blue	25,4	On request	3 m bars
16303BL	Blue	25,4	On request	6 m bars
16303BL-30	Blue	25,4	On request	30 m coils
16313BLC	Blue	31,75	On request	3 m bars
16313BL	Blue	31,75	On request	6 m bars
16313BL-30	Blue	31,75	On request	30 m coils
16323BLC	Blue	35	On request	3 m bars
16323BL	Blue	35	On request	6 m bars
16323BL-30	Blue	35	On request	30 m coils
16324BLC	Blue	38,1	On request	3 m bars
16324BL	Blue	38,1	On request	6 m bars
16324BL-30	Blue	38,1	On request	30 m coils
16325BLC	Blue	54,1	On request	3 m bars
16325BL	Blue	54,1	On request	6 m bars
16325BL-30	Blue	54,1	On request	30 m coils





Used with Part 164/165 Page 433




Use as a reference for the inner dimensions of the profile.

160 Profilo "C" / C-Profile / C-Profil

Delivery: **Easy** **Standard** Coils available




Used with **Part 164/165**
Page 433





Use as a reference for the inner dimensions of the profile.

Article-Nr.	Material	Availability	Supply*
16003BC	<i>BluLub</i>	Stock item	3 m bars
16003B	<i>BluLub</i>	On request	6 m bars
16003B-30	<i>BluLub</i>	Stock item	30 m coils
16003C	<i>Ti-White</i>	Stock item	3 m bars
16003	<i>Ti-White</i>	Stock item	6 m bars
16003-30	<i>Ti-White</i>	Stock item	30 m coils
16005C	Blue	On request	3 m bars
16005	Blue	On request	6 m bars
16005-30	Blue	On request	30 m coils




161 Profilo "C" / C-Profile / C-Profil

Delivery: **Easy** **Standard** Coils available





Used with **Part 164/165**
Page 433




Use as a reference for the inner dimensions of the profile.

Article-Nr.	Material	Availability	Supply*
16103BC	<i>BluLub</i>	On request	3 m bars
16103B	<i>BluLub</i>	On request	6 m bars
16103B-30	<i>BluLub</i>	Stock item	30 m coils
16103C	<i>Ti-White</i>	Stock item	3 m bars
16103	<i>Ti-White</i>	Stock item	6 m bars
16103-30	<i>Ti-White</i>	Stock item	30 m coils
16105C	Blue	On request	3 m bars
16105	Blue	On request	6 m bars
16105-30	Blue	On request	30 m coils

NEW 1092 Profilo "C" / C-Profile / C-Profil



Used with **Part 164/165**
Page 433



Use as a reference for the inner dimensions of the profile.



Article-Nr.	Material	Availability	Supply*
109200BC	<i>BluLub</i>	On request	3 m bars
109200B	<i>BluLub</i>	On request	6 m bars
109203C	<i>Ti-White</i>	On request	3 m bars
109203	<i>Ti-White</i>	On request	6 m bars
109205C	Blue	On request	3 m bars
109205	Blue	On request	6 m bars

* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.


162 Profilo "C" / C-Profile / C-Profil

Delivery: **Easy** **Standard** Coils available




Article-Nr.	Material	Availability	Supply*
16205C	Blue	On request	3 m bars
16205	Blue	On request	6 m bars
16205-30	Blue	On request	30 m coils
16202BC	BluLub	Stock item	3 m bars
16202B	BluLub	On request	6 m bars
16202B-30	BluLub	Stock item	30 m coils
16203C	Ti-White	Stock item	3 m bars
16203	Ti-White	On request	6 m bars
16203-30	Ti-White	Stock item	30 m coils
16202C	Green	Stock item	3 m bars
16202	Green	On request	6 m bars
16202-30	Green	Stock item	30 m coils

Used with **Part 164/165**
Page 433





Use as a reference for the inner dimensions of the profile.




164 Guida in alluminio / Aluminum guide / Aluminium profil

Delivery: **Easy** **Standard** Coils available





Article-Nr.	Material	Availability	Supply*	Profile cover	Box
16401C	Aluminum	Stock item	3 m bars	301403	60 pcs
16401	Aluminum	Stock item	6 m bars	301403	60 pcs

Used with **Part 362** Page 558
and **Part 1097** Page 576




165 Guida in alluminio / Aluminum guide / Aluminium profil

Delivery: **Easy** **Standard**





Article-Nr.	Material	Availability	Supply*	Profile cover	Box
16501C	Aluminum	Stock item	3 m bars	301404	60 pcs
16501	Aluminum	Stock item	6 m bars	301404	60 pcs

Used with **Part 362** Page 558
and **Part 1097** Page 576




NEW 1114

Profilo per mezzitondi / Half round profile for steel rods / Halbmond Profil





Article-Nr.	Material	Availability	Supply*
111400BC	BluLub	On request	3 m bars
111400B	BluLub	On request	6 m bars
111400B-30	BluLub	On request	30 m coils
111400B-60	BluLub	On request	60 m coils
111403C	Ti-White	On request	3 m bars
111403	Ti-White	On request	6 m bars
111403-30	Ti-White	On request	30 m coils
111403-60	Ti-White	On request	60 m coils
111405C	Blue	On request	3 m bars
111405	Blue	On request	6 m bars
111405-30	Blue	On request	30 m coils
111405-60	Blue	On request	60 m coils



1039

Profilo per mezzitondi / Half round profile for steel rods / Halbmond Profil



Delivery: **Easy** **Standard**



Article-Nr.	Material	Availability	Supply*
103923BC	BluLub	On request	3 m bars
103923B	BluLub	On request	6 m bars
103923B-30	BluLub	Stock item	30 m coils
103923B-60	BluLub	On request	60 m coils
103923C	Ti-White	Stock item	3 m bars
103923	Ti-White	On request	6 m bars
103923-30	Ti-White	Stock item	30 m coils
103923-60	Ti-White	Stock item	60 m coils
103925C	Blue	On request	3 m bars
103925	Blue	On request	6 m bars
103925-30	Blue	On request	30 m coils
103925-60	Blue	On request	60 m coils

1083

Profilo per mezzitondi / Half round profile for steel rods / Halbmond Profil





Article-Nr.	Material	Availability	Supply*
108300BC	BluLub	On request	3 m bars
108300B	BluLub	On request	6 m bars
108300B-30	BluLub	On request	30 m coils
108300B-60	BluLub	On request	60 m coils
108303C	Ti-White	On request	3 m bars
108303	Ti-White	On request	6 m bars
108303-30	Ti-White	On request	30 m coils
108303-60	Ti-White	On request	60 m coils
108305C	Blue	On request	3 m bars
108305	Blue	On request	6 m bars
108305-30	Blue	On request	30 m coils
108305-60	Blue	On request	60 m coils


* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.



166 Profilo per toncini / Round profile for steel rods / Halbmond Profil



Delivery:	Easy	Standard	Coils available	Article-Nr.	A	B	C	Material	Availability	Supply*
				16601B	8	12	0.5	BluLub	Stock item	30 m coils
				16602B	10	14	0.5	BluLub	On request	30 m coils
				16603B	12	16	1	BluLub	On request	30 m coils
				16604B	16	20	1.5	BluLub	On request	30 m coils
				16601	8	12	0.5	Ti-White	Stock item	30 m coils
				16602	10	14	0.5	Ti-White	Stock item	30 m coils
				16603	12	16	1	Ti-White	Stock item	30 m coils
				16604	16	20	1.5	Ti-White	Stock item	30 m coils
				16601BL	8	12	0.5	Blue	On request	30 m coils
				16602BL	10	14	0.5	Blue	On request	30 m coils
				16603BL	12	16	1	Blue	On request	30 m coils
				16604BL	16	20	1.5	Blue	On request	30 m coils



154 Guida laterale / Side guide rail / Seitenführungen




Used with
Hex head bolt



Delivery:	Easy	Standard	Metal profile: Aluminium	Article-Nr.	Material	Availability	Supply*
				15401BC	BluLub	Stock item	3 m bars
				15401B	BluLub	On request	6 m bars
				15401C	Ti-White	On request	3 m bars
				15401	Ti-White	On request	6 m bars
				15405C	Blue	On request	3 m bars
				15405	Blue	On request	6 m bars
				15402C	Green	On request	3 m bars
				15402	Green	On request	6 m bars



Only plastic profile

Article-Nr.	Material	Availability	Supply*
15451B-30	BluLub	On request	30 m coils
15451-30	Ti-White	On request	30 m coils
15455-30	Blue	On request	30 m coils
15452-30	Green	On request	30 m coils



155 Guida laterale / Side guide rail / Seitenführungen

Metal profile: Aluminium




Used with T-bolt
Part 362 Pag 558



Article-Nr.	Material	Availability	Supply*
15500BC	BluLub	On request	3 m bars
15503C	Ti-White	On request	3 m bars
15505C	Blue	On request	3 m bars
15501C	Green	On request	3 m bars



Only plastic profile

Article-Nr.	Material	Availability	Supply*
15550BC	BluLub	On request	3 m bars
15553C	Ti-White	On request	3 m bars
15555C	Blue	On request	3 m bars
15551C	Green	On request	3 m bars



134 Guida laterale / Side guide rail / Seitenführungen


Delivery: **Easy** **Standard** Metal profile: Stainless steel AISI 304



Article-Nr.	Material	Availability	Supply*
13400BC	BluLub	On request	3 m bars
13400B	BluLub	On request	6 m bars
13403C	Ti-White	On request	3 m bars
13403	Ti-White	On request	6 m bars
13405C	Blue	On request	3 m bars
13405	Blue	On request	6 m bars
13401C	Green	Stock item	3 m bars
13401	Green	On request	6 m bars

Only plastic profile

Article-Nr.	Material	Availability	Supply*
13450BC	BluLub	On request	3 m bars
13453C	Ti-White	On request	3 m bars
13455C	Blue	On request	3 m bars
13451C	Green	On request	3 m bars





* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.


*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

199 Piastra di trasferimento / Transfer plate / Überschubprofil



Delivery: **Easy** **Standard** Fit on 3 mm (1/8")




Article-Nr.	Material	Availability	Supply*
19960B	BluLub	Stock item	1,5 m bars
19960	Black	Stock item	1,5 m bars




238-228-235 NoseBar / NoseBar / NoseBar



Article-Nr.	Material	Availability	Supply
2381500	BluLub	On request	1,5 m bars




Article-Nr.	Material	Availability	Supply
2281500	BluLub	On request	1,5 m bars



Article-Nr.	Material	Availability	Supply
2351500	BluLub	On request	1,5 m bars

NoseBars Standard




NoseBars with Bearings



NoseBars with Rollers





Machined to width NoseBars are available in the section Modular belts. Find more details at Page 306.




1000

Copri profilo / Bar cap / Abdeckprofil

Delivery: **Easy** **Standard** Fit on 1.5 mm (1/16")





Article-Nr.	Material	Availability	Supply*
100008-30	BluLub	On request	30 m coils
100003-30	Ti-White	Stock item	30 m coils
100005-30	Blue	On request	30 m coils




1001

Copri profilo / Bar cap / Abdeckprofil





Article-Nr.	Material	Availability	Supply*
100103B-30	BluLub	Stock item	30 m coils
100103-30	Ti-White	Stock item	30 m coils
100105-30	Blue	On request	30 m coils




1002

Copri profilo / Bar cap / Abdeckprofil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")





Article-Nr.	Material	Availability	Supply*
100208-30	BluLub	Stock item	30 m coils
100203-30	Ti-White	Stock item	30 m coils
100205-30	Blue	On request	30 m coils




NEW 1109

Copri profilo / Bar cap / Abdeckprofil

Fit on 3 mm (1/8")



Article-Nr.	Material	Availability	Supply*
110908-30	BluLub	On request	30 m coils
110903-30	Ti-White	On request	30 m coils
110905-30	Blue	On request	30 m coils





* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.


* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1003 Copri profilo / Bar cap / Abdeckprofil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")





Article-Nr.	Material	Availability	Supply*
100300B-30	BluLub	Stock item	30 m coils
100303-30	Ti-White	Stock item	30 m coils
100305-30	Blue	On request	30 m coils




1004 Copri profilo / Bar cap / Abdeckprofil

Fit on 3 mm (1/8")





Article-Nr.	Material	Availability	Supply*
100400B-30	BluLub	On request	30 m coils
100403-30	Ti-White	Stock item	30 m coils
100405-30	Blue	On request	30 m coils




1084 Copri profilo / Bar cap / Abdeckprofil

Fit on 3 mm (1/8")





Article-Nr.	Material	Availability	Supply*
108400BC	BluLub	On request	3 m bars
108400B	BluLub	On request	6 m bars
108400B-30	BluLub	On request	30 m coils
108403C	Ti-White	On request	3 m bars
108403	Ti-White	On request	6 m bars
108403-30	Ti-White	On request	30 m coils
108405C	Blue	On request	3 m bars
108405	Blue	On request	6 m bars
108405-30	Blue	On request	30 m coils




1085

Copri profilo / Bar cap / Abdeckprofil

Fit on 3 mm (1/8")





Article-Nr.	Material	Availability	Supply*
108500BC	BluLub	On request	3 m bars
108500B	BluLub	On request	6 m bars
108500B-30	BluLub	On request	30 m coils
108503C	Ti-White	On request	3 m bars
108503	Ti-White	On request	6 m bars
108503-30	Ti-White	On request	30 m coils
108505C	Blue	On request	3 m bars
108505	Blue	On request	6 m bars
108505-30	Blue	On request	30 m coils




153

Copri profilo / Bar cap / Abdeckprofil

Delivery: **Easy** **Standard** Fit on 4/5 mm (3/16")





Article-Nr.	Material	Availability	Supply*
15300C	BluLub	Stock item	3 m bars
15300	BluLub	On request	6 m bars
15300-30	BluLub	Stock item	30 m coils
15303C	Ti-White	Stock item	3 m bars
15303	Ti-White	On request	6 m bars
15303-30	Ti-White	Stock item	30 m coils
15305C	Blue	On request	3 m bars
15305	Blue	On request	6 m bars
15305-30	Blue	On request	30 m coils
15302C	Green	Stock item	3 m bars
15302	Green	On request	6 m bars
15302-30	Green	On request	30 m coils




1006

Copri profilo / Bar cap / Abdeckprofil

Delivery: **Easy** **Standard** Fit on 5 mm (3/16")



Article-Nr.	Material	Availability	Supply
100600B-30	BluLub	On request	30 m coils
100603-30	Ti-White	Stock item	30 m coils
100605-30	Blue	On request	30 m coils





* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.


1007

Copri profilo / Bar cap / Abdeckprofil

Delivery: **Easy** **Standard** Fit on 5 mm (3/16")





Article-Nr.	Material	Availability	Supply
100703BC	BluLub	Stock item	3 m bars
100703B	BluLub	On request	6 m bars
100703C	Ti-White	Stock item	3 m bars
100703	Ti-White	On request	6 m bars
100705C	Blue	On request	3 m bars
100705	Blue	On request	6 m bars




1095

Copri profilo / Bar cap / Abdeckprofil

Fit on 4 mm



Article-Nr.	Material	Availability	Supply
109504BC	BluLub	On request	3 m bars
109503C	Ti-White	On request	3 m bars
109501C	Blue	On request	3 m bars



Used with
Part 3016





Art-Nr. **301601**

Available in box of 24 pcs


1040

Copri profilo / Bar cap / Abdeckprofil

Delivery: **Easy** **Standard** Fit on 3 mm (1/8")



Article-Nr.	Material	Availability	Supply*
104000BC	BluLub	On request	3 m bars
104000B	BluLub	On request	6 m bars
104003C	Ti-White	Stock item	3 m bars
104003	Ti-White	On request	6 m bars
104005C	Blue	On request	3 m bars
104005	Blue	On request	6 m bars



1008-1009-1010

Guide estruse / Extruded profiles / Extrudiertes Profil



* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.


1008

Copri profilo / Bar cap / Abdeckprofil

Delivery: **Easy** **Standard** Fit on 5 mm (3/16")





Article-Nr.	Material	Availability	Supply*
100803BC	BluLub	Stock item	3 m bars
100803B	BluLub	On request	6 m bars
100803C	Ti-White	Stock item	3 m bars
100803	Ti-White	Stock item	6 m bars
100805C	Blue	On request	3 m bars
100805	Blue	On request	6 m bars




1009

Copri profilo / Bar cap / Abdeckprofil

Delivery: **Easy** **Standard** Fit on 6 mm (1/4")





Article-Nr.	Material	Availability	Supply*
100900B-30	BluLub	On request	30 m coils
100903-30	Ti-White	Stock item	30 m coils
100905-30	Blue	On request	30 m coils




1010

Copri profilo / Bar cap / Abdeckprofil

Delivery: **Easy** **Standard** Fit on 6 mm (1/4")



Article-Nr.	Material	Availability	Supply*
101000B-30	BluLub	On request	30 m coils
101003-30	Ti-White	Stock item	30 m coils
101005-30	Blue	On request	30 m coils





* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.


* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1086 Copri profilo / Bar cap / Abdeckprofil

Fit on 8 mm (5/16")





Article-Nr.	Material	Availability	Supply*
108600B-30	BluLub	On request	30 m coils
108603-30	Ti-White	On request	30 m coils
108605-30	Blue	On request	30 m coils




1011 Copri profilo / Bar cap / Abdeckprofil

Fit on 10 mm (3/8")





Article-Nr.	Material	Availability	Supply
101100B-30	BluLub	On request	30 m coils
101103-30	Ti-White	On request	30 m coils
101105-30	Blue	On request	30 m coils




NEW 1127 Copri profilo / Bar cap / Abdeckprofil

Fit on 12 mm





Article-Nr.	Material	Availability	Supply
112700BC	BluLub	On request	3 m bars
112700B-30	BluLub	On request	30 m coils
112703C	Ti-White	On request	3 m bars
112703-30	Ti-White	On request	30 m coils
112705C	Blue	On request	3 m bars
112705-30	Blue	On request	30 m coils




1013 Copri profilo / Bar cap / Abdeckprofil

Fit on 10 mm (3/8")





Article-Nr.	Material	Availability	Supply
101300BC	BluLub	On request	3 m bars
101300B	BluLub	On request	6 m bars
101303C	Ti-White	On request	3 m bars
101303	Ti-White	On request	6 m bars
101305C	Blue	On request	3 m bars
101305	Blue	On request	6 m bars




1012 Copri profilo / Bar cap / Abdeckprofil

Delivery: **Easy** **Standard** Fit on 12/13 mm (1/2")





Article-Nr.	Material	Availability	Supply
101200B-30	BluLub	On request	30 m coils
101203-30	Ti-White	Stock item	30 m coils
101205-30	Blue	On request	30 m coils




181 Copri profilo / Bar cover / Abdeckprofil

Delivery: **Easy** **Standard** Fit on 25.4 x 25.4 mm (1" x 1")





Article-Nr.	Material	Availability	Supply
18100BC	BluLub	On request	3 m bars
18100B	BluLub	On request	6 m bars
18103C	Ti-White	Stock item	3 m bars
18103	Ti-White	On request	6 m bars
18105C	Blue	On request	3 m bars
18105	Blue	On request	6 m bars




1052 Copri profilo / Bar cover / Abdeckprofil

Delivery: **Easy** **Standard** Fit on 38.1 x 50.8 mm (1-1/2"x 2")





Article-Nr.	Material	Availability	Supply
105200BC	BluLub	On request	3 m bars
105200B	BluLub	On request	6 m bars
105203C	Ti-White	Stock item	3 m bars
105203	Ti-White	On request	6 m bars
105205C	Blue	On request	3 m bars
105205	Blue	On request	6 m bars




180 Copri profilo / Bar cover / Abdeckprofil



Fit on 30.5 x 46 mm




Article-Nr.	Material	Availability	Supply
18000BC	BluLub	On request	3 m bars
18000B	BluLub	On request	6 m bars
18003C	Ti-White	On request	3 m bars
18003	Ti-White	On request	6 m bars
18005C	Blue	On request	3 m bars
18005	Blue	On request	6 m bars



NEW 1108 Copri profilo / Bar cover / Abdeckprofil





Article-Nr.	Material	Availability	Supply
110800BC	BluLub	On request	3 m bars
110803C	Ti-White	On request	3 m bars
110805C	Blue	On request	3 m bars



1063 Guida laterale / Side guide / Seitenführung

Delivery: **Easy** **Standard** Fit on 30 x 4 mm



Article-Nr.	Material	Availability	Supply*
106300BC	BluLub	On request	3 m bars
106301C	Black	Stock item	3 m bars
106302C	Green	Stock item	3 m bars

Part 3017



30 x 4 mm
Page 467



Option of application - Plate

137 Guida laterale / Side guide / Seitenführung


Delivery: **Easy** **Standard** Fit on 40 x 8 mm



Article-Nr.	Material	Availability	Supply*
13701BC	BluLub	Stock item	3 m bars
13701B	BluLub	On request	6 m bars
13703C	Ti-White	Stock item	3 m bars
13703	Ti-White	On request	6 m bars
13702C	Black	Stock item	3 m bars
13702	Black	On request	6 m bars
13705C	Blue	On request	3 m bars
13705	Blue	On request	6 m bars
13701C	Green	Stock item	3 m bars
13701	Green	Stock item	6 m bars

Part 3017

40 x 8 mm
Page 467



Option of application - Plate

Part 117


Page 466



Option of application - M-Profile

Part 1055

Page 466





Option of application - Guide

* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

137 Guida laterale / Side guide / Seitenführung

Delivery: **Easy** **Standard** Fit on 40 x 10 mm




Article-Nr.	Material	Availability	Supply*
13711BC	BluLub	Stock item	3 m bars
13711B	BluLub	On request	6 m bars
13713C	Ti-White	On request	3 m bars
13713	Ti-White	On request	6 m bars
13712C	Black	On request	3 m bars
13712	Black	On request	6 m bars
13715C	Blue	On request	3 m bars
13715	Blue	On request	6 m bars
13711C	Green	Stock item	3 m bars
13711	Green	Stock item	6 m bars

Part 3017
40 x 10 mm
Page 467



Option of application - Plate



Part 117
Page 466



Option of application - M-Profile

158 Guida laterale / Side guide / Seitenführung

Delivery: **Easy** **Standard** Fit on 50 x 6 mm




Article-Nr.	Material	Availability	Supply*
15800BC	BluLub	Stock item	3 m bars
15894C	Ti-White	On request	3 m bars
15898C	Black	Stock item	3 m bars
15894BLC	Blue	On request	3 m bars
15897C	Green	Stock item	3 m bars
15800C	Grey	Stock item	3 m bars

Part 3017
50 x 6 mm
Page 467



Option of application - Plate

Part 159
Page 467



Option of application - Guide

1107-1064

Guide estruse / Extruded profiles / Extrudiertes Profil



* Standard 3 m (10 ft) or 6 m (20 ft) profiles are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping.

* Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

NEW 1107


Guida laterale / Side guide / Seitenführung

Fit on 90 x 12 mm



Article-Nr.	Material	Availability	Supply*
110700BC	BluLub	On request	3 m bars
110703C	Ti-White	On request	3 m bars
110701C	Black	On request	3 m bars
110705C	Blue	On request	3 m bars

Part 3017
90 x 12 mm
Page 467





Option of application - Plate

1064

Guida laterale / Side guide / Seitenführung

Delivery: **Easy** **Standard** Fit on 55 x 4 mm



Article-Nr.	Material	Availability	Supply
106400BC	BluLub	On request	3 m bars
106403C	Ti-White	On request	3 m bars
106401C	Black	Stock item	3 m bars
106405C	Blue	On request	3 m bars



Plate
55 x 4 mm



Option of application - Plate


183 Guida laterale / Side guide / Seitenführung

Delivery: **Easy** **Standard** Fit on 40 x 8 mm



Article-Nr.	Material	Availability	Supply
18301BC	BluLub	Stock item	3 m bars
18301C	Black	Stock item	3 m bars
18305C	Blue	On request	3 m bars
18397C	Green	Stock item	3 m bars

Part 3017
40 x 8 mm
Page 467



Option of application - Plate

Part 117
Page 466



Option of application - M-Profile



Part 1055
Page 466



NEW 1103


Guida laterale / Side guide / Seitenführung

Fit on 40 x 4 mm



Article-Nr.	Material	Availability	Supply
110300BC	BluLub	On request	3 m bars
110305C	Blue	On request	3 m bars
110304C	Green	On request	3 m bars


Part 3017
40 x 4 mm
Page 467



Option of application - Plate

Easy Bendable



For the grooved version, just add "S" to the related Article Nr.



158

Guida laterale / Side guide / Seitenführung


Delivery: **Easy** **Standard** Fit on 50 x 6 mm



Article-Nr.	A	B	Material	Availability	Supply
15801BC	90	45	BluLub	Stock item	3 m bars
15802BC	100	50	BluLub	Stock item	3 m bars
15803BC	120	60	BluLub	Stock item	3 m bars
15804BC	140	70	BluLub	On request	3 m bars
15831C	90	45	Ti-White	On request	3 m bars
15832C	100	50	Ti-White	On request	3 m bars
15833C	120	60	Ti-White	On request	3 m bars
15834C	140	70	Ti-White	On request	3 m bars
15801BLC	90	45	Blue	On request	3 m bars
15802BLC	100	50	Blue	On request	3 m bars
15803BLC	120	60	Blue	On request	3 m bars
15804BLC	140	70	Blue	On request	3 m bars
15801C	90	45	Grey	Stock item	3 m bars
15802C	100	50	Grey	Stock item	3 m bars
15803C	120	60	Grey	Stock item	3 m bars
15804C	140	70	Grey	On request	3 m bars

Part 3017


50 x 6 mm
Page 467



Option of application - Plate

Part 159

Page 467





Option of application - Guide

194

Guida laterale con salva etichetta / Side guide with lable saver / Seitenführung mit Etikettenschutz

Fit on 50 x 6 mm



Article-Nr.	A	B	Material	Availability	Supply
19400BC	90	45	BluLub	Stock item	3 m bars
19403BC	120	60	BluLub	Stock item	3 m bars
19430C	90	45	Ti-White	On request	3 m bars
19433C	120	60	Ti-White	On request	3 m bars
19400BLC	90	45	Blue	On request	3 m bars
19403BLC	120	60	Blue	On request	3 m bars
19400C	90	45	Grey	On request	3 m bars
19403C	120	60	Grey	On request	3 m bars

Part 3017


50 x 6 mm
Page 467



Option of application - Plate

Part 159



Page 467



Option of application - Guide


189 Guida laterale / Side guide / Seitenführung

Delivery: **Easy** **Standard** Fit on 40 x 8 mm




Article-Nr.	Material	Availability	Supply
18912BC	BluLub	Stock item	3 m bars
18912BLC	Blue	On request	3 m bars
18916C	Grey	On request	3 m bars

Part 3017
40 x 8 mm
Page 467




Option of application - Plate

Part 117
Page 466





Option of application - M-Profile

Part 1055
Page 466




Option of application - Guide

Guida laterale con salva etichetta Side guide with lable saver / Seitenführung mit Etikettenschutz




Article-Nr.	Material	Availability	Supply
18910BC	BluLub	Stock item	3 m bars
18910BLC	Blue	On request	3 m bars
18914C	Grey	Stock item	3 m bars

Part 3017
40 x 8 mm
Page 467




Option of application - Plate

Part 117
Page 466



Option of application - M-Profile


Part 1055
Page 466



Option of application - Guide

Easy Bendable

For the grooved version, just add "-S" to the related Article Nr.





189-1079 RS

Guide estruse / Extruded profiles / Extrudiertes Profil

Guida laterale con salva etichetta


Side guide with lable saver / Seitenführung mit Etikettenschutz



Article-Nr.	Material	Availability	Supply
18911BC	BluLub	Stock item	3 m bars
18911BLC	Blue	On request	3 m bars
18915C	Grey	On request	3 m bars

Part 3017
40 x 8 mm
Page 467


Valid also for
RS versions



Option of application - Plate

Part 117
Page 466


Valid also for
RS versions



Option of application - M-Profile

Part 1055
Page 466

Valid also for
RS versions



Option of application - Guide



1079

RS


Guida laterale con salva etichetta / Side guide with lable saver / Seitenführung mit Etikettenschutz

Delivery: **Easy** **Standard** Fit on 40 x 8 mm

Article-Nr.	Version	Material	Availability	Supply
107900	A	Black+ BluLub	On request	3 m bars
107901	B	Black+ BluLub	On request	3 m bars



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

Base profile

Art-Nr.	Supply
18980	3 m bars

Label saver 2 cm

Art-Nr.	Supply
18987	30 m coils


Label saver 4 cm

Art-Nr.	Supply
18988	30 m coils

Single components

Easy Bendable



For the grooved version, just add "-S" to the related Article Nr.



NEW 1104


Guida laterale con salva etichetta / Side guide with lable saver / Seitenführung mit Etikettenschutz

Fit on 40 x 4 mm



Article-Nr.	Material	Availability	Supply
110400BC	BluLub	On request	3 m bars
110405C	Blue	On request	3 m bars
110404C	Grey	On request	3 m bars

Part 3017
40 x 4 mm
Page 467





Option of application - Plate

1096


Guida laterale con salva etichetta / Side guide with lable saver / Seitenführung mit Etikettenschutz

Fit on 50 x 5 mm




Article-Nr.	Material	Availability	Supply
109600BC	BluLub	Stock item	3 m bars
109600BLC	Blue	On request	3 m bars
109605C	Grey	On request	3 m bars

Part 3017
50 x 5 mm
Page 467



Option of application - Plate


Part 159
Page 467



Option of application - Guide

Easy Bendable



For the grooved version, just add "-S" to the related Article Nr.




189 Guida laterale / Side guide / Seitenführung

Delivery: **Easy** **Standard** Fit on 50 x 6 mm

Article-Nr.	Material	Availability	Supply
18902BC	BluLub	Stock item	3 m bars
18902BLC	Blue	On request	3 m bars
18906C	Grey	On request	3 m bars




Part 3017
50 x 6 mm
Page 467



Option of application - Plate



Part 159
Page 467




Option of application - Guide

Guida laterale con salva etichetta Side guide with label saver / Seitenführung mit Etikettenschutz

Article-Nr.	Material	Availability	Supply
18900BC	BluLub	Stock item	3 m bars
18900BLC	Blue	On request	3 m bars
18904C	Grey	Stock item	3 m bars




Part 3017
50 x 6 mm
Page 467



Option of application - Plate


Part 159
Page 467





Option of application - Guide

Easy Bendable


For the grooved version, just add "-S" to the related Article Nr.



Guida laterale con salva etichetta**Side guide with label saver / Seitenführung mit Etikettenschutz**


Article-Nr.	Material	Availability	Supply
18901BC	BluLub	Stock item	3 m bars
18901BLC	Blue	On request	3 m bars
18905C	Grey	On request	3 m bars

Part 3017
50 x 6 mm
Page 467



Option of application - Plate



Part 159
Page 467



Option of application - Guide

187 Guida laterale / Side guide / Seitenführung


Delivery: **Easy** **Standard** Fit on 60 x 6 mm



Article-Nr.	Material	Availability	Supply
18710BC	BluLub	Stock item	3 m bars
18705C	Blue	On request	3 m bars
18714C	Grey	On request	3 m bars

Part 3017


60 x 6 mm
Page 467



Option of application - Plate

Part 1089



Page 467



Option of application - Guide

Guida laterale con salva etichetta


Side guide with label saver / Seitenführung mit Etikettenschutz



Article-Nr.	A	Material	Availability	Supply
18720BC	12	BluLub	Stock item	3 m bars
18730BC	20	BluLub	Stock item	3 m bars
18740BC	40	BluLub	Stock item	3 m bars
18725C	12	Blue	On request	3 m bars
18735C	20	Blue	On request	3 m bars
18745C	40	Blue	On request	3 m bars
18724C	12	Grey	On request	3 m bars
18734C	20	Grey	On request	3 m bars
18744C	40	Grey	On request	3 m bars

Part 3017


60 x 6 mm
Page 467



Option of application - Plate

Part 1089


Page 467



Option of application - Guide



Easy Bendable

For the grooved version, just add "-S" to the related Article Nr.



135 Guida laterale / Side guide / Seitenführung

Delivery: **Easy** **Standard** Fit on 60 x 6 mm



Article-Nr.	Material	Availability	Supply
13501C	Black	Stock item	3 m bars
13501	Black	Stock item	6 m bars
13502C	Blue RAL 5012	Stock item	3 m bars
13502	Blue RAL 5012	Stock item	6 m bars

Part 3017
60 x 6 mm
Page 467





Part 3310
pag 539

Option of application - Plate

136 Guida laterale / Side guide / Seitenführung

Delivery: **Easy** **Standard** Fit on 60 x 6 mm



Article-Nr.	Material	Availability	Supply
13601C	Black	Stock item	3 m bars
13601	Black	On request	6 m bars
13602C	Blue RAL 5012	Stock item	3 m bars
13602	Blue RAL 5012	Stock item	6 m bars

Part 3017
60 x 6 mm
Page 467




Part 345
Page 539

Option of application - Plate

Easy Bendable



For the grooved version, just add "-S" to the related Article Nr.



1057/1077

Guida laterale / Side guide / Seitenführung

Delivery: **Easy** **Standard** Fit on 50 x 6 mm



Article-Nr.	Material	Availability	Supply
105720BLC	BluLub	Stock item	3 m bars
105721C	Black	On request	3 m bars
105725C	Blue	On request	3 m bars
105724C	Grey	On request	3 m bars
105721AC	AS	On request	3 m bars

Part 3017
50 x 6 mm
Page 467

Valid also for
RS versions



Option of application - Plate

Part 159
Page 467

Valid also for
RS versions





Part 3311
Page 539

Option of application - Guide

Guida laterale con salva etichetta

Side guide with label saver / Seitenführung mit Etikettenschutz



Article-Nr.	Material	Availability	Supply
107720BLC	BluLub	Stock item	3 m bars
107721C	Black	On request	3 m bars
107725C	Blue	On request	3 m bars
107724C	Grey	On request	3 m bars
107721AC	AS	On request	3 m bars

Part 3017
50 x 6 mm
Page 467

Valid also for
RS versions



Option of application - Plate

Part 159
Page 467

Valid also for
RS versions




Part 3311
Page 539

Option of application - Guide



Easy Bendable

For the grooved version, just add "-S" to the related Article Nr.




1077/1078 RS Guida laterale con salva etichetta / Side guide with lable saver / Seitenführung mit Etikettenschutz

Delivery:	Easy	Standard	Fit on 50 x 6 mm	Article-Nr.	Version	Material	Availability	Supply
				107722	A	Black+ BluLub	On request	3 m bars
				107723	B	Black+ BluLub	On request	3 m bars



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

Base profile

Art-Nr.	Supply
107790	3 m bars

Label saver 2 cm



Art-Nr.	Supply
18987	30 m coils

Label saver 4 cm


Art-Nr.	Supply
18988	30 m coils

Single components

Guida laterale con salva etichetta / Side guide with lable saver / Seitenführung mit Etikettenschutz



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

Article-Nr.	Version	Material	Availability	Supply
107822	A	Black+ BluLub	On request	3 m bars
107823	B	Black+ BluLub	On request	3 m bars

Base profile

Art-Nr.	Supply
107890	3 m bars

Label saver 2 cm

Art-Nr.	Supply
18987	30 m coils

Label saver 4 cm


Art-Nr.	Supply
18988	30 m coils

Label saver 2 cm and 4 cm
can also be combined together to obtain different version.

Single components

Easy Bendable



For the grooved version, just add "-S" to the related Article Nr.



1057/1077

Guida laterale / Side guide / Seitenführung

Delivery: **Easy** **Standard** Fit on 60 x 6 mm



Article-Nr.	Material	Availability	Supply
105700BC	BluLub	Stock item	3 m bars
105711C	Black	Stock item	3 m bars
105705C	Blue	On request	3 m bars
105704C	Grey	Stock item	3 m bars

Part 3017

60 x 6 mm
Page 467

Valid also for **RS** versions



Option of application - Plate

Part 1089

Page 467

Valid also for **RS** versions





Part 3311
Page 539

Option of application - Guide

Guida laterale con salva etichetta

Side guide with label saver / Seitenführung mit Etikettenschutz



Article-Nr.	Material	Availability	Supply
107700BC	BluLub	On request	3 m bars
107711C	Black	On request	3 m bars
107705C	Blue	On request	3 m bars
107704C	Grey	On request	3 m bars

Part 3017

60 x 6 mm
Page 467

Valid also for **RS** versions



Option of application - Plate

Part 1089

Page 467

Valid also for **RS** versions




Part 3311
Page 539

Option of application - Guide



Easy Bendable

For the grooved version, just add "-S" to the related Article Nr.




1077/1078 RS Guida laterale con salva etichetta / Side guide with lable saver / Seitenführung mit Etikettenschutz

Delivery:	Easy	Standard	Fit on 60 x 6 mm	Article-Nr.	Version	Material	Availability	Supply
				107700	A	Black+ BluLub	On request	3 m bars
				107701	B	Black+ BluLub	On request	3 m bars



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

Base profile

Art-Nr.	Supply
107791	3 m bars

Label saver 2 cm



Art-Nr.	Supply
18987	30 m coils

Label saver 4 cm


Art-Nr.	Supply
18988	30 m coils

Single components

Guida laterale con salva etichetta / Side guide with lable saver / Seitenführung mit Etikettenschutz



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

Article-Nr.	Version	Material	Availability	Supply
107800	A	Black+ BluLub	On request	3 m bars
107801	B	Black+ BluLub	On request	3 m bars

Base profile

Art-Nr.	Supply
107891	3 m bars

Label saver 2 cm

Art-Nr.	Supply
18987	30 m coils

Label saver 4 cm

Art-Nr.	Supply
18988	30 m coils

Label saver 2 cm and 4 cm can also be combined together to obtain different version.

Single components

Easy Bendable

For the grooved version, just add "-S" to the related Article Nr.





193/189

Guida laterale / Side guide / Seitenführung

Delivery: **Easy** **Standard** Fit on 60 x 5 mm

Article-Nr.	Material	Availability	Supply
19330BC	BluLub	Stock item	3 m bars
19335C	Blue	On request	3 m bars
19334C	Grey	On request	3 m bars



Part 3017

60 x 5 mm
Page 467



Part 3311
Page 539

Option of application - Plate

Part 1088

Page 467





Part 3311
Page 539

Option of application - Guide

Guida laterale con salva etichetta

Side guide with label saver / Seitenführung mit Etikettenschutz



Article-Nr.	Material	Availability	Supply
18980BC	BluLub	Stock item	3 m bars
18985C	Blue	On request	3 m bars
18984C	Grey	On request	3 m bars

Part 3017

60 x 5 mm
Page 467



Part 3311
Page 539

Option of application - Plate

Part 1088

Page 467




Part 3311
Page 539

Option of application - Guide



Easy Bendable

For the grooved version, just add "-S" to the related Article Nr.



Guida laterale con salva etichetta

Side guide with lable saver / Seitenführung mit Etikettenschutz



Article-Nr.	Material	Availability	Supply
18940BC	BluLub	Stock item	3 m bars
18945C	Blue	On request	3 m bars
18944C	Grey	Stock item	3 m bars

Part 3017
60 x 5 mm
Page 467



Part 3311
Page 539

Option of application - Plate

Part 1088
Page 467




Part 3311
Page 539

Option of application - Guide

Easy Bendable



For the grooved version, just add "-S" to the related Article Nr.



193 Guida laterale / Side guide / Seitenführung

Delivery: **Easy** **Standard** Fit on 60 x 6 mm

Article-Nr.	Material	Availability	Supply
19320BC	BluLub	Stock item	3 m bars
19325C	Blue	On request	3 m bars
19324C	Grey	Stock item	3 m bars



Part 3017

60 x 6 mm
Page 467



Part 3311
Page 539

Option of application - Plate

Part 1089

Page 467





Part 3311
Page 539

Option of application - Guide

189 Guida laterale con salva etichetta / Side guide with lable saver / Seitenführung mit Etikettenschutz

Delivery: **Easy** **Standard** Fit on 60 x 6 mm

Article-Nr.	Material	Availability	Supply
18920BC	BluLub	Stock item	3 m bars
18925C	Blue	On request	3 m bars
18924C	Grey	Stock item	3 m bars



Part 3017

60 x 6 mm
Page 467



Part 3311
Page 539

Option of application - Plate

Part 1089

Page 467




Part 3311
Page 539

Option of application - Guide



Easy Bendable

For the grooved version, just add "-S" to the related Article Nr.



Guida laterale con salva etichetta

Side guide with lable saver / Seitenführung mit Etikettenschutz



Article-Nr.	Material	Availability	Supply
18930BC	BluLub	Stock item	3 m bars
18935C	Blue	On request	3 m bars
18934C	Grey	Stock item	3 m bars

Part 3017
60 x 6 mm
Page 467



Valid also for
RS versions

Part 3311
Page 539

Option of application - Plate

Part 1089
Page 467



Valid also for
RS versions

Part 3311
Page 539



Option of application - Guide

1075


RS Guida laterale con salva etichetta / Side guide with lable saver / Seitenführung mit Etikettenschutz

Delivery: **Easy** **Standard** Fit on 60 x 6 mm

Article-Nr.	Version	Material	Availability	Supply
107500	A	Black+ BluLub	On request	3 m bars
107501	B	Black+ BluLub	On request	3 m bars



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

Base profile

Art-Nr.	Supply
18990	3 m bars

Label saver 2 cm

Art-Nr.	Supply
18987	30 m coils


Label saver 4 cm

Art-Nr.	Supply
18988	30 m coils

Single components

Easy Bendable



For the grooved version, just add "-S" to the related Article Nr.



117

Profilo Omega / M-Profile / M-Profil


Delivery: **Easy** Standard



Used with part:
137 - 183 - 189 - 1079

Article-Nr.	A	B	Availability	Supply
11703C	6	10	Stock item	3 m bars
11703	6	10	On request	6 m bars
11701C	8	8	Stock item	3 m bars
11701	8	8	Stock item	6 m bars
11702C	10	10	Stock item	3 m bars
11702	10	10	On request	6 m bars

Used with
BOLT M8





Example of application

1055

Profilo in Acciaio inox / Stainless steel Profile / Edelstahlprofil

Delivery: **Easy** Standard




Used with part:
137 - 183 - 189
1079 - 1042

Article-Nr.	A	B	Availability	Supply	Profile cover	Box
105501C	40	8	Stock item	3 m bars	301409	60 pcs
105501	40	8	On request	6 m bars	301409	60 pcs
105503C	50	6	Stock item	3 m bars	301410	60 pcs
105503	50	6	On request	6 m bars	301410	60 pcs

Used with
BOLT M8

Used with
Closing profile
Part 1097





Profile cover

Example of application

Materiale / Material / Materialien:
 Acciaio inox AISI 304
 Stainless steel AISI 304
 Edelstahl AISI 304


159-1088-1089

Profilo in Alluminio / Aluminum Profile / Aluminium Profil





Used with Part:
 158 - 187 - 189 - 193
 1075 - 1077 - 1078 - 1042

Article-Nr.	A	B	Availability	Supply	Profile cover	Box
15901C	50	6	Stock item	3 m bars	301411	60 pcs
15901	50	6	On request	6 m bars	301411	60 pcs
108801C	60	5	Stock item	3 m bars	301412	60 pcs
108801	60	5	On request	6 m bars	301412	60 pcs
108901C	60	6	Stock item	3 m bars	301413	60 pcs
108901	60	6	On request	6 m bars	301413	60 pcs



NEW 3017

Profilo in Acciaio inox / Stainless steel Profile / Edelstahlprofil





Article-Nr.	A (mm)	B (mm)	Availability	Supply
301701C	30	4	On request	3 m bars
301702C	40	4	On request	3 m bars
301703C	40	8	On request	3 m bars
301710C	40	10	On request	3 m bars
301704C	50	5	On request	3 m bars
301705C	50	6	On request	3 m bars
301707C	60	5	On request	3 m bars
301708C	60	6	On request	3 m bars
301709C	90	12	On request	3 m bars


119 Guida conica / Guide rail / Konische Führung

Delivery: **Easy** Standard



Stainless steel profile thickness: 1,5 mm




Article-Nr.	Material	Availability	Supply
11901BC	BluLub	Stock item	3 m bars
11901B	BluLub	On request	6 m bars
11901C	Ti-White	Stock item	3 m bars
11901	Ti-White	On request	6 m bars
11905C	Blue	On request	3 m bars
11905	Blue	On request	6 m bars
11901AC	AS	Stock item	3 m bars
11901A	AS	On request	6 m bars





Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
11963B	BluLub	On request	3 m bars
11967B	BluLub	On request	6 m bars
11963	Ti-White	Stock item	3 m bars
11967	Ti-White	On request	6 m bars
11964C	Blue	On request	3 m bars
11964	Blue	On request	6 m bars
11963A	AS	Stock item	3 m bars
11967A	AS	On request	6 m bars



 Hygienic Version





Article-Nr.	Material	Availability	Supply
11953B	BluLub	On request	3 m bars
11957B	BluLub	On request	6 m bars
11953	Ti-White	On request	3 m bars
11957	Ti-White	Stock item	6 m bars
11983C	Blue	On request	3 m bars
11987	Blue	On request	6 m bars

Materiale / Material / Materialien:
 Profilo metallico: Acciaio inox AISI 304
 Metal profile: Stainless steel AISI 304
 Metallprofil: Edelstahl AISI 304


121 Guida conica / Guide rail / Konische Führung

Delivery: **Easy** **Standard**



Stainless steel profile thickness: 1,5 mm




Article-Nr.	Material	Availability	Supply
12101BC	<i>BluLub</i>	On request	3 m bars
12101B	<i>BluLub</i>	On request	6 m bars
12101C	<i>Ti-White</i>	Stock item	3 m bars
12101	<i>Ti-White</i>	On request	6 m bars
12105C	Blue	On request	3 m bars
12105	Blue	On request	6 m bars
12101AC	AS	Stock item	3 m bars
12101A	AS	On request	6 m bars





Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
12163B	<i>BluLub</i>	On request	3 m bars
12167B	<i>BluLub</i>	On request	6 m bars
12163	<i>Ti-White</i>	Stock item	3 m bars
12167	<i>Ti-White</i>	On request	6 m bars
12173	Blue	On request	3 m bars
12177	Blue	On request	6 m bars
12163A	AS	Stock item	3 m bars
12167A	AS	On request	6 m bars




 Hygienic
 Version





Article-Nr.	Material	Availability	Supply
12153B	<i>BluLub</i>	On request	3 m bars
12157B	<i>BluLub</i>	On request	6 m bars
12153	<i>Ti-White</i>	Stock item	3 m bars
12157	<i>Ti-White</i>	On request	6 m bars
12183	Blue	On request	3 m bars
12187	Blue	On request	6 m bars


120 Guida conica / Guide rail / Konische Führung

Delivery: **Easy** Standard



Stainless steel profile thickness: 1,5 mm




Article-Nr.	Material	Availability	Supply
12001BC	BluLub	On request	3 m bars
12001B	BluLub	On request	6 m bars
12001C	Ti-White	Stock item	3 m bars
12001	Ti-White	On request	6 m bars
12005C	Blue	On request	3 m bars
12005	Blue	On request	6 m bars
12001AC	AS	Stock item	3 m bars
12001A	AS	On request	6 m bars





Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
12063B	BluLub	On request	3 m bars
12067B	BluLub	On request	6 m bars
12063	Ti-White	Stock item	3 m bars
12067	Ti-White	On request	6 m bars
12063BL	Blue	On request	3 m bars
12067BL	Blue	On request	6 m bars
12063A	AS	Stock item	3 m bars
12067A	AS	On request	6 m bars



Hygienic Version
NEW





Article-Nr.	Material	Availability	Supply
12053B	BluLub	On request	3 m bars
12057B	BluLub	On request	6 m bars
12053	Ti-White	Stock item	3 m bars
12057	Ti-White	On request	6 m bars
12083	Blue	On request	3 m bars
12087	Blue	On request	6 m bars

Materiale / Material / Materialien:
 Profilo metallico: Acciaio inox AISI 304
 Metal profile: Stainless steel AISI 304
 Metallprofil: Edelstahl AISI 304


152 Guida conica / Guide rail / Konische Führung

Delivery: **Easy** **Standard**



Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
15200BC	BluLub	On request	3 m bars
15201C	Ti-White	Stock item	3 m bars
15205C	Blue	On request	3 m bars





Stainless steel profile thickness: 1,9 mm




Article-Nr.	Material	Availability	Supply
15260BC	BluLub	On request	3 m bars
15263	Ti-White	On request	3 m bars
15265C	Blue	On request	3 m bars

1067 Guida conica / Guide rail / Konische Führung



Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
106700BC	BluLub	On request	3 m bars
106701C	Ti-White	On request	3 m bars
106705C	Blue	On request	3 m bars



Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
106760BC	BluLub	On request	3 m bars
106763	Ti-White	On request	3 m bars
106765C	Blue	On request	3 m bars


143 Guida conica / Guide rail / Konische Führung

Delivery: **Easy** Standard



Stainless steel profile thickness: 1,5 mm




Article-Nr.	Material	Availability	Supply
14300BC	BluLub	On request	3 m bars
14301C	Ti-White	On request	3 m bars
14305C	Blue	On request	3 m bars



Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
14360BC	BluLub	On request	3 m bars
14363	Ti-White	Stock item	3 m bars
14365C	Blue	On request	3 m bars





Materiale / Material / Materialien:
 Profilo metallico: Acciaio inox AISI 304
 Metal profile: Stainless steel AISI 304
 Metallprofil: Edelstahl AISI 304


122 Guida conica / Guide rail / Konische Führung

Delivery: **Easy** **Standard**



Stainless steel profile thickness: 1,5 mm




Article-Nr.	Material	Availability	Supply
12200BC	BluLub	On request	3 m bars
12201C	Ti-White	Stock item	3 m bars
12205C	Blue	On request	3 m bars
12201AC	AS	Stock item	3 m bars





Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
12260BC	BluLub	On request	3 m bars
12263	Ti-White	Stock item	3 m bars
12263BLC	Blue	On request	3 m bars
12263A	AS	Stock item	3 m bars



Hygienic Version
NEW





Article-Nr.	Material	Availability	Supply
12253B	BluLub	On request	3 m bars
12257B	BluLub	On request	6 m bars
12253	Ti-White	Stock item	3 m bars
12257	Ti-White	On request	6 m bars
12283	Blue	On request	3 m bars
12287	Blue	On request	6 m bars


123 Guida conica / Guide rail / Konische Führung

Delivery: **Easy** Standard



Stainless steel profile thickness: 1,5 mm




Article-Nr.	Material	Availability	Supply
12300BC	BluLub	On request	3 m bars
12301C	Ti-White	Stock item	3 m bars
12305C	Blue	On request	3 m bars
12301AC	AS	Stock item	3 m bars





Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
12360BC	BluLub	On request	3 m bars
12363	Ti-White	Stock item	3 m bars
12363BLC	Blue	On request	3 m bars
12363A	AS	Stock item	3 m bars



Hygienic Version
NEW





Article-Nr.	Material	Availability	Supply
12353B	BluLub	On request	3 m bars
12357B	BluLub	On request	6 m bars
12353	Ti-White	Stock item	3 m bars
12357	Ti-White	On request	6 m bars
12383	Blue	On request	3 m bars
12387	Blue	On request	6 m bars

Materiale / Material / Materialien:
 Profilo metallico: Acciaio inox AISI 304
 Metal profile: Stainless steel AISI 304
 Metallprofil: Edelstahl AISI 304


140 Guida conica / Guide rail / Konische Führung

Delivery: **Easy** **Standard**



Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
14000BC	BluLub	On request	3 m bars
14001C	Ti-White	Stock item	3 m bars
14005C	Blue	On request	3 m bars





Stainless steel profile thickness: 1,9 mm




Article-Nr.	Material	Availability	Supply
14060BC	BluLub	On request	3 m bars
14063	Ti-White	Stock item	3 m bars
14063BLC	Blue	On request	3 m bars

146 Guida conica / Guide rail / Konische Führung



Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
14600BC	BluLub	On request	3 m bars
14601C	Ti-White	On request	3 m bars
14605C	Blue	On request	3 m bars



Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
14660BC	BluLub	On request	3 m bars
14663	Ti-White	On request	3 m bars
14663BLC	Blue	On request	3 m bars


124 Guida conica / Guide rail / Konische Führung

Delivery: **Easy** **Standard**



Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
12400BC	BluLub	On request	3 m bars
12401C	Ti-White	Stock item	3 m bars
12405C	Blue	On request	3 m bars
12401AC	AS	Stock item	3 m bars



Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
12460BC	BluLub	On request	3 m bars
12463	Ti-White	Stock item	3 m bars
12463BLC	Blue	On request	3 m bars
12463A	AS	Stock item	3 m bars

Materiale / Material / Materialien:
 Profilo metallico: Acciaio inox AISI 304
 Metal profile: Stainless steel AISI 304
 Metallprofil: Edelstahl AISI 304


141 Guida conica / Guide rail / Konische Führung

Delivery: **Easy** **Standard**



Stainless steel profile thickness: 1,5 mm






Article-Nr.	Material	Availability	Supply
14101BC	<i>BluLub</i>	On request	3 m bars
14101C	<i>Ti-White</i>	Stock item	3 m bars
14105C	Blue	On request	3 m bars
14101AC	<i>AS</i>	Stock item	3 m bars



Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
14160BC	<i>BluLub</i>	On request	3 m bars
14163	<i>Ti-White</i>	Stock item	3 m bars
14163BLC	Blue	On request	3 m bars
14163A	<i>AS</i>	Stock item	3 m bars




Article-Nr.	Material	Availability	Supply
14153B	<i>BluLub</i>	On request	3 m bars
14157B	<i>BluLub</i>	On request	6 m bars
14153	<i>Ti-White</i>	Stock item	3 m bars
14157	<i>Ti-White</i>	On request	6 m bars
14183	Blue	On request	3 m bars
14187	Blue	On request	6 m bars

142 Guida conica / Guide rail / Konische Führung



Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
14200BC	BluLub	On request	3 m bars
14201C	Ti-White	On request	3 m bars
14205C	Blue	On request	3 m bars



Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
14260BC	BluLub	On request	3 m bars
14263	Ti-White	On request	3 m bars
14263BLC	Blue	On request	3 m bars


125 Guida conica / Guide rail / Konische Führung

Delivery: **Easy** Standard



Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
12500BC	BluLub	On request	3 m bars
12501C	Ti-White	On request	3 m bars
12505C	Blue	On request	3 m bars



Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
12560BC	BluLub	On request	3 m bars
12563	Ti-White	Stock item	3 m bars
12563BLC	Blue	On request	3 m bars


Materiale / Material / Materialien:
 Profilo metallico: Acciaio inox AISI 304
 Metal profile: Stainless steel AISI 304
 Metallprofil: Edelstahl AISI 304

144 Guida conica / Guide rail / Konische Führung



Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
14400BC	BluLub	On request	3 m bars
14401C	Ti-White	Stock item	3 m bars
14405C	Blue	On request	3 m bars




Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
14460BC	BluLub	On request	3 m bars
14463	Ti-White	Stock item	3 m bars
14463BLC	Blue	On request	3 m bars





Hygienic Version
NEW




Article-Nr.	Material	Availability	Supply
14453B	BluLub	On request	3 m bars
14457B	BluLub	On request	6 m bars
14453	Ti-White	Stock item	3 m bars
14457	Ti-White	On request	6 m bars
14483	Blue	On request	3 m bars
14487	Blue	On request	6 m bars

145 Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
14503C	BluLub	On request	3 m bars
14504C	Ti-White	On request	3 m bars
14505C	Blue	On request	3 m bars




Bendable profile, generally used with sideflexing belt 600 series.

Example of application

Stainless steel profile thickness: 1,9 mm




Article-Nr.	Material	Availability	Supply
14563	BluLub	On request	3 m bars
14564	Ti-White	On request	3 m bars
14565	Blue	On request	3 m bars




Bendable profile, generally used with sideflexing belt 600 series.

Example of application




Hygienic Version
NEW





Article-Nr.	Material	Availability	Supply
14553B	BluLub	On request	3 m bars
14557B	BluLub	On request	6 m bars
14553	Ti-White	Stock item	3 m bars
14557	Ti-White	On request	6 m bars
14583	Blue	On request	3 m bars
14587	Blue	On request	6 m bars


Materiale / Material / Materialien:
 Profilo metallico: Acciaio inox AISI 304
 Metal profile: Stainless steel AISI 304
 Metallprofil: Edelstahl AISI 304

1087 Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
108763	BluLub	On request	3 m bars
108764	Ti-White	On request	3 m bars
108765	Blue	On request	3 m bars




184 Guida conica / Guide rail / Konische Führung



Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
18400BC	BluLub	On request	3 m bars
18401C	Ti-White	On request	3 m bars
18405C	Blue	On request	3 m bars



Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
18460BC	BluLub	On request	3 m bars
18463	Ti-White	On request	3 m bars
18463BLC	Blue	On request	3 m bars

191


Guida conica / Guide rail / Konische Führung

Delivery: **Easy** Standard

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
19100BC	BluLub	On request	3 m bars
19101C	Ti-White	Stock item	3 m bars
19105C	Blue	On request	3 m bars




126

Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
12600BC	BluLub	On request	3 m bars
12601C	Ti-White	On request	3 m bars
12605C	Blue	On request	3 m bars




127

Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
12700BC	BluLub	On request	3 m bars
12701C	Ti-White	On request	3 m bars
12705C	Blue	On request	3 m bars




Materiale / Material / Materialien:
 Profilo metallico: Acciaio inox AISI 304
 Metal profile: Stainless steel AISI 304
 Metallprofil: Edelstahl AISI 304

128 Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
12800BC	<i>BluLub</i>	On request	3 m bars
12801C	<i>Ti-White</i>	On request	3 m bars
12805C	Blue	On request	3 m bars




129 Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
12900BC	<i>BluLub</i>	On request	3 m bars
12901C	<i>Ti-White</i>	On request	3 m bars
12905C	Blue	On request	3 m bars



198-199

Macchina curvatrice / Bending machine / Biegemaschine

Delivery: **Easy** **Standard**



Electric Bending machine

Article-Nr. **19848**

Dimension base: 665 x 740 mm
 Height: 1400 mm
 Approximate weight: 170 Kg
 Shafts diameter: 30 mm
 Rolls diameter: 137 mm
 Geared motor: HP 1
 Shafts speed: 9 RPM
 Steel frame
 Two forming rolls
 Steel shafts in special steel

Manual Bending machine

Article-Nr. **19999**




Dimension: 570 x 260 mm
 Approximate weight: 19 Kg
 Shafts diameter: 25 mm


Height: 180 mm
 Steel frame

To achieve the correct curvature please follow below steps:


1 | Identify correct curve radius angle



2 | Insert the plate into the profile



3 | Bend assembled profile




For the related rollers, please refer to our general catalogue or ask to sales representative.

Easy Bendable

For the grooved version, you don't need to bend the profile but you can mount it directly on the curved steel plate.

4 | Assemble the curved profile on the line



*For narrower profiles, bending operation can be done directly on the line, by hand.

151

Rulli per macchina curvatrice / Roller for bending machine / Rollen für Biegemaschine

Ø 25 mm Manual bending machine

Ø 30 mm Electric bending machine





Internal curve






External curve



Article-Nr.	Ø (mm)	Suitable for Part.
15101	25	119 - 120 - 121 - 152
15101E	30	119 - 120 - 121 - 152






Article-Nr.	Ø (mm)	Suitable for Part.
15102	25	122 - 123 - 124 - 142 - 140 - 146
15102E	30	122 - 123 - 124 - 142 - 140 - 146






Article-Nr.	Ø (mm)	Suitable for Part.
15103	25	141
15103E	30	141



Article-Nr.	Ø (mm)	Suitable for Part.
15104	25	144
15104E	30	144



Article-Nr.	Ø (mm)	Suitable for Part.
15105	25	Ø8 - Ø10 - Ø12
15105E	30	Ø8 - Ø10 - Ø12



151

Rulli per macchina curvatrice / Roller for bending machine / Rollen für Biegemaschine

Ø 25 mm Manual bending machine

Ø 30 mm Electric bending machine




Internal curve




External curve

Article-Nr.	Ø (mm)	Suitable for Part.
15109	25	358
15109E	30	358





Rmin. 305




Rmin. 305

Article-Nr.	Ø (mm)	Suitable for Part.
15110	25	360
15110E	30	360





Rmin. 305




Rmin. 305

Article-Nr.	Ø (mm)	Suitable for Part.
15106	25	359
15106E	30	359





Rmin. 305




Rmin. 305

Article-Nr.	Ø (mm)	Suitable for Part.
15107	25	361
15107E	30	361




Rmin. 305




Rmin. 305

Article-Nr.	Ø (mm)	Suitable for Part.
15108	25	117
15108E	30	117





Rmin. 450




Rmin. 450

170 Guida collo / Neck guide / Nackenführung

Delivery: **Easy** **Standard** Fit on 2.5 mm





Article-Nr.	Material	Availability	Supply
17001B	BluLub	Stock item	3 m bars
17002B	BluLub	Stock item	6 m bars
17000B	BluLub	Stock item	30 m coils
17001	Ti-White	On request	3 m bars
17002	Ti-White	On request	6 m bars
17000	Ti-White	On request	30 m coils
17005C	Blue	On request	3 m bars
17005	Blue	On request	6 m bars
17005-30	Blue	On request	30 m coils




168 Guida collo / Neck guide / Nackenführung

Delivery: **Easy** **Standard** Fit on 2.5 mm





Article-Nr.	Material	Availability	Supply
16801B	BluLub	Stock item	3 m bars
16802B	BluLub	On request	6 m bars
16800B	BluLub	Stock item	30 m coils
16801	Ti-White	On request	3 m bars
16802	Ti-White	On request	6 m bars
16800	Ti-White	On request	30 m coils
16805C	Blue	On request	3 m bars
16805	Blue	On request	6 m bars
16805-30	Blue	On request	30 m coils




169 Guida collo / Neck guide / Nackenführung

Delivery: **Easy** **Standard** Fit on 2.5 mm





Article-Nr.	Material	Availability	Supply
16901B	BluLub	Stock item	3 m bars
16902B	BluLub	On request	6 m bars
16900B	BluLub	Stock item	30 m coils
16901	Ti-White	On request	3 m bars
16902	Ti-White	On request	6 m bars
16900	Ti-White	On request	30 m coils
16905C	Blue	On request	3 m bars
16905	Blue	On request	6 m bars
16905-30	Blue	On request	30 m coils




167 Guida collo / Neck guide / Nackenführung

Delivery: **Easy** **Standard** Fit on 1.8 - 2 mm





Article-Nr.	Material	Availability	Supply
16700BC	BluLub STABILIZED	Stock item	3 m bars
16700B	BluLub STABILIZED	On request	6 m bars
16700B-30	BluLub STABILIZED	Stock item	30 m coils
16700C	Ti-White	On request	3 m bars
16700	Ti-White	On request	6 m bars
16700-30	Ti-White	On request	30 m coils
16705C	Blue	On request	3 m bars
16705	Blue	On request	6 m bars
16705-30	Blue	On request	30 m coils




192 Guida collo / Neck guide / Nackenführung

Delivery: **Easy** **Standard** Fit on 1.8 - 2 mm





Article-Nr.	Material	Availability	Supply
19200B	BluLub STABILIZED	Stock item	30 m coils
19200	Ti-White	On request	30 m coils
19205	Blue	On request	30 m coils




1062 Guida collo / Neck guide / Nackenführung

Delivery: **Easy** **Standard** Fit on 1.8 - 2 mm





Article-Nr.	Material	Availability	Supply
106200B	BluLub STABILIZED	Stock item	30 m coils
106200	Ti-White	On request	30 m coils
106205	Blue	On request	30 m coils




1072 Guida collo / Neck guide / Nackenführung

Delivery: **Easy** **Standard** Fit on 1.8 - 2 mm





Article-Nr.	Material	Availability	Supply
107200B	BluLub STABILIZED	Stock item	30 m coils
107200	Ti-White	On request	30 m coils
107205	Blue	On request	30 m coils




1073 Guida collo / Neck guide / Nackenführung

Delivery: **Easy** **Standard** Fit on 1.8 - 2 mm





Article-Nr.	Material	Availability	Supply
107300B	BluLub STABILIZED	Stock item	30 m coils
107300	Ti-White	On request	30 m coils
107305	Blue	On request	30 m coils




1076 Guida collo / Neck guide / Nackenführung

Delivery: **Easy** **Standard** Fit on 1.8 - 2 mm





Article-Nr.	Material	Availability	Supply
107600B	BluLub STABILIZED	Stock item	30 m coils
107600	Ti-White	On request	30 m coils
107605	Blue	On request	30 m coils




1037 Guida collo / Neck guide / Nackenführung

Delivery: **Easy** **Standard** Fit on 3 mm





Article-Nr.	Material	Availability	Supply
103700B	BluLub STABILIZED	Stock item	30 m coils
103700	Ti-White	On request	30 m coils
103705	Blue	On request	30 m coils




171 Guida collo / Neck guide / Nackenführung

Delivery: **Easy** **Standard** Fit on 3 mm





Article-Nr.	Material	Availability	Supply
17100B	BluLub STABILIZED	Stock item	30 m coils
17100	Ti-White	On request	30 m coils
17105	Blue	On request	30 m coils




172 Guida collo / Neck guide / Nackenführung

Delivery: **Easy** **Standard** Fit on 3 mm





Article-Nr.	Material	Availability	Supply
17200B	BluLub STABILIZED	Stock item	30 m coils
17200	Ti-White	On request	30 m coils
17205	Blue	On request	30 m coils




131 Profilo guida bottiglia / Plastic rail for bottle guide / Flaschenführungs Profil

Delivery: **Easy** **Standard**




TYPE A





TYPE B

Article-Nr.	Type	Material	Availability	Supply
13101B	A	BluLub STABILIZED	Stock item	30 m coils
13102B	B	BluLub STABILIZED	Stock item	30 m coils
13106	A	Ti-White	On request	30 m coils
13107	B	Ti-White	On request	30 m coils
13108	A	Blue	On request	30 m coils
13109	B	Blue	On request	30 m coils
13101	A	Grey	Stock item	30 m coils
13102	B	Grey	Stock item	30 m coils




NEW 198 Guida collo / Neck guide / Nackenführung

Delivery: **Easy** **Standard** Fit on 2 mm



Article-Nr.	Material	Availability	Supply
19836B-30	BluLub STABILIZED	Stock item	30 m coils







Materiale / Material / Materialien:
 Poliammide rinforzato
 Polyamide reinforced
 Verstärktes Polyamid

130 Profilo in alluminio / Aluminum rail / Aluminium Profil

Delivery: **Easy** **Standard**




Article-Nr.	Type	Availability	Supply
13001C	A	Stock item	3 m bars
13001	A	On request	6 m bars
13002C	B	On request	3 m bars



188 Profilo in alluminio / Aluminum rail / Aluminium Profil

Delivery: **Easy** **Standard**

Article-Nr.	Availability	Supply
18801C	Stock item	3 m bars
18801	Stock item	6 m bars



Used with
Part 362 Page 558
 and **Part 1097** Page 576






113

Pattino guida catena, centrale / Central wear strip shoe / Zentraler Einlaufschuh

Delivery: **Easy** **Standard** Used with Part 112 Page 425

Article-Nr.	Colour	Availability
-------------	--------	--------------




11301	Black	On request
-------	-------	------------



CON NERVATURA / WITH NOSE / MIT NASE

Article-Nr.	Colour	Availability
-------------	--------	--------------

11302	Black	On request
-------	-------	------------




Materiale / Material / Materialien:
 Poliammide rinforzato
 Polyamide reinforced
 Verstärktes Polyamid

113 Pattino guida catena, laterale / Lateral wear strip shoe / Seitlicher Einlaufschuh


Delivery: **Easy** **Standard**

Article-Nr.	Colour	Availability
11351	Black	On request

VERSION LEFT



VERSION RIGHT





Article-Nr.	Colour	Availability
11352	Black	On request

114 Blocchetto fissaggio / Fixing clamp / Fixierblock

Delivery: **Easy** **Standard** Used with Part 112 Page 425

Article-Nr.	A	B	C	Colour	Availability
11401	10	6,2	4,5	Black	On request
11402	13	8,2	6	Black	On request



116


Pattino guida catena, laterale / Side transfer guide shoe / Seitlicher Transfer Schuh

Delivery: **Easy** **Standard** Used with Part 112 Page 425


Article-Nr.	Colour	Availability
-------------	--------	--------------

11651	Black	On request
--------------	-------	------------

VERSION LEFT




VERSION RIGHT



Article-Nr.	Colour	Availability
-------------	--------	--------------

11652	Black	On request
--------------	-------	------------



Example of application

Materiale / Material / Materialien:
 Poliammide rinforzato
 Polyamide reinforced
 Verstärktes Polyamid



116

Pattino guida catena, laterale / Side transfer guide shoe / Seitlicher Tranferschuh

Delivery: **Easy** **Standard** Used with Part 112 Page 425


Article-Nr.	Colour	Availability
11601	Black	On request

VERSION LEFT



VERSION RIGHT

Article-Nr.	Colour	Availability
11602	Black	On request





115

Blocchetto giunzione / Connecting element / Verbindungselement

Delivery: **Easy** **Standard** Used with Part 112 Page 425

Article-Nr.	A	B	C	Colour	Availability
11501	10	6,2	4,5	Black	On request
11502	13	8,2	6	Black	On request





Movex
OFFICIAL UK PARTNER

Oadby Conveyors

Oadby Conveyors
68 Scudamore Road
Braunstone Frith Ind. Est.
Leicester
LE3 1UA

0116 232 4848
convteam@oadbyplastics.co.uk

Head Office

Oadby Plastics Ltd
68 Scudamore Road
Braunstone Frith Ind. Est.
Leicester
LE3 1UA

0116 232 1010
sales@oadbyplastics.co.uk

For further information and specification details please visit our comprehensive website. Due to a policy of continual product development, Oadby Conveyors reserves the right to alter any of the specifications given in the publication without prior notice. The specification must be checked with Oadby Conveyors prior to manufacture. For this reason no responsibility or liability for accuracy is accepted by Oadby Conveyors.

Company registration No. 03542957 | www.oadbyconveyors.co.uk



Certificate Number 8147
ISO 9001, ISO 14001