


Product Overview



Movex
Blueline

**Extruded
Profiles**



Movex[®]
OFFICIAL UK PARTNER

16


This catalog contains only a limited selection of all the products available at Movex S.p.A.
For a complete overview, please visit our website or contact your sales representative.

Extruded profiles

L-Profile


See product page for specific details and materials available.

1094




Pag 101

175




Pag 101

1038




Pag 101

150




Pag 101

1058



Pag 102

174




Pag 102

Z-Profile


See product page for specific details and materials available.

101




Pag 102

102




Pag 102

102




Pag 103

1116




Pag 103

176




Pag 103

1074




Pag 103

1117



Pag 104

1118



Pag 104

Material Info:




pg. 82>89

Special shape


See product page for specific details and materials available.

107



Pag 104


108



Pag 104


105

A: 20/25/30/40/50/60/70/100
B: 3/5



Pag 105

106




Pag 105

J-Profile


See product page for specific details and materials available.

103 Fit on 2,5 to 3,5 mm




Pag 106

104 Fit on 2,5 to 3,5 mm




Pag 106

179 Fit on 2,5 to 3,5 mm




Pag 106

1014 Fit on 3 mm




Pag 106

1015 Fit on 2,5 to 3,5 mm




Pag 107

1016 Fit on 3 mm




Pag 107

1112




Pag 107

1017 Fit on 3 mm




Pag 108

1018 Fit on 3 mm




Pag 108

1019 Fit on 3 mm




Pag 108

1020 Fit on 3 mm




Pag 109

1091 Fit on 3 mm




Pag 109

1068 Fit on 2,5 mm




Pag 109

1090 Fit on 3 mm




Pag 109

1021 Fit on 3 mm




Pag 110

1022 Fit on 3 mm




Pag 110

1023 Fit on 3 mm




Pag 110

1024 Fit on 3 mm




Pag 111

1025 Fit on 3 mm



Pag 111

1026 Fit on 3 mm




Pag 111

J-Profile


See product page for specific details and materials available.

1027 Fit on 3 mm




Pag 112

1028 Fit on 3 mm




Pag 112

1046 Fit on 3 mm




Pag 112

1029 Fit on 3 mm




Pag 113

1030 Fit on 3 mm




Pag 113

1031 Fit on 3 mm




Pag 113

1032 Fit on 3 mm




Pag 113

1035 Fit on 3 mm




Pag 114

1033 Fit on 3 mm



Pag 114

1034 Fit on 3 mm




Pag 114

U-Profile


See product page for specific details and materials available.

109




Pag 115

1111




Pag 115

1113 Staggered




Pag 115

110




Pag 116

156




Pag 116

156




Pag 116

149




Pag 117

1066




Pag 117

177




Pag 117

1059



Pag 118

178



Pag 118

111




Pag 118

U-Profile

See product page for specific details and materials available.

1060



Pag 119

199




Pag 119

199




Pag 119

199 Staggered



Pag 119

1115




Pag 120

1080




Pag 120

1081




Pag 120

133




Pag 121

148




Pag 121

157




Pag 122

157




Pag 122

118 Stainless steel




Pag 123

112 Stainless steel



Pag 123

147 Aluminum




Pag 123

C-Profile


See product page for specific details and materials available.

1041 Fit on 25 x 5 mm




Pag 123

1082 Fit on 38,1 x 6,35 mm




Pag 124

1044 Fit on 38,1 x 12,7 mm




Pag 124

1053 Fit on 38,1 x 6,35 mm




Pag 124

1054 Fit on 38,1 x 6,35 mm




Pag 124

1101 Fit on 40 x 6 mm



Pag 125

137 Fit on 40 x 8 mm



Pag 125

137 Fit on 40 x 8 mm




Pag 125

C-Profile


See product page for specific details and materials available.

137 Fit on 40 x 8 mm




Pag 125

1042 Fit on 50 x 6 mm




Pag 126

1045 Fit on 50,8 x 12,7 mm




Pag 126

158 Fit on 50 x 6 mm




Pag 126

1102 Fit on 80 x 5 mm




Pag 126

1107 Fit on 90 x 12 mm




Pag 127

163 See dimension available
Used with Part. 164/165




Pag 127

160 Used with Part. 164/165




Pag 128

161 Used with Part. 164/165




Pag 128

1092 Used with Part. 164/165




Pag 128

162 Used with Part. 164/165




Pag 129

164 Aluminum




Pag 129

165 Aluminum




Pag 129

1114




Pag 130

1039



Pag 130


1083



Pag 130


166

ØA: 8/10/12/16
ØB: 12/14/16/20




Pag 131

154 Aluminum




Pag 131

155 Aluminum



Pag 131

134 Stainless steel




Pag 132

Transfer plate and NoseBar


See product page for specific details and materials available.

199 Fit on 3 mm




Pag 132

238




Pag 132

228



Pag 132

235




Pag 132

Bar cap and cover CAN BE USED AS STANDARD BELT SUPPORT


See product page for specific details and materials available.

1000
Fit on 1,5 mm




Pag 133

1001
Fit on 1,5 mm




Pag 133

1002
Fit on 3 mm




Pag 133

1109
Fit on 3 mm




Pag 133

1003
Fit on 3 mm




Pag 133

1004
Fit on 3 mm




Pag 134

1084
Fit on 3 mm




Pag 134

1085
Fit on 3 mm




Pag 134

153
Fit on 4/5 mm




Pag 134

1006
Fit on 5 mm




Pag 135

1007
Fit on 5 mm




Pag 135

1095
Fit on 4 mm




Pag 135

1040
Fit on 3 mm




Pag 135

1008
Fit on 5 mm




Pag 136

1009
Fit on 6 mm




Pag 136

1010
Fit on 6 mm




Pag 136

1086
Fit on 8 mm




Pag 136

1011
Fit on 10 mm




Pag 137

1013
Fit on 10 mm




Pag 137

1012
Fit on 12/13 mm




Pag 137

181 Fit on 25,4 x 25,4 mm




Pag 137

1052 Fit on 38,1 x 50,8 mm




Pag 138

180 Fit on 30,5 x 46 mm



Pag 138





















1108



Pag 138

Side guide rail USED WITH PLATE


See product page for specific details and materials available.

<p>1063 Fit on mm 30 x 4</p> 	<p>137 Fit on mm 40 x 8</p> 	<p>137 Fit on mm 40 x 10</p> 	<p>158 Fit on mm 50 x 6</p> 	<p>1107 Fit on mm 90 x 12</p> 
<p>Pag 139</p> <p>1064 Fit on mm 55 x 4</p> 	<p>Pag 139</p> <p>183 Fit on mm 40 x 8</p> 	<p>Pag 140</p> <p>1103 Fit on mm 40 x 4</p> 	<p>Pag 140</p> <p>158 Fit on mm 50 x 6</p> 	<p>Pag 141</p> <p>194 Label saver Fit on mm 50 x 6</p> 
<p>Pag 141</p> <p>189 Fit on mm 40 x 8</p> 	<p>Pag 142</p> <p>189 Label saver Fit on mm 40 x 8</p> 	<p>Pag 142</p> <p>1079 RS Fit on mm 40 x 8</p> 	<p>Pag 143</p> <p>1079 RS Fit on mm 40 x 8</p> 	<p>Pag 143</p> <p>1104 Fit on mm 40 x 4</p> 
<p>Pag 144</p> <p>1096 Fit on mm 50 x 5</p> 	<p>Pag 144/145</p> <p>189 Fit on mm 50 x 6</p> 	<p>Pag 145</p> <p>189 Label saver Fit on mm 50 x 6</p> 	<p>Pag 145</p> <p>187 Fit on mm 60 x 6</p> 	<p>Pag 146</p> <p>187 Label saver Fit on mm 60 x 6</p> 
<p>Pag 146</p>	<p>Pag 147</p>	<p>Pag 147/148</p>	<p>Pag 149</p>	<p>Pag 149</p>

Side guide rail USED WITH PLATE AND CLAMP


See product page for specific details and materials available.

135
Fit on mm
60 x 6




Pag 150

136
Fit on mm
60 x 6




Pag 150

1057
Fit on mm
50 x 6




Pag 151

1077 Label saver
Fit on mm
50 x 6




Pag 151

1077 RS
Fit on mm
50 x 6




Pag 152

1078 RS
Fit on mm
50 x 6




Pag 152

1057
Fit on mm
60 x 6




Pag 153

1077 Label saver
Fit on mm
60 x 6




Pag 153

1077 RS
Fit on mm
60 x 6




Pag 154

1078 RS
Fit on mm
60 x 6




Pag 154

193
Fit on mm
60 x 5




Pag 155

189
Fit on mm
60 x 5




Pag 155/156

193
Fit on mm
60 x 6




Pag 157

189 Label saver
Fit on mm
60 x 6



Pag 157/158

1075 RS
Fit on mm
60 x 6




Pag 158

117
Stainless steel
Fit on mm
40 x 6
40 x 8
40 x 10




Pag 159

1055
Stainless steel
Fit on mm
40 x 8
50 x 6



Pag 159



















159 - 1088 - 1089
Aluminum
Fit on mm
50 x 6
60 x 5
60 x 6



Pag 159

Guide rail

See product page for specific details and materials available. | Assembled with stainless steel profile AISI 304.

<p>119</p>  <p>Pag 160</p>	<p>121</p>  <p>Pag 161</p>	<p>120</p>  <p>Pag 162</p>	<p>152</p>  <p>Pag 162</p>
<p>1067</p>  <p>Pag 163</p>	<p>143</p>  <p>Pag 163</p>	<p>122</p>  <p>Pag 164</p>	<p>123</p>  <p>Pag 164</p>
<p>140</p>  <p>Pag 165</p>	<p>146</p>  <p>Pag 165</p>	<p>124</p>  <p>Pag 166</p>	<p>141</p>  <p>Pag 166</p>
<p>142</p>  <p>Pag 167</p>	<p>125</p>  <p>Pag 167</p>	<p>144</p>  <p>Pag 168</p>	<p>184</p>  <p>Pag 168</p>
<p>145</p>  <p>Pag 169</p>	<p>1087</p>  <p>Pag 169</p>		

Bending machines and rollers

See product page for specific details.

<p>198</p>  <p>Pag 170</p>	<p>199</p>  <p>Pag 170</p>	<p>151</p>  <p>Pag 171/172</p>
--	--	---

Shoes and connecting elements

See product page for specific details and materials available.

113



Pag 173

113



Pag 174

114



Pag 174

116



Pag 175

116



Pag 176

115





Pag 176

*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.



*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1094 Profilo "L" / L-Profile / L-Profil





Article-Nr.	Material	Availability	Supply*
109405	Blue	On request	60 m coils
109404	<i>BluLub</i>	On request	60 m coils
109403	<i>Ti-White</i>	On request	60 m coils
109401	Black	On request	60 m coils
109402	Green	On request	60 m coils

175 Profilo "L" / L-Profile / L-Profil



Article-Nr.	Material	Availability	Supply*
17505	Blue	On request	60 m coils
17504	<i>BluLub</i>	On request	60 m coils
17503	<i>Ti-White</i>	On request	60 m coils
17501	Black	Stock item	60 m coils
17502	Green	Stock item	60 m coils



1038 Profilo "L" / L-Profile / L-Profil



North America STANDARD



Article-Nr.	Material	Availability	Supply*
103805	Blue	On request	60 m coils
103804	<i>BluLub</i>	On request	60 m coils
103803	<i>Ti-White</i>	On request	60 m coils

150 Profilo "L" / L-Profile / L-Profil





Article-Nr.	Material	Availability	Supply*
15005	Blue	On request	60 m coils
15004	<i>BluLub</i>	On request	60 m coils
15003	<i>Ti-White</i>	On request	60 m coils
15001	Black	Stock item	60 m coils
15002	Green	Stock item	60 m coils

1058 Profilo "L" / L-Profile / L-Profil





Article-Nr.	Material	Availability	Supply*
105805C	Blue	On request	3 m bars
105805	Blue	On request	6 m bars
105800BC	<i>BluLub</i>	On request	3 m bars
105800B	<i>BluLub</i>	On request	6 m bars
105803C	<i>Ti-White</i>	On request	3 m bars
105803	<i>Ti-White</i>	On request	6 m bars
105801C	Black	Stock item	3 m bars
105801	Black	On request	6 m bars
105802C	Green	Stock item	3 m bars
105802	Green	On request	6 m bars

174 Profilo "L" / L-Profile / L-Profil





Article-Nr.	Material	Availability	Supply*
17405C	Blue	On request	3 m bars
17405	Blue	On request	6 m bars
17404C	<i>BluLub</i>	On request	3 m bars
17404	<i>BluLub</i>	On request	6 m bars
17403C	<i>Ti-White</i>	On request	3 m bars
17403	<i>Ti-White</i>	On request	6 m bars
17401C	Black	Stock item	3 m bars
17401	Black	On request	6 m bars
17402C	Green	Stock item	3 m bars
17402	Green	On request	6 m bars

101 Profilo "Z" / Z-Profile / Z-Profil



Article-Nr.	Material	Availability	Supply*
10105	Blue	On request	60 m coils
10104	<i>BluLub</i>	On request	60 m coils
10103	<i>Ti-White</i>	On request	60 m coils
10101	Black	Stock item	60 m coils
10102	Green	Stock item	60 m coils

102 Profilo "Z" / Z-Profile / Z-Profil





Article-Nr.	Material	Availability	Supply*
10205	Blue	On request	60 m coils
10202B	<i>BluLub</i>	Stock item	60 m coils
10203	<i>Ti-White</i>	On request	60 m coils
10201	Black	Stock item	60 m coils
10202	Green	Stock item	60 m coils
10201A	AS	Stock item	60 m coils

*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.



*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

102 Profilo "Z" / Z-Profile / Z-Profil





Article-Nr.	Material	Availability	Supply*
10295	Blue	On request	60 m coils
10299B	<i>BluLub</i>	Stock item	60 m coils
10293	<i>Ti-White</i>	On request	60 m coils
10297	Black	On request	60 m coils
10298	Green	Stock item	60 m coils

1116 Profilo "Z" / Z-Profile / Z-Profil





Article-Nr.	Material	Availability	Supply*
111605-60	Blue	On request	60 m coils
111600B-60	<i>BluLub</i>	On request	60 m coils
111603-60	<i>Ti-White</i>	On request	60 m coils
111601-60	Black	On request	60 m coils
111602-60	Green	On request	60 m coils

176 Profilo "Z" / Z-Profile / Z-Profil





Article-Nr.	Material	Availability	Supply*
17605	Blue	On request	60 m coils
17604	<i>BluLub</i>	On request	60 m coils
17603	<i>Ti-White</i>	On request	60 m coils
17601	Black	On request	60 m coils
17602	Green	Stock item	60 m coils

1074 Profilo "Z" / Z-Profile / Z-Profil





Article-Nr.	Material	Availability	Supply*
107405	Blue	On request	60 m coils
107404	<i>BluLub</i>	On request	60 m coils
107403	<i>Ti-White</i>	On request	60 m coils
107401	Black	Stock item	60 m coils

1117 Profilo "Z" / Z-Profile / Z-Profil





Article-Nr.	Material	Availability	Supply*
111705-60	Blue	On request	60 m coils
111700B-60	BluLub	On request	60 m coils
111703-60	Ti-White	On request	60 m coils
111701-60	Black	On request	60 m coils
111702-60	Green	On request	60 m coils

1118 Profilo "Z" / Z-Profile / Z-Profil



Article-Nr.	Material	Availability	Supply*
111803-60	Blue	On request	60 m coils
111800B-60	BluLub	On request	60 m coils
111801-60	Black	On request	60 m coils
111805-60	Green	On request	60 m coils



107 Profilo guida catena / Wear strip / Rückführleiste



Article-Nr.	Material	Availability	Supply*
10705	Blue	On request	60 m coils
10704	BluLub	On request	60 m coils
10703	Ti-White	Stock item	60 m coils
10701	Black	On request	60 m coils
10702	Green	Stock item	60 m coils

108 Profilo T / T-profile / T-Profil

Fit on 4 mm





Article-Nr.	Material	Availability	Supply*
10805C	Blue	On request	3 m bars
10805	Blue	On request	6 m bars
10800BC	BluLub	On request	3 m bars
10800B	BluLub	Stock item	6 m bars
10803C	Ti-White	On request	3 m bars
10803	Ti-White	On request	6 m bars
10801C	Black	Stock item	3 m bars
10801	Black	On request	6 m bars
10802C	Green	Stock item	3 m bars
10802	Green	Stock item	6 m bars

*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.



*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

105 Profilo piatto / Flat profile / Flachprofil



Article-Nr.	Material	A	B	Availability	Supply*
10501B	Blue	20	3	On request	60 m coils
10503B	Blue	20	5	On request	60 m coils
10505B	Blue	60	3	On request	60 m coils
10507B	Blue	70	3	On request	60 m coils
10509B	Blue	100	3	On request	60 m coils
10502BL	<i>BluLub</i>	20	3	On request	60 m coils
10504BL	<i>BluLub</i>	20	5	On request	60 m coils
10595BL	<i>BluLub</i>	25	3	On request	60 m coils
10592BL	<i>BluLub</i>	30	3	On request	60 m coils
10594BL	<i>BluLub</i>	30	5	On request	60 m coils
10596BL	<i>BluLub</i>	40	3	On request	60 m coils
10597BL	<i>BluLub</i>	50	3	On request	60 m coils
10506BL	<i>BluLub</i>	60	3	On request	60 m coils
10508BL	<i>BluLub</i>	70	3	On request	60 m coils
10510BL	<i>BluLub</i>	100	3	On request	60 m coils
10502W	<i>Ti-White</i>	20	3	On request	60 m coils
10504W	<i>Ti-White</i>	20	5	On request	60 m coils
10595W	<i>Ti-White</i>	25	3	On request	60 m coils
10592W	<i>Ti-White</i>	30	3	On request	60 m coils
10594W	<i>Ti-White</i>	30	5	On request	60 m coils
10596W	<i>Ti-White</i>	40	3	On request	60 m coils
10597W	<i>Ti-White</i>	50	3	On request	60 m coils
10506W	<i>Ti-White</i>	60	3	On request	60 m coils
10508W	<i>Ti-White</i>	70	3	On request	60 m coils
10510W	<i>Ti-White</i>	100	3	On request	60 m coils
10501	Black	20	3	Stock item	60 m coils
10503	Black	20	5	Stock item	60 m coils
10505	Black	60	3	Stock item	60 m coils
10507	Black	70	3	Stock item	60 m coils
10509	Black	100	3	On request	60 m coils
10502	Green	20	3	Stock item	60 m coils
10504	Green	20	5	Stock item	60 m coils
10595	Green	25	3	Stock item	60 m coils
10592	Green	30	3	On request	60 m coils
10594	Green	30	5	Stock item	60 m coils
10596	Green	40	3	Stock item	60 m coils
10597	Green	50	3	On request	60 m coils
10506	Green	60	3	Stock item	60 m coils
10508	Green	70	3	Stock item	60 m coils
10510	Green	100	3	Stock item	60 m coils



106 Profilo guida catena / Flat profile with nose / Flachprofil mit Nase



Article-Nr.	Material	Availability	Supply*
10605	Blue	On request	60 m coils
10604	<i>BluLub</i>	On request	60 m coils
10603	<i>Ti-White</i>	On request	60 m coils
10601	Black	Stock item	60 m coils
10602	Green	Stock item	60 m coils

103 Profilo "J" / J-Profile / J-Profil



Fit on 2,5 to 3,5 mm



Article-Nr.	Material	Availability	Supply*
10305	Blue	On request	60 m coils
10300B-30	BluLub	Stock item	30 m coils
10303	Ti-White	Stock item	60 m coils
10301	Black	Stock item	60 m coils
10302	Green	Stock item	60 m coils

104 Profilo "J" / J-Profile / J-Profil



Fit on 2,5 to 3,5 mm



Article-Nr.	Material	Availability	Supply*
10405	Blue	On request	60 m coils
10400B	BluLub	Stock item	60 m coils
10403	Ti-White	On request	60 m coils
10401	Black	Stock item	60 m coils
10402	Green	Stock item	60 m coils

179 Profilo "J" / J-Profile / J-Profil



Fit on 2,5 to 3,5 mm



Article-Nr.	Material	Availability	Supply*
17901BC	Blue	On request	3 m bars
17901B	Blue	On request	6 m bars
17901B-60	Blue	On request	60 m coils
17902BC	BluLub	On request	3 m bars
17902B	BluLub	On request	6 m bars
17902B-60	BluLub	Stock item	60 m coils
17902WC	Ti-White	On request	3 m bars
17902W	Ti-White	On request	6 m bars
17902W-60	Ti-White	On request	60 m coils
17901C	Black	Stock item	3 m bars
17901	Black	On request	6 m bars
17902C	Green	Stock item	3 m bars
17902	Green	On request	6 m bars
17902-60	Green	Stock item	60 m coils

1014 Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")



North America STANDARD

Article-Nr.	Material	Availability	Supply*
101405C	Blue	On request	3 m bars
101405	Blue	On request	6 m bars
101405-30	Blue	On request	30 m coils
101400BC	BluLub	On request	3 m bars
101400B	BluLub	On request	6 m bars
101400B-30	BluLub	On request	30 m coils
101403C	Ti-White	Stock item	3 m bars
101403	Ti-White	On request	6 m bars
101403-30	Ti-White	Stock item	30 m coils



*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1015

Profilo "J" / J-Profile / J-Profil

Fit on 2,5 to 3,5 mm (1/8")





North America STANDARD

Article-Nr.	Material	Availability	Supply*
101505C	Blue	On request	3 m bars
101505	Blue	On request	6 m bars
101505-30	Blue	On request	30 m coils
101500BC	BluLub	On request	3 m bars
101500B	BluLub	On request	6 m bars
101500B-30	BluLub	On request	30 m coils
101503C	Ti-White	On request	3 m bars
101503	Ti-White	On request	6 m bars
101503-30	Ti-White	On request	30 m coils

1016

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")





North America STANDARD

Article-Nr.	Material	Availability	Supply*
101605C	Blue	On request	3 m bars
101605	Blue	On request	6 m bars
101605-30	Blue	On request	30 m coils
101600BC	BluLub	On request	3 m bars
101600B	BluLub	On request	6 m bars
101600B-30	BluLub	On request	30 m coils
101603C	Ti-White	Stock item	3 m bars
101603	Ti-White	On request	6 m bars
101603-30	Ti-White	Stock item	30 m coils
101601C	Black	On request	3 m bars
101601	Black	On request	6 m bars
101601-30	Black	On request	30 m coils
101602C	Green	On request	3 m bars
101602	Green	On request	6 m bars
101602-30	Green	On request	30 m coils

1112

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")





Article-Nr.	Material	Availability	Supply*
111205C	Blue	On request	3 m bars
111205	Blue	On request	6 m bars
111200BC	BluLub	On request	3 m bars
111200B	BluLub	On request	6 m bars
111203C	Ti-White	On request	3 m bars
111203	Ti-White	On request	6 m bars
111202C	Green	On request	3 m bars
111202	Green	On request	6 m bars

1017

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")





North America STANDARD

Article-Nr.	Material	Availability	Supply*
101705C	Blue	On request	3 m bars
101705	Blue	On request	6 m bars
101705-30	Blue	On request	30 m coils
101700BC	BluLub	On request	3 m bars
101700B	BluLub	On request	6 m bars
101700B-30	BluLub	On request	30 m coils
101703C	Ti-White	Stock item	3 m bars
101703	Ti-White	On request	6 m bars
101703-30	Ti-White	Stock item	30 m coils
101701C	Black	On request	3 m bars
101701	Black	On request	6 m bars
101701-30	Black	On request	30 m coils
101702C	Green	On request	3 m bars
101702	Green	On request	6 m bars
101702-30	Green	On request	30 m coils

1018

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")





North America STANDARD

Article-Nr.	Material	Availability	Supply*
101805C	Blue	On request	3 m bars
101805	Blue	On request	6 m bars
101805-30	Blue	On request	30 m coils
101800BC	BluLub	On request	3 m bars
101800B	BluLub	On request	6 m bars
101800B-30	BluLub	On request	30 m coils
101803C	Ti-White	Stock item	3 m bars
101803	Ti-White	On request	6 m bars
101803-30	Ti-White	On request	30 m coils

1019

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")



North America STANDARD

Article-Nr.	Material	Availability	Supply*
101905C	Blue	On request	3 m bars
101905	Blue	On request	6 m bars
101905-30	Blue	On request	30 m coils
101900BC	BluLub	On request	3 m bars
101900B	BluLub	On request	6 m bars
101900B-30	BluLub	On request	30 m coils
101903C	Ti-White	Stock item	3 m bars
101903	Ti-White	On request	6 m bars
101903-30	Ti-White	On request	30 m coils



*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1020

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")





North America STANDARD

Article-Nr.	Material	Availability	Supply*
102005C	Blue	On request	3 m bars
102005	Blue	On request	6 m bars
102000BC	BluLub	On request	3 m bars
102000B	BluLub	On request	6 m bars
102003C	Ti-White	Stock item	3 m bars
102003	Ti-White	Stock item	6 m bars
102001C	Black	On request	3 m bars
102001	Black	On request	6 m bars
102002C	Green	On request	3 m bars
102002	Green	On request	6 m bars

1091

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")





Article-Nr.	Material	Availability	Supply*
109105-30	Blue	On request	30 m coils
109100B-30	BluLub	On request	30 m coils
109103-30	Ti-White	On request	30 m coils

1068

Profilo "J" / J-Profile / J-Profil

Fit on 1,8 to 2 mm





Article-Nr.	Material	Availability	Supply*
106805	Blue	On request	30 m coils
106800B	BluLub	Stock item	30 m coils
106802	Ti-White	On request	30 m coils

1090

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm



Article-Nr.	Material	Availability	Supply*
109005	Blue	On request	30 m coils
109000B	BluLub	On request	30 m coils
109002	Ti-White	On request	30 m coils

1021-1022-1023

Guide estruse / Extruded profiles / Extrudiertes Profil



*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1021

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")





North America STANDARD

Article-Nr.	Material	Availability	Supply*
102105C	Blue	On request	3 m bars
102105	Blue	On request	6 m bars
102105-30	Blue	On request	30 m coils
102100BC	BluLub	On request	3 m bars
102100B	BluLub	On request	6 m bars
102100B-30	BluLub	On request	30 m coils
102103C	Ti-White	Stock item	3 m bars
102103	Ti-White	On request	6 m bars
102103-30	Ti-White	Stock item	30 m coils
102101C	Black	On request	3 m bars
102101	Black	On request	6 m bars
102101-30	Black	On request	30 m coils
102102C	Green	On request	3 m bars
102102	Green	On request	6 m bars
102102-30	Green	On request	30 m coils

1022

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")





North America STANDARD

Article-Nr.	Material	Availability	Supply*
102205C	Blue	On request	3 m bars
102205	Blue	On request	6 m bars
102205-30	Blue	On request	30 m coils
102200BC	BluLub	On request	3 m bars
102200B	BluLub	On request	6 m bars
102200B-30	BluLub	On request	30 m coils
102203C	Ti-White	Stock item	3 m bars
102203	Ti-White	On request	6 m bars
102203-30	Ti-White	On request	30 m coils

1023

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")



North America STANDARD

Article-Nr.	Material	Availability	Supply*
102305C	Blue	On request	3 m bars
102305	Blue	On request	6 m bars
102300BC	BluLub	On request	3 m bars
102300B	BluLub	On request	6 m bars
102303C	Ti-White	Stock item	3 m bars
102303	Ti-White	On request	6 m bars



*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1024

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")





North America STANDARD

Article-Nr.	Material	Availability	Supply*
102405C	Blue	On request	3 m bars
102405	Blue	On request	6 m bars
102405-30	Blue	On request	30 m coils
102400BC	BluLub	On request	3 m bars
102400B	BluLub	On request	6 m bars
102400B-30	BluLub	On request	30 m coils
102403C	Ti-White	Stock item	3 m bars
102403	Ti-White	On request	6 m bars
102403-30	Ti-White	Stock item	30 m coils
102401C	Black	On request	3 m bars
102401	Black	On request	6 m bars
102401-30	Black	On request	30 m coils
102402C	Green	Stock item	3 m bars
102402	Green	Stock item	6 m bars
102402-30	Green	On request	30 m coils

1025

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")





North America STANDARD

Article-Nr.	Material	Availability	Supply*
102505C	Blue	On request	3 m bars
102505	Blue	On request	6 m bars
102505-30	Blue	On request	30 m coils
102500BC	BluLub	On request	3 m bars
102500B	BluLub	On request	6 m bars
102500B-30	BluLub	On request	30 m coils
102503C	Ti-White	Stock item	3 m bars
102503	Ti-White	On request	6 m bars
102503-30	Ti-White	Stock item	30 m coils
102501C	Black	On request	3 m bars
102501	Black	On request	6 m bars
102501-30	Black	On request	30 m coils
102502C	Green	On request	3 m bars
102502	Green	On request	6 m bars
102502-30	Green	On request	30 m coils

1026

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")



North America STANDARD

Article-Nr.	Material	Availability	Supply*
102605C	Blue	On request	3 m bars
102605	Blue	On request	6 m bars
102605-30	Blue	On request	30 m coils
102600BC	BluLub	On request	3 m bars
102600B	BluLub	On request	6 m bars
102600B-30	BluLub	On request	30 m coils
102603C	Ti-White	Stock item	3 m bars
102603	Ti-White	On request	6 m bars
102603-30	Ti-White	On request	30 m coils

1027-1028-1046



Guide estruse / Extruded profiles / Extrudiertes Profil

*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1027 Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")





North America STANDARD

Article-Nr.	Material	Availability	Supply*
102705C	Blue	On request	3 m bars
102705	Blue	On request	6 m bars
102705-30	Blue	On request	30 m coils
102700BC	BluLub	On request	3 m bars
102700B	BluLub	On request	6 m bars
102700B-30	BluLub	On request	30 m coils
102703C	Ti-White	Stock item	3 m bars
102703	Ti-White	On request	6 m bars
102703-30	Ti-White	On request	30 m coils

1028 Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")





North America STANDARD

Article-Nr.	Material	Availability	Supply*
102805C	Blue	On request	3 m bars
102805	Blue	On request	6 m bars
102805-30	Blue	On request	30 m coils
102800BC	BluLub	On request	3 m bars
102800B	BluLub	On request	6 m bars
102800B-30	BluLub	On request	30 m coils
102803C	Ti-White	Stock item	3 m bars
102803	Ti-White	On request	6 m bars
102803-30	Ti-White	Stock item	30 m coils

1046 Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")



North America STANDARD

Article-Nr.	Material	Availability	Supply*
104605C	Blue	On request	3 m bars
104605	Blue	On request	6 m bars
104605-30	Blue	On request	30 m coils
104600BC	BluLub	On request	3 m bars
104600B	BluLub	On request	6 m bars
104600B-30	BluLub	Stock item	30 m coils
104603C	Ti-White	Stock item	3 m bars
104603	Ti-White	On request	6 m bars
104603-30	Ti-White	Stock item	30 m coils
104601C	Black	On request	3 m bars
104601	Black	On request	6 m bars
104601-30	Black	On request	30 m coils
104602C	Green	Stock item	3 m bars
104602	Green	On request	6 m bars
104602-30	Green	Stock item	30 m coils



*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1029

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")





North America STANDARD

Article-Nr.	Material	Availability	Supply*
102905C	Blue	On request	3 m bars
102905	Blue	On request	6 m bars
102905-30	Blue	On request	30 m coils
102900BC	BluLub	On request	3 m bars
102900B	BluLub	On request	6 m bars
102900B-30	BluLub	On request	30 m coils
102903C	Ti-White	Stock item	3 m bars
102903	Ti-White	On request	6 m bars
102903-30	Ti-White	On request	30 m coils

1030

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")





North America STANDARD

Article-Nr.	Material	Availability	Supply*
103005C	Blue	On request	3 m bars
103005	Blue	On request	6 m bars
103000BC	BluLub	On request	3 m bars
103000B	BluLub	On request	6 m bars
103003C	Ti-White	Stock item	3 m bars
103003	Ti-White	On request	6 m bars

1031

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")





North America STANDARD

Article-Nr.	Material	Availability	Supply*
103105C	Blue	On request	3 m bars
103105	Blue	On request	6 m bars
103100BC	BluLub	Stock item	3 m bars
103100B	BluLub	On request	6 m bars
103103C	Ti-White	Stock item	3 m bars
103103	Ti-White	Stock item	6 m bars

1032

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")



North America STANDARD

Article-Nr.	Material	Availability	Supply*
103205C	Blue	On request	3 m bars
103205	Blue	On request	6 m bars
103200BC	BluLub	On request	3 m bars
103200B	BluLub	On request	6 m bars
103203C	Ti-White	Stock item	3 m bars
103203	Ti-White	On request	6 m bars

1035-1033-1034

Guide estruse / Extruded profiles / Extrudiertes Profil



*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1035

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")





North America STANDARD

Article-Nr.	Material	Availability	Supply*
103505C	Blue	On request	3 m bars
103505	Blue	On request	6 m bars
103500BC	<i>BluLub</i>	On request	3 m bars
103500B	<i>BluLub</i>	On request	6 m bars
103503C	<i>Ti-White</i>	Stock item	3 m bars
103503	<i>Ti-White</i>	On request	6 m bars

1033

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")





North America STANDARD

Article-Nr.	Material	Availability	Supply*
103305C	Blue	On request	3 m bars
103305	Blue	On request	6 m bars
103300BC	<i>BluLub</i>	Stock item	3 m bars
103300B	<i>BluLub</i>	On request	6 m bars
103303C	<i>Ti-White</i>	Stock item	3 m bars
103303	<i>Ti-White</i>	On request	6 m bars

1034

Profilo "J" / J-Profile / J-Profil

Fit on 3 mm (1/8")





North America STANDARD

Article-Nr.	Material	Availability	Supply*
103405C	Blue	On request	3 m bars
103405	Blue	On request	6 m bars
103400BC	<i>BluLub</i>	On request	3 m bars
103400B	<i>BluLub</i>	On request	6 m bars
103403C	<i>Ti-White</i>	Stock item	3 m bars
103403	<i>Ti-White</i>	On request	6 m bars

*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.



*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

109 Profilo "U" / U-Profile / U-Profil





Article-Nr.	Material	Availability	Supply*
10905C	Blue	On request	3 m bars
10905	Blue	On request	6 m bars
10905-30	Blue	On request	30 m coils
10901BC	<i>BluLub</i>	Stock item	3 m bars
10901B	<i>BluLub</i>	On request	6 m bars
10901B-30	<i>BluLub</i>	On request	30 m coils
10903C	<i>Ti-White</i>	Stock item	3 m bars
10903	<i>Ti-White</i>	Stock item	6 m bars
10903-30	<i>Ti-White</i>	On request	30 m coils
10901C	Black	Stock item	3 m bars
10901	Black	Stock item	6 m bars
10901-30	Black	Stock item	30 m coils
10902C	Green	Stock item	3 m bars
10902	Green	Stock item	6 m bars
10902-30	Green	On request	30 m coils
10901AC	AS	Stock item	3 m bars
10901A	AS	Stock item	6 m bars

1111 Profilo "U" / U-Profile / U-Profil



Article-Nr.	Material	Availability	Supply*
111105C	Blue	On request	3 m bars
111105	Blue	On request	6 m bars
111105-30	Blue	On request	30 m coils
111101BC	<i>BluLub</i>	On request	3 m bars
111101B	<i>BluLub</i>	On request	6 m bars
111101B-30	<i>BluLub</i>	On request	30 m coils
111103C	<i>Ti-White</i>	On request	3 m bars
111103	<i>Ti-White</i>	On request	6 m bars
111103-30	<i>Ti-White</i>	On request	30 m coils
111101C	Black	On request	3 m bars
111101	Black	On request	6 m bars
111101-30	Black	On request	30 m coils
111102C	Green	On request	3 m bars
111102	Green	On request	6 m bars
111102-30	Green	On request	30 m coils
111101AC	AS	On request	3 m bars
111101A	AS	On request	6 m bars



1113 Profilo "U" / U-Profile staggered version / U-Profil



Article-Nr.	Material	Availability	Supply*
111305C	Blue	On request	3 m bars
111305	Blue	On request	6 m bars
111305-30	Blue	On request	30 m coils
111300BC	<i>BluLub</i>	On request	3 m bars
111300B	<i>BluLub</i>	On request	6 m bars
111300B-30	<i>BluLub</i>	On request	30 m coils
111303C	<i>Ti-White</i>	On request	3 m bars
111303	<i>Ti-White</i>	On request	6 m bars
111303-30	<i>Ti-White</i>	On request	30 m coils
111301C	Black	On request	3 m bars
111301	Black	On request	6 m bars
111301-30	Black	On request	30 m coils
111302C	Green	On request	3 m bars
111302	Green	On request	6 m bars
111302-30	Green	On request	30 m coils


110

Profilo "U" / U-Profile / U-Profil





Article-Nr.	Material	Availability	Supply*
11005C	Blue	On request	3 m bars
11005	Blue	On request	6 m bars
11005-30	Blue	On request	30 m coils
11000BC	<i>BluLub</i>	On request	3 m bars
11000B	<i>BluLub</i>	On request	6 m bars
11000B-30	<i>BluLub</i>	On request	30 m coils
11003C	<i>Ti-White</i>	On request	3 m bars
11003	<i>Ti-White</i>	On request	6 m bars
11003-30	<i>Ti-White</i>	On request	30 m coils
11001C	Black	Stock item	3 m bars
11001	Black	On request	6 m bars
11001-30	Black	On request	30 m coils
11002C	Green	Stock item	3 m bars
11002	Green	On request	6 m bars
11002-30	Green	On request	30 m coils

Used with
Part 112 and
Part 147 Pag 123





156

Profilo "U" / U-Profile / U-Profil




Article-Nr.	Material	Availability	Supply*
15605C	Blue	On request	3 m bars
15605	Blue	On request	6 m bars
15601BC	<i>BluLub</i>	On request	3 m bars
15601B	<i>BluLub</i>	On request	6 m bars
15603C	<i>Ti-White</i>	On request	3 m bars
15603	<i>Ti-White</i>	On request	6 m bars
15601C	Black	Stock item	3 m bars
15601	Black	On request	6 m bars
15602C	Green	Stock item	3 m bars
15602	Green	On request	6 m bars



Article-Nr.	Material	Availability	Supply*
15694C	Blue	On request	3 m bars
15699BC	<i>BluLub</i>	Stock item	3 m bars
15699WC	<i>Ti-White</i>	On request	3 m bars
15699NC	Black	On request	3 m bars
15699C	Green	Stock item	3 m bars

Used with
Part 112 and
Part 147 Pag 123





*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.



149 Profilo "U" / U-Profile / U-Profil

Coils available





Article-Nr.	Material	Availability	Supply*
14955C	Blue	On request	3 m bars
14955	Blue	On request	6 m bars
14950BC	BluLub	On request	3 m bars
14950B	BluLub	On request	6 m bars
14953C	Ti-White	On request	3 m bars
14953	Ti-White	On request	6 m bars
14950C	Black	Stock item	3 m bars
14950	Black	On request	6 m bars
14952C	Green	Stock item	3 m bars
14952	Green	On request	6 m bars

1066 Profilo "U" / U-Profile / U-Profil



Article-Nr.	Material	Availability	Supply*
106605C	Blue	On request	3 m bars
106605	Blue	On request	6 m bars
106605-30	Blue	On request	30 m coils
106600BC	BluLub	On request	3 m bars
106600B	BluLub	On request	6 m bars
106600B-30	BluLub	On request	30 m coils
106603C	Ti-White	On request	3 m bars
106603	Ti-White	On request	6 m bars
106603-30	Ti-White	On request	30 m coils
106601C	Black	On request	3 m bars
106601	Black	On request	6 m bars
106601-30	Black	On request	30 m coils
106602C	Green	On request	3 m bars
106602	Green	On request	6 m bars
106602-30	Green	On request	30 m coils



177 Profilo "U" / U-Profile / U-Profil



Article-Nr.	Material	Availability	Supply*
17705C	Blue	On request	3 m bars
17705	Blue	On request	6 m bars
17705-30	Blue	On request	30 m coils
17701BC	BluLub	Stock item	3 m bars
17701B	BluLub	On request	6 m bars
17701B-30	BluLub	On request	30 m coils
17703C	Ti-White	On request	3 m bars
17703	Ti-White	On request	6 m bars
17703-30	Ti-White	On request	30 m coils
17701C	Black	Stock item	3 m bars
17701	Black	Stock item	6 m bars
17701-30	Black	On request	30 m coils
17702C	Green	Stock item	3 m bars
17702	Green	On request	6 m bars
17702-30	Green	On request	30 m coils

1059 Profilo "U" / U-Profile / U-Profil



Coils available



Article-Nr.	Material	Availability	Supply*
105905C	Blue	On request	3 m bars
105905	Blue	On request	6 m bars
105905-30	Blue	On request	30 m coils
105901BC	<i>BluLub</i>	Stock item	3 m bars
105901B	<i>BluLub</i>	On request	6 m bars
105901B-30	<i>BluLub</i>	On request	30 m coils
105903C	<i>Ti-White</i>	On request	3 m bars
105903	<i>Ti-White</i>	On request	6 m bars
105903-30	<i>Ti-White</i>	On request	30 m coils
105901C	Black	Stock item	3 m bars
105901	Black	On request	6 m bars
105901-30	Black	On request	30 m coils
105902C	Green	Stock item	3 m bars
105902	Green	On request	6 m bars
105902-30	Green	On request	30 m coils

178 Profilo "U" / U-Profile / U-Profil



Coils available



Article-Nr.	Material	Availability	Supply*
17805C	Blue	On request	3 m bars
17805	Blue	On request	6 m bars
17805-30	Blue	On request	30 m coils
17801BC	<i>BluLub</i>	Stock item	3 m bars
17801B	<i>BluLub</i>	On request	6 m bars
17801B-30	<i>BluLub</i>	Stock item	30 m coils
17803C	<i>Ti-White</i>	On request	3 m bars
17803	<i>Ti-White</i>	On request	6 m bars
17803-30	<i>Ti-White</i>	Stock item	30 m coils
17801C	Black	Stock item	3 m bars
17801	Black	On request	6 m bars
17801-30	Black	On request	30 m coils
17802C	Green	Stock item	3 m bars
17802	Green	On request	6 m bars
17802-30	Green	Stock item	30 m coils

111 Profilo "U" / U-Profile / U-Profil

Coils available



Article-Nr.	Material	Availability	Supply*
11105C	Blue	On request	3 m bars
11105	Blue	On request	6 m bars
11105-30	Blue	On request	30 m coils
11101BC	<i>BluLub</i>	Stock item	3 m bars
11101B	<i>BluLub</i>	On request	6 m bars
11101B-30	<i>BluLub</i>	On request	30 m coils
11103C	<i>Ti-White</i>	On request	3 m bars
11103	<i>Ti-White</i>	On request	6 m bars
11103-30	<i>Ti-White</i>	On request	30 m coils
11101C	Black	Stock item	3 m bars
11101	Black	Stock item	6 m bars
11101-30	Black	Stock item	30 m coils
11102C	Green	Stock item	3 m bars
11102	Green	Stock item	6 m bars
11102-30	Green	On request	30 m coils



*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1060

Profilo "U" / U-Profile / U-Profil

Coils available





Article-Nr.	Material	Availability	Supply*
106005C	Blue	On request	3 m bars
106005	Blue	On request	6 m bars
106000BC	<i>BluLub</i>	On request	3 m bars
106000B	<i>BluLub</i>	On request	6 m bars
106003C	<i>Ti-White</i>	On request	3 m bars
106003	<i>Ti-White</i>	On request	6 m bars
106001C	Black	Stock item	3 m bars
106001	Black	On request	6 m bars
106002C	Green	Stock item	3 m bars
106002	Green	Stock item	6 m bars

199

Profilo "U" / U-Profile / U-Profil

Coils available





Article-Nr.	Material	Availability	Supply*
19976BLC	Blue	On request	3 m bars
19976BL	Blue	On request	6 m bars
19976BC	<i>BluLub</i>	On request	3 m bars
19976B	<i>BluLub</i>	On request	6 m bars
19976C	<i>Ti-White</i>	Stock item	3 m bars
19976	<i>Ti-White</i>	On request	6 m bars

199



Profilo "U" / U-Profile / U-Profil

Coils available





Article-Nr.	Material	Availability	Supply*
19944BL-30	Blue	On request	30 m coils
19944B-30	<i>BluLub</i>	Stock item	30 m coils
19944W-30	<i>Ti-White</i>	On request	30 m coils
19944-30	Black	On request	30 m coils
19940-30	Green	Stock item	30 m coils

Staggered version





Article-Nr.	Material	Availability	Supply*
19945BL-30	Blue	On request	30 m coils
19945B-30	<i>BluLub</i>	Stock item	30 m coils
19945W-30	<i>Ti-White</i>	On request	30 m coils
19945-30	Black	Stock item	30 m coils
19946-30	Green	Stock item	30 m coils

1115 Profilo "U" / U-Profile / U-Profil





Article-Nr.	Material	Availability	Supply*
111505C	Blue	On request	3 m bars
111505	Blue	On request	6 m bars
111505-30	Blue	On request	30 m coils
111500BC	<i>BluLub</i>	On request	3 m bars
111500B	<i>BluLub</i>	On request	6 m bars
111500B-30	<i>BluLub</i>	On request	30 m coils
111503C	<i>Ti-White</i>	On request	3 m bars
111503	<i>Ti-White</i>	On request	6 m bars
111503-30	<i>Ti-White</i>	On request	30 m coils
111501C	Black	On request	3 m bars
111501	Black	On request	6 m bars
111501-30	Black	On request	30 m coils
111502C	Green	On request	3 m bars
111502	Green	On request	6 m bars
111502-30	Green	On request	30 m coils

1080 Profilo "U" / U-Profile / U-Profil



Article-Nr.	Material	Availability	Supply*
108005C	Blue	On request	3 m bars
108000C	<i>BluLub</i>	On request	3 m bars
108003C	<i>Ti-White</i>	On request	3 m bars
108001C	Black	On request	3 m bars
108002C	Green	On request	3 m bars

1081 Profilo "U" / U-Profile / U-Profil





Article-Nr.	Material	Availability	Supply*
108105C	Blue	On request	3 m bars
108105	Blue	On request	6 m bars
108100BC	<i>BluLub</i>	On request	3 m bars
108100B	<i>BluLub</i>	On request	6 m bars
108103C	<i>Ti-White</i>	On request	3 m bars
108103	<i>Ti-White</i>	On request	6 m bars
108101C	Black	On request	3 m bars
108101	Black	On request	6 m bars
108102C	Green	On request	3 m bars
108102	Green	On request	6 m bars

*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

133

Profilo "U" assemblato clip-on / U-Profile assembled clip-on / U-Profil montiert clip-on



Article-Nr.	Material	Metal	Availability	Supply*
13303BLC	Blue	AISI 304	On request	3 m bars
13303BL	Blue	AISI 304	On request	6 m bars
13305BC	BluLub	AISI 304	Stock item	3 m bars
13305B	BluLub	AISI 304	On request	6 m bars
13307C	Ti-White	AISI 304	On request	3 m bars
13307	Ti-White	AISI 304	On request	6 m bars
13303C	Black	AISI 304	Stock item	3 m bars
13303	Black	AISI 304	On request	6 m bars
13301C	Green	AISI 304	Stock item	3 m bars
13301	Green	AISI 304	On request	6 m bars
13303AC	AS	AISI 304	Stock item	3 m bars
13304A	AS	AISI 304	On request	6 m bars



Article-Nr.	Material	Metal	Availability	Supply*
13304BLC	Blue	AISI 430	On request	3 m bars
13304BL	Blue	AISI 430	On request	6 m bars
13306BC	BluLub	AISI 430	Stock item	3 m bars
13306B	BluLub	AISI 430	On request	6 m bars
13308C	Ti-White	AISI 430	On request	3 m bars
13308	Ti-White	AISI 430	On request	6 m bars
13304C	Black	AISI 430	Stock item	3 m bars
13304	Black	AISI 430	On request	6 m bars
13302C	Green	AISI 430	Stock item	3 m bars
13302	Green	AISI 430	On request	6 m bars
13304AC	AS	AISI 430	Stock item	3 m bars
13304A	AS	AISI 430	On request	6 m bars

Assembled with
Accessories
Pag 173 >> 176



148



Profilo "U" assemblato clip-on / U-Profile assembled clip-on / U-Profil montiert clip-on



Article-Nr.	Material	Metal	Availability	Supply*
14805C	Blue	Aluminum	On request	3 m bars
14805	Blue	Aluminum	On request	6 m bars
14801BC	BluLub	Aluminum	Stock item	3 m bars
14801B	BluLub	Aluminum	On request	6 m bars
14803C	Ti-White	Aluminum	Stock item	3 m bars
14803	Ti-White	Aluminum	On request	6 m bars
14802C	Black	Aluminum	Stock item	3 m bars
14802	Black	Aluminum	On request	6 m bars
14801C	Green	Aluminum	Stock item	3 m bars
14801	Green	Aluminum	On request	6 m bars
14802AC	AS	Aluminum	Stock item	3 m bars
14802A	AS	Aluminum	On request	6 m bars

157

Profilo "U" assemblato clip-on / U-Profile assembled clip-on / U-Profil montiert clip-on



Article-Nr.	Material	Metal	Availability	Supply
15705C	Blue	AISI 304	On request	3 m bars
15705	Blue	AISI 304	On request	6 m bars
15700BC	<i>BluLub</i>	AISI 304	On request	3 m bars
15700B	<i>BluLub</i>	AISI 304	On request	6 m bars
15703C	<i>Ti-White</i>	AISI 304	On request	3 m bars
15703	<i>Ti-White</i>	AISI 304	On request	6 m bars
15704C	Black	AISI 304	On request	3 m bars
15704	Black	AISI 304	On request	6 m bars
15701C	Green	AISI 304	Stock item	3 m bars
15701	Green	AISI 304	On request	6 m bars



Article-Nr.	Material	Metal	Availability	Supply
15706C	Blue	AISI 430	On request	3 m bars
15706	Blue	AISI 430	On request	6 m bars
15706BC	<i>BluLub</i>	AISI 430	On request	3 m bars
15706B	<i>BluLub</i>	AISI 430	On request	6 m bars
15707C	<i>Ti-White</i>	AISI 430	On request	3 m bars
15707	<i>Ti-White</i>	AISI 430	On request	6 m bars
15708C	Black	AISI 430	On request	3 m bars
15708	Black	AISI 430	On request	6 m bars
15702C	Green	AISI 430	Stock item	3 m bars
15702	Green	AISI 430	On request	6 m bars

Assembled with
Accessories
Pag 173 >> 176



157

Profilo "U" assemblato clip-on / U-Profile assembled clip-on / U-Profil montiert clip-on





Article-Nr.	Material	Metal	Availability	Supply
15799BLC	Blue	AISI 304	On request	3 m bars
15799BC	<i>BluLub</i>	AISI 304	On request	3 m bars
15799WC	<i>Ti-White</i>	AISI 304	On request	3 m bars
15799NC	Black	AISI 304	On request	3 m bars
15799C	Green	AISI 304	On request	3 m bars

Assembled with
Accessories
Pag 173 >> 176





118 Profilo in Acciaio inox / Stainless steel profile / Edelstahl-Profil



Article-Nr.	Material	Availability	Supply*
11801C	AISI 304	Stock item	3 m bars
11801	AISI 304	Stock item	6 m bars
11802C	AISI 430	Stock item	3 m bars
11802	AISI 430	On request	6 m bars

112 Profilo in Acciaio inox / Stainless steel profile / Edelstahl-Profil





Article-Nr.	Material	Availability	Supply*	Profile cover	Box
11201C	AISI 304	Stock item	3 m bars	301401	60 pcs
11201	AISI 304	Stock item	6 m bars	301401	60 pcs
11202C	AISI 430	Stock item	3 m bars	301401	60 pcs
11202	AISI 430	Stock item	6 m bars	301401	60 pcs



Used with T-bolt
Part 3629 Pag 206
 and Clamp
Part 114/115 Pag 174/176



147 Profilo in alluminio / Aluminum profile / Aluminium-Profil



Article-Nr.	Material	Availability	Supply*	Profile cover	Box
14701C	Aluminum	Stock item	3 m bars	301402	60 pcs
14701	Aluminum	Stock item	6 m bars	301402	60 pcs





Used with T-bolt
Part 362 Pag 206
 and **BOLT M8**



1041 Profilo "C" / C-Profile / C-Profil

Fit on 25 x 5 mm



North America STANDARD

Article-Nr.	Material	Availability	Supply*
104105C	Blue	On request	3 m bars
104105	Blue	On request	6 m bars
104100BC	BluLub	On request	3 m bars
104100B	BluLub	On request	6 m bars
104103C	Ti-White	Stock item	3 m bars
104103	Ti-White	On request	6 m bars
104102C	Green	On request	3 m bars
104102	Green	On request	6 m bars

1082-1044-1053-1054



Guide estruse / Extruded profiles / Extrudiertes Profil

*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.

1082

Profilo "C" / C-Profile / C-Profil

Fit on 38.1 x 6.35 mm





Article-Nr.	Material	Availability	Supply*
108205C	Blue	On request	3 m bars
108205	Blue	On request	6 m bars
108200BC	<i>BluLub</i>	On request	3 m bars
108200B	<i>BluLub</i>	On request	6 m bars
108203C	<i>Ti-White</i>	On request	3 m bars
108203	<i>Ti-White</i>	On request	6 m bars

1044

Profilo "C" / C-Profile / C-Profil

Fit on 38.1 x 12.7 mm





North America STANDARD

Article-Nr.	Material	Availability	Supply*
104405C	Blue	On request	3 m bars
104405	Blue	On request	6 m bars
104400BC	<i>BluLub</i>	On request	3 m bars
104400B	<i>BluLub</i>	On request	6 m bars
104403C	<i>Ti-White</i>	Stock item	3 m bars
104403	<i>Ti-White</i>	On request	6 m bars

1053

Profilo "C" / C-Profile / C-Profil

Fit on 38.1 x 6.35 mm





North America STANDARD

Article-Nr.	Material	Availability	Supply*
105305C	Blue	On request	3 m bars
105305	Blue	On request	6 m bars
105300BC	<i>BluLub</i>	On request	3 m bars
105300B	<i>BluLub</i>	On request	6 m bars
105303C	<i>Ti-White</i>	Stock item	3 m bars
105303	<i>Ti-White</i>	On request	6 m bars

1054

Profilo "C" / C-Profile / C-Profil

Fit on 38.1 x 6.35 mm





North America STANDARD

Article-Nr.	Material	Availability	Supply*
105405C	Blue	On request	3 m bars
105405	Blue	On request	6 m bars
105400BC	<i>BluLub</i>	On request	3 m bars
105400B	<i>BluLub</i>	On request	6 m bars
105403C	<i>Ti-White</i>	Stock item	3 m bars
105403	<i>Ti-White</i>	On request	6 m bars

1101

Profilo "C" / C-Profile / C-Profil

Fit on 40 x 6 mm





Article-Nr.	Material	Availability	Supply*
110105C	Blue	On request	3 m bars
110105	Blue	On request	6 m bars
110100BC	<i>BluLub</i>	On request	3 m bars
110100B	<i>BluLub</i>	On request	6 m bars
110103C	<i>Ti-White</i>	On request	3 m bars
110103	<i>Ti-White</i>	On request	6 m bars

137

Profilo "C" / C-Profile / C-Profil

Fit on 40 x 8 mm




Article-Nr.	Material	Availability	Supply*
13705C	Blue	On request	3 m bars
13705	Blue	On request	6 m bars
13701BC	<i>BluLub</i>	Stock item	3 m bars
13701B	<i>BluLub</i>	On request	6 m bars
13703C	<i>Ti-White</i>	Stock item	3 m bars
13703	<i>Ti-White</i>	On request	6 m bars
13702C	Black	Stock item	3 m bars
13702	Black	On request	6 m bars
13701C	Green	Stock item	3 m bars
13701	Green	Stock item	6 m bars


137

Profilo "C" / C-Profile / C-Profil


Fit on 40 x 8 mm




Fit on 40 x 8 mm



Article-Nr.	Material	Availability	Supply*
13715C	Blue	On request	3 m bars
13715	Blue	On request	6 m bars
13711BC	<i>BluLub</i>	Stock item	3 m bars
13711B	<i>BluLub</i>	On request	6 m bars
13713C	<i>Ti-White</i>	On request	3 m bars
13713	<i>Ti-White</i>	On request	6 m bars
13712C	Black	On request	3 m bars
13712	Black	On request	6 m bars
13711C	Green	Stock item	3 m bars
13711	Green	Stock item	6 m bars



Fit on 40 x 10 mm





Article-Nr.	Material	Availability	Supply*
13725C	Blue	On request	3 m bars
13725	Blue	On request	6 m bars
13720BC	<i>BluLub</i>	On request	3 m bars
13720B	<i>BluLub</i>	On request	6 m bars
13720C	<i>Ti-White</i>	On request	3 m bars
13720	<i>Ti-White</i>	On request	6 m bars

1042

Profilo "C" / C-Profile / C-Profil

Fit on 50 x 6 mm





Article-Nr.	Material	Availability	Supply*
104205C	Blue	On request	3 m bars
104205	Blue	On request	6 m bars
104200BC	BluLub	On request	3 m bars
104200B	BluLub	On request	6 m bars
104203C	Ti-White	Stock item	3 m bars
104203	Ti-White	On request	6 m bars
104201C	Green	On request	3 m bars
104201	Green	On request	6 m bars

1045

Profilo "C" / C-Profile / C-Profil

Fit on 50.8 x 12.7 mm





North America STANDARD

Article-Nr.	Material	Availability	Supply*
104505C	Blue	On request	3 m bars
104505	Blue	On request	6 m bars
104500BC	BluLub	On request	3 m bars
104500B	BluLub	On request	6 m bars
104503C	Ti-White	On request	3 m bars
104503	Ti-White	On request	6 m bars

158

Profilo "C" / C-Profile / C-Profil

Fit on 50 x 6 mm





North America STANDARD

Article-Nr.	Material	Availability	Supply*
15894BLC	Blue	On request	3 m bars
15800BC	BluLub	Stock item	3 m bars
15894C	Ti-White	On request	3 m bars
15898C	Black	Stock item	3 m bars
15897C	Green	Stock item	3 m bars
15800C	Grey	Stock item	3 m bars

1102

Profilo "C" / C-Profile / C-Profil

Fit on 80 x 5 mm





Article-Nr.	Material	Availability	Supply*
110205C	Blue	On request	3 m bars
110205	Blue	On request	6 m bars
110200BC	BluLub	On request	3 m bars
110200B	BluLub	On request	6 m bars
110203C	Ti-White	On request	3 m bars
110203	Ti-White	On request	6 m bars

*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1107 Profilo "C" / C-Profile / C-Profil



Fit on 90 x 12 mm



Article-Nr.	Material	Availability	Supply*
110705C	Blue	On request	3 m bars
110700BC	<i>BluLub</i>	On request	3 m bars
110703C	<i>Ti-White</i>	On request	3 m bars
110701C	Black	On request	3 m bars


163 Profilo "C" / C-Profile / C-Profil

Coils available





Article-Nr.	Material	A	Availability	Supply*
16303BLC	Blue	25,4	On request	3 m bars
16303BL	Blue	25,4	On request	6 m bars
16303BL-30	Blue	25,4	On request	30 m coils
16313BLC	Blue	31,75	On request	3 m bars
16313BL	Blue	31,75	On request	6 m bars
16313BL-30	Blue	31,75	On request	30 m coils
16323BLC	Blue	35	On request	3 m bars
16323BL	Blue	35	On request	6 m bars
16323BL-30	Blue	35	On request	30 m coils
16324BLC	Blue	38,1	On request	3 m bars
16324BL	Blue	38,1	On request	6 m bars
16324BL-30	Blue	38,1	On request	30 m coils
16325BLC	Blue	54,1	On request	3 m bars
16325BL	Blue	54,1	On request	6 m bars
16325BL-30	Blue	54,1	On request	30 m coils
16303BC	<i>BluLub</i>	25,4	Stock item	3 m bars
16303B	<i>BluLub</i>	25,4	On request	6 m bars
16303B-30	<i>BluLub</i>	25,4	Stock item	30 m coils
16313BC	<i>BluLub</i>	31,75	On request	3 m bars
16313B	<i>BluLub</i>	31,75	On request	6 m bars
16313B-30	<i>BluLub</i>	31,75	On request	30 m coils
16323BC	<i>BluLub</i>	35	On request	3 m bars
16323B	<i>BluLub</i>	35	On request	6 m bars
16323B-30	<i>BluLub</i>	35	On request	30 m coils
16324BC	<i>BluLub</i>	38,1	On request	3 m bars
16324B	<i>BluLub</i>	38,1	On request	6 m bars
16324B-30	<i>BluLub</i>	38,1	On request	30 m coils
16325BC	<i>BluLub</i>	54,1	On request	3 m bars
16325B	<i>BluLub</i>	54,1	On request	6 m bars
16325B-30	<i>BluLub</i>	54,1	On request	30 m coils
16303C	<i>Ti-White</i>	25,4	Stock item	3 m bars
16303	<i>Ti-White</i>	25,4	On request	6 m bars
16303-30	<i>Ti-White</i>	25,4	Stock item	30 m coils
16313C	<i>Ti-White</i>	31,75	Stock item	3 m bars
16313	<i>Ti-White</i>	31,75	On request	6 m bars
16313-30	<i>Ti-White</i>	31,75	On request	30 m coils
16323C	<i>Ti-White</i>	35	Stock item	3 m bars
16323	<i>Ti-White</i>	35	On request	6 m bars
16323-30	<i>Ti-White</i>	35	On request	30 m coils
16324C	<i>Ti-White</i>	38,1	Stock item	3 m bars
16324	<i>Ti-White</i>	38,1	Stock item	6 m bars
16324-30	<i>Ti-White</i>	38,1	On request	30 m coils
16325C	<i>Ti-White</i>	54,1	On request	3 m bars
16325	<i>Ti-White</i>	54,1	On request	6 m bars
16325-30	<i>Ti-White</i>	54,1	On request	30 m coils

Used with
Part 164/165
Pag 129




160 Profilo "C" / C-Profile / C-Profil





Article-Nr.	Material	Availability	Supply*
16005C	Blue	On request	3 m bars
16005	Blue	On request	6 m bars
16005-30	Blue	On request	30 m coils
16003BC	<i>BluLub</i>	Stock item	3 m bars
16003B	<i>BluLub</i>	On request	6 m bars
16003B-30	<i>BluLub</i>	Stock item	30 m coils
16003C	<i>Ti-White</i>	Stock item	3 m bars
16003	<i>Ti-White</i>	Stock item	6 m bars
16003-30	<i>Ti-White</i>	Stock item	30 m coils

Used with
Part 164/165
Pag 129




161 Profilo "C" / C-Profile / C-Profil

Coils available





Article-Nr.	Material	Availability	Supply*
16105C	Blue	On request	3 m bars
16105	Blue	On request	6 m bars
16105-30	Blue	On request	30 m coils
16103BC	<i>BluLub</i>	On request	3 m bars
16103B	<i>BluLub</i>	On request	6 m bars
16103B-30	<i>BluLub</i>	Stock item	30 m coils
16103C	<i>Ti-White</i>	Stock item	3 m bars
16103	<i>Ti-White</i>	Stock item	6 m bars
16103-30	<i>Ti-White</i>	Stock item	30 m coils

Used with
Part 164/165
Pag 129




1092 Profilo "C" / C-Profile / C-Profil



Article-Nr.	Material	Availability	Supply*
109205C	Blue	On request	3 m bars
109205	Blue	On request	6 m bars
109200BC	<i>BluLub</i>	On request	3 m bars
109200B	<i>BluLub</i>	On request	6 m bars
109203C	<i>Ti-White</i>	On request	3 m bars
109203	<i>Ti-White</i>	On request	6 m bars



Used with
Part 164/165
Pag 129



*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.


162 Profilo "C" / C-Profile / C-Profil





Coils available

Article-Nr.	Material	Availability	Supply*
16205C	Blue	On request	3 m bars
16205	Blue	On request	6 m bars
16205-30	Blue	On request	30 m coils
16202BC	BluLub	Stock item	3 m bars
16202B	BluLub	On request	6 m bars
16202B-30	BluLub	Stock item	30 m coils
16203C	Ti-White	Stock item	3 m bars
16203	Ti-White	On request	6 m bars
16203-30	Ti-White	Stock item	30 m coils
16202C	Green	Stock item	3 m bars
16202	Green	On request	6 m bars
16202-30	Green	Stock item	30 m coils

Used with
Part 164/165
Pag 129



164 Guida in alluminio / Aluminum guide / Aluminium profil





Coils available

Article-Nr.	Material	Availability	Supply*	Profile cover	Box
16401C	Aluminum	Stock item	3 m bars	301403	60 pcs
16401	Aluminum	Stock item	6 m bars	301403	60 pcs

Used with T-bolt
Part 362 Pag 206



165 Guida in alluminio / Aluminum guide / Aluminium profil





Coils available

Article-Nr.	Material	Availability	Supply*	Profile cover	Box
16501C	Aluminum	Stock item	3 m bars	301404	60 pcs
16501	Aluminum	Stock item	6 m bars	301404	60 pcs

Used with T-bolt
Part 362 Pag 206





1114 Profilo per mezzitondi / Half round profile for steel rods / Halbmond Profil





Article-Nr.	Material	Availability	Supply*
111405C	Blue	On request	3 m bars
111405	Blue	On request	6 m bars
111405-30	Blue	On request	30 m coils
111405-60	Blue	On request	60 m coils
111400BC	<i>BluLub</i>	On request	3 m bars
111400B	<i>BluLub</i>	On request	6 m bars
111400B-30	<i>BluLub</i>	On request	30 m coils
111400B-60	<i>BluLub</i>	On request	60 m coils
111403C	<i>Ti-White</i>	On request	3 m bars
111403	<i>Ti-White</i>	On request	6 m bars
111403-30	<i>Ti-White</i>	On request	30 m coils
111403-60	<i>Ti-White</i>	On request	60 m coils

1039 Profilo per mezzitondi / Half round profile for steel rods / Halbmond Profil



Article-Nr.	Material	Availability	Supply*
103925C	Blue	On request	3 m bars
103925	Blue	On request	6 m bars
103925-30	Blue	On request	30 m coils
103925-60	Blue	On request	60 m coils
103923BC	<i>BluLub</i>	On request	3 m bars
103923B	<i>BluLub</i>	On request	6 m bars
103923B-30	<i>BluLub</i>	Stock item	30 m coils
103923B-60	<i>BluLub</i>	On request	60 m coils
103923C	<i>Ti-White</i>	Stock item	3 m bars
103923	<i>Ti-White</i>	On request	6 m bars
103923-30	<i>Ti-White</i>	Stock item	30 m coils
103923-60	<i>Ti-White</i>	Stock item	60 m coils

1083 Profilo per mezzitondi / Half round profile for steel rods / Halbmond Profil





Article-Nr.	Material	Availability	Supply*
108305C	Blue	On request	3 m bars
108305	Blue	On request	6 m bars
108305-30	Blue	On request	30 m coils
108305-60	Blue	On request	60 m coils
108300BC	<i>BluLub</i>	On request	3 m bars
108300B	<i>BluLub</i>	On request	6 m bars
108300B-30	<i>BluLub</i>	On request	30 m coils
108300B-60	<i>BluLub</i>	On request	60 m coils
108303C	<i>Ti-White</i>	On request	3 m bars
108303	<i>Ti-White</i>	On request	6 m bars
108303-30	<i>Ti-White</i>	On request	30 m coils
108303-60	<i>Ti-White</i>	On request	60 m coils

*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

166 Profilo per toncini / Round profile for steel rods / Halbmond Profil





Coils available

Article-Nr.	A	B	C	Material	Availability	Supply*
16601BL	8	12	0.5	Blue	On request	30 m coils
16602BL	10	14	0.5	Blue	On request	30 m coils
16603BL	12	16	1	Blue	On request	30 m coils
16604BL	16	20	1.5	Blue	On request	30 m coils
16601B	8	12	0.5	<i>BluLub</i>	Stock item	30 m coils
16602B	10	14	0.5	<i>BluLub</i>	On request	30 m coils
16603B	12	16	1	<i>BluLub</i>	On request	30 m coils
16604B	16	20	1.5	<i>BluLub</i>	On request	30 m coils
16601	8	12	0.5	<i>Ti-White</i>	Stock item	30 m coils
16602	10	14	0.5	<i>Ti-White</i>	Stock item	30 m coils
16603	12	16	1	<i>Ti-White</i>	Stock item	30 m coils
16604	16	20	1.5	<i>Ti-White</i>	Stock item	30 m coils

154 Guida laterale / Side guide rail / Seitenführungen

Metal profile: Aluminium



Used with
Hex head bolt





Article-Nr.	Material	Availability	Supply*
15405C	Blue	On request	3 m bars
15405	Blue	On request	6 m bars
15401BC	<i>BluLub</i>	Stock item	3 m bars
15401B	<i>BluLub</i>	On request	6 m bars
15401C	<i>Ti-White</i>	On request	3 m bars
15401	<i>Ti-White</i>	On request	6 m bars
15402C	Green	On request	3 m bars
15402	Green	On request	6 m bars

Only plastic profile

Article-Nr.	Material	Availability	Supply*
15455-30	Blue	On request	30 m coils
15451B-30	<i>BluLub</i>	On request	30 m coils
15451-30	<i>Ti-White</i>	On request	30 m coils
15452-30	Green	On request	30 m coils

155 Guida laterale / Side guide rail / Seitenführungen

Metal profile: Aluminium



Used with T-bolt
Part 362 Pag 206





Article-Nr.	Material	Availability	Supply*
15505C	Blue	On request	3 m bars
15500BC	<i>BluLub</i>	On request	3 m bars
15503C	<i>Ti-White</i>	On request	3 m bars
15501C	Green	On request	3 m bars

Only plastic profile

Article-Nr.	Material	Availability	Supply*
15555C	Blue	On request	3 m bars
15550BC	<i>BluLub</i>	On request	3 m bars
15553C	<i>Ti-White</i>	On request	3 m bars
15551C	Green	On request	3 m bars

134 Guida laterale / Side guide rail / Seitenführungen

Metal profile: Stainless steel AISI 304





Article-Nr.	Material	Availability	Supply*
13405C	Blue	On request	3 m bars
13405	Blue	On request	6 m bars
13400BC	BluLub	On request	3 m bars
13400B	BluLub	On request	6 m bars
13403C	Ti-White	On request	3 m bars
13403	Ti-White	On request	6 m bars
13401C	Green	Stock item	3 m bars
13401	Green	On request	6 m bars

Only plastic profile

Article-Nr.	Material	Availability	Supply*
13455C	Blue	On request	30 m coils
13450BC	BluLub	On request	30 m coils
13453C	Ti-White	On request	30 m coils
13451C	Green	On request	30 m coils



199 Piastra di trasferimento / Transfer plate / Überschubprofil

Fit on 3 mm




Article-Nr.	Material	Availability	Supply*
19960B	BluLub	Stock item	1,5 m bars
19960	Black	Stock item	1,5 m bars


238-228-235 NoseBar / NoseBar / NoseBar



Article-Nr.	Material	Availability	Supply
2381500	BluLub	On request	1,5 m bars



Article-Nr.	Material	Availability	Supply
2281500	BluLub	On request	1,5 m bars





Article-Nr.	Material	Availability	Supply
2351500	BluLub	On request	1,5 m bars

*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1000 Copri profilo / Bar cap / Abdeckprofil



Fit on 1.5 mm (1/16")



Article-Nr.	Material	Availability	Supply*
100005-30	Blue	On request	30 m coils
100000B-30	<i>BluLub</i>	On request	30 m coils
100003-30	<i>Ti-White</i>	Stock item	30 m coils

1001 Copri profilo / Bar cap / Abdeckprofil



Fit on 1.5 mm (1/16")



Article-Nr.	Material	Availability	Supply*
100105-30	Blue	On request	30 m coils
100103B-30	<i>BluLub</i>	Stock item	30 m coils
100103-30	<i>Ti-White</i>	Stock item	30 m coils

1002 Copri profilo / Bar cap / Abdeckprofil



Fit on 3 mm (1/8")



Article-Nr.	Material	Availability	Supply*
100205-30	Blue	On request	30 m coils
100200B-30	<i>BluLub</i>	Stock item	30 m coils
100203-30	<i>Ti-White</i>	Stock item	30 m coils

1109 Copri profilo / Bar cap / Abdeckprofil



Fit on 3 mm (1/8")



Article-Nr.	Material	Availability	Supply*
110905-30	Blue	On request	30 m coils
110900B-30	<i>BluLub</i>	On request	30 m coils
110903-30	<i>Ti-White</i>	On request	30 m coils

1003 Copri profilo / Bar cap / Abdeckprofil



Fit on 3 mm (1/8")



Article-Nr.	Material	Availability	Supply*
100305-30	Blue	On request	30 m coils
100300B-30	<i>BluLub</i>	Stock item	30 m coils
100303-30	<i>Ti-White</i>	Stock item	30 m coils

1004 Copri profilo / Bar cap / Abdeckprofil



Fit on 3 mm (1/8")



Article-Nr.	Material	Availability	Supply*
100405-30	Blue	On request	30 m coils
100400B-30	BluLub	On request	30 m coils
100403-30	Ti-White	Stock item	30 m coils

1084 Copri profilo / Bar cap / Abdeckprofil



Fit on 3 mm (1/8")



Article-Nr.	Material	Availability	Supply*
108405C	Blue	On request	3 m bars
108405	Blue	On request	6 m bars
108405-30	Blue	On request	30 m coils
108400BC	BluLub	On request	3 m bars
108400B	BluLub	On request	6 m bars
108400B-30	BluLub	On request	30 m coils
108403C	Ti-White	On request	3 m bars
108403	Ti-White	On request	6 m bars
108403-30	Ti-White	On request	30 m coils

1085 Copri profilo / Bar cap / Abdeckprofil



Fit on 3 mm (1/8")



Article-Nr.	Material	Availability	Supply*
108505C	Blue	On request	3 m bars
108505	Blue	On request	6 m bars
108505-30	Blue	On request	30 m coils
108500BC	BluLub	On request	3 m bars
108500B	BluLub	On request	6 m bars
108500B-30	BluLub	On request	30 m coils
108503C	Ti-White	On request	3 m bars
108503	Ti-White	On request	6 m bars
108503-30	Ti-White	On request	30 m coils

153 Copri profilo / Bar cap / Abdeckprofil

Fit on 4/5 mm (3/16")





Article-Nr.	Material	Availability	Supply*
15305C	Blue	On request	3 m bars
15305	Blue	On request	6 m bars
15305-30	Blue	On request	30 m coils
15300C	BluLub	Stock item	3 m bars
15300	BluLub	On request	6 m bars
15300-30	BluLub	Stock item	30 m coils
15303C	Ti-White	Stock item	3 m bars
15303	Ti-White	On request	6 m bars
15303-30	Ti-White	Stock item	30 m coils
15302C	Green	Stock item	3 m bars
15302	Green	On request	6 m bars
15302-30	Green	On request	30 m coils

*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1006 Copri profilo / Bar cap / Abdeckprofil



Fit on 5 mm (3/16")



Article-Nr.	Material	Availability	Supply
100605-30	Blue	On request	30 m coils
100600B-30	<i>BluLub</i>	On request	30 m coils
100603-30	<i>Ti-White</i>	Stock item	30 m coils

1007 Copri profilo / Bar cap / Abdeckprofil



Fit on 5 mm (3/16")



Article-Nr.	Material	Availability	Supply
100705C	Blue	On request	3 m bars
100705	Blue	On request	6 m bars
100703BC	<i>BluLub</i>	Stock item	3 m bars
100703B	<i>BluLub</i>	On request	6 m bars
100703C	<i>Ti-White</i>	Stock item	3 m bars
100703	<i>Ti-White</i>	On request	6 m bars

1095 Copri profilo / Bar cap / Abdeckprofil

Fit on 4 mm



Article-Nr.	Material	Availability	Supply
109501C	Blue	On request	3 m bars
109504BC	<i>BluLub</i>	On request	3 m bars
109503C	<i>Ti-White</i>	On request	3 m bars

Used with Part 3016



Art-Nr. **301601**

Available in box of 24 pcs



1040 Copri profilo / Bar cap / Abdeckprofil



Fit on 3 mm (1/8")



Article-Nr.	Material	Availability	Supply*
104005C	Blue	On request	3 m bars
104005	Blue	On request	6 m bars
104000BC	<i>BluLub</i>	On request	3 m bars
104000B	<i>BluLub</i>	On request	6 m bars
104003C	<i>Ti-White</i>	Stock item	3 m bars
104003	<i>Ti-White</i>	On request	6 m bars

1008 Copri profilo / Bar cap / Abdeckprofil



Fit on 5 mm (3/16")



Article-Nr.	Material	Availability	Supply*
100805C	Blue	On request	3 m bars
100805	Blue	On request	6 m bars
100803BC	BluLub	Stock item	3 m bars
100803B	BluLub	On request	6 m bars
100803C	Ti-White	Stock item	3 m bars
100803	Ti-White	Stock item	6 m bars

1009 Copri profilo / Bar cap / Abdeckprofil



Fit on 6 mm (1/4")



Article-Nr.	Material	Availability	Supply*
100905-30	Blue	On request	30 m coils
100900B-30	BluLub	On request	30 m coils
100903-30	Ti-White	Stock item	30 m coils

1010 Copri profilo / Bar cap / Abdeckprofil



Fit on 6 mm (1/4")



Article-Nr.	Material	Availability	Supply*
101005-30	Blue	On request	30 m coils
101000B-30	BluLub	On request	30 m coils
101003-30	Ti-White	Stock item	30 m coils

1086 Copri profilo / Bar cap / Abdeckprofil

Fit on 8 mm (5/16")





Article-Nr.	Material	Availability	Supply*
108605-30	Blue	On request	30 m coils
108600B-30	BluLub	On request	30 m coils
108603-30	Ti-White	On request	30 m coils

*Standard 3 or 6 meter covers and inserts are typically shipped by common carrier. Selected items can be coiled into cartons for more convenient shipping through UPS.

*Products stored in coils will have the tendency to retain a certain deformation when uncoiled, therefore consistency in the profile cross section over the full length of the coil cannot be guaranteed.

1011 Copri profilo / Bar cap / Abdeckprofil



Fit on 10 mm (3/8")



Article-Nr.	Material	Availability	Supply
101105-30	Blue	On request	30 m coils
101100B-30	BluLub	On request	30 m coils
101103-30	Ti-White	On request	30 m coils

1013 Copri profilo / Bar cap / Abdeckprofil



Fit on 10 mm (3/8")



Article-Nr.	Material	Availability	Supply
101305C	Blue	On request	3 m bars
101305	Blue	On request	6 m bars
101300BC	BluLub	On request	3 m bars
101300B	BluLub	On request	6 m bars
101303C	Ti-White	On request	3 m bars
101303	Ti-White	On request	6 m bars

1012 Copri profilo / Bar cap / Abdeckprofil



Fit on 12/13 mm (1/2")



Article-Nr.	Material	Availability	Supply
101205-30	Blue	On request	30 m coils
101200B-30	BluLub	On request	30 m coils
101203-30	Ti-White	Stock item	30 m coils

181 Copri profilo / Bar cover / Abdeckprofil



Fit on 25.4 x 25.4 mm (1" x 1")



Article-Nr.	Material	Availability	Supply
18105C	Blue	On request	3 m bars
18105	Blue	On request	6 m bars
18100BC	BluLub	On request	3 m bars
18100B	BluLub	On request	6 m bars
18103C	Ti-White	Stock item	3 m bars
18103	Ti-White	On request	6 m bars

1052 Copri profilo / Bar cover / Abdeckprofil



Fit on 38.1 x 50.8 mm (1-1/2"x2")



Article-Nr.	Material	Availability	Supply
105205C	Blue	On request	3 m bars
105205	Blue	On request	6 m bars
105200BC	BluLub	On request	3 m bars
105200B	BluLub	On request	6 m bars
105203C	Ti-White	Stock item	3 m bars
105203	Ti-White	On request	6 m bars



180 Copri profilo / Bar cover / Abdeckprofil

Fit on 30.5 x 46 mm



Article-Nr.	Material	Availability	Supply
18005C	Blue	On request	3 m bars
18005	Blue	On request	6 m bars
18000BC	BluLub	On request	3 m bars
18000B	BluLub	On request	6 m bars
18003C	Ti-White	On request	3 m bars
18003	Ti-White	On request	6 m bars

1108 Copri profilo / Bar cover / Abdeckprofil





Article-Nr.	Material	Availability	Supply
110805C	Blue	On request	3 m bars
110800BC	BluLub	On request	3 m bars
110803C	Ti-White	On request	3 m bars

1063

Guida laterale / Side guide / Seitenführung

Fit on 30 x 4 mm





Article-Nr.	Material	Availability	Supply
106300BC	BluLub	On request	3 m bars
106301C	Black	Stock item	3 m bars
106302C	Green	Stock item	3 m bars

137

Guida laterale / Side guide / Seitenführung

Fit on 40 x 8 mm




Article-Nr.	Material	Availability	Supply
13705C	Blue	On request	3 m bars
13705	Blue	On request	6 m bars
13701BC	BluLub	Stock item	3 m bars
13701B	BluLub	On request	6 m bars
13703C	Ti-White	Stock item	3 m bars
13703	Ti-White	On request	6 m bars
13702C	Black	Stock item	3 m bars
13702	Black	On request	6 m bars
13701C	Green	Stock item	3 m bars
13701	Green	Stock item	6 m bars

Part 117
Pag 159



Option of application - M-Profile



Part 1055
Pag 159



Option of application - Guide

137 Guida laterale / Side guide / Seitenführung

Fit on 40 x 10 mm



Article-Nr.	Material	Availability	Supply
13715C	Blue	On request	3 m bars
13715	Blue	On request	6 m bars
13711BC	<i>BluLub</i>	Stock item	3 m bars
13711B	<i>BluLub</i>	On request	6 m bars
13713C	<i>Ti-White</i>	On request	3 m bars
13713	<i>Ti-White</i>	On request	6 m bars
13712C	Black	On request	3 m bars
13712	Black	On request	6 m bars
13711C	Green	Stock item	3 m bars
13711	Green	Stock item	6 m bars



Part 117
Pag 159



Option of application - M-Profile

158 Guida laterale / Side guide / Seitenführung

Fit on 50 x 6 mm



Article-Nr.	Material	Availability	Supply
15894BLC	Blue	On request	3 m bars
15800BC	<i>BluLub</i>	Stock item	3 m bars
15894C	<i>Ti-White</i>	On request	3 m bars
15898C	Black	Stock item	3 m bars
15897C	Green	Stock item	3 m bars
15800C	Grey	Stock item	3 m bars

Plate
50 x 6 mm



Option of application - Plate



Part 159
Pag 159



Option of application - Guide


1107 Side guide

Fit on 90 x 12 mm



Article-Nr.	Material	Availability	*Supply
110705C	Blue	On request	3 m bars
110700BC	BluLub	On request	3 m bars
110703C	Ti-White	On request	3 m bars
110701C	Black	On request	3 m bars



Plate
90 x 12 mm



Option of application - Plate

1064 Guida laterale / Side guide / Seitenführung

Fit on 55 x 4 mm



Article-Nr.	Material	Availability	Supply
106405C	Blue	On request	3 m bars
106400BC	BluLub	On request	3 m bars
106403C	Ti-White	On request	3 m bars
106401C	Black	Stock item	3 m bars



Plate
55 x 4 mm



Option of application - Plate

183 Guida laterale / Side guide / Seitenführung

Fit on 40 x 8 mm



Article-Nr.	Material	Availability	Supply
18305C	Blue	On request	3 m bars
18301BC	BluLub	Stock item	3 m bars
18301C	Black	Stock item	3 m bars
18397C	Green	Stock item	3 m bars

Part 117 Pag 159



Option of application - M-Profile



Part 1055 Pag 159



Option of application - Guide

1103 Guida laterale / Side guide / Seitenführung


Fit on 40 x 4 mm



Article-Nr.	Material	Availability	Supply
110305C	Blue	On request	3 m bars
110300BC	BluLub	On request	3 m bars
110304C	Green	On request	3 m bars



Easy Bendable

For the grooved version, just add "S" to the related Article Nr.




158 Guida laterale / Side guide / Seitenführung

Fit on 50 x 6 mm





Article-Nr.	A	B	Material	Availability	Supply
15801BLC	90	45	Blue	On request	3 m bars
15802BLC	100	50	Blue	On request	3 m bars
15803BLC	120	60	Blue	On request	3 m bars
15804BLC	140	70	Blue	On request	3 m bars
15801BC	90	45	<i>BluLub</i>	Stock item	3 m bars
15802BC	100	50	<i>BluLub</i>	Stock item	3 m bars
15803BC	120	60	<i>BluLub</i>	Stock item	3 m bars
15804BC	140	70	<i>BluLub</i>	On request	3 m bars
15831C	90	45	<i>Ti-White</i>	On request	3 m bars
15832C	100	50	<i>Ti-White</i>	On request	3 m bars
15833C	120	60	<i>Ti-White</i>	On request	3 m bars
15834C	140	70	<i>Ti-White</i>	On request	3 m bars
15801C	90	45	Grey	Stock item	3 m bars
15802C	100	50	Grey	Stock item	3 m bars
15803C	120	60	Grey	Stock item	3 m bars
15804C	140	70	Grey	On request	3 m bars




194 Guida laterale con salva etichetta / Side guide with lable saver / Seitenführung mit Etikettenschutz

Fit on 50 x 6 mm





Article-Nr.	A	B	Material	Availability	Supply
19400BLC	90	45	Blue	On request	3 m bars
19403BLC	120	60	Blue	On request	3 m bars
19400BC	90	45	<i>BluLub</i>	Stock item	3 m bars
19403BC	120	60	<i>BluLub</i>	Stock item	3 m bars
19430C	90	45	<i>Ti-White</i>	On request	3 m bars
19433C	120	60	<i>Ti-White</i>	On request	3 m bars
19400C	90	45	Grey	On request	3 m bars
19403C	120	60	Grey	On request	3 m bars



189

Guida laterale / Side guide / Seitenführung

Fit on 40 x 8 mm



Article-Nr.	Material	Availability	Supply
18912BLC	Blue	On request	3 m bars
18912BC	BluLub	Stock item	3 m bars
18916C	Grey	On request	3 m bars

Part 117


Pag 159



Option of application - M-Profile

Part 1055



Pag 159



Option of application - Guide

Guida laterale con salva etichetta

Side guide with label saver / Seitenführung mit Etikettenschutz



Article-Nr.	Material	Availability	Supply
18910BLC	Blue	On request	3 m bars
18910BC	BluLub	Stock item	3 m bars
18914C	Grey	Stock item	3 m bars

Part 117


Pag 159



Option of application - M-Profile

Part 1055


Pag 159





Option of application - Guide

Easy Bendable

For the grooved version, just add "-S" to the related Article Nr.



Guida laterale con salva etichetta
Side guide with lable saver / Seitenführung mit Etikettenschutz




Article-Nr.	Material	Availability	Supply
18911BLC	Blue	On request	3 m bars
18911BC	BluLub	Stock item	3 m bars
18915C	Grey	On request	3 m bars

Part 117
Pag 159

Valid also for **RS** versions


Option of application - M-Profile



Part 1055
Pag 159

Valid also for **RS** versions



Option of application - Guide



1079

RS Guida laterale con salva etichetta / *Side guide with lable saver / Seitenführung mit Etikettenschutz*

Fit on 40 x 8 mm



VERSION A - Label saver 2 cm

VERSION B - Label saver 4 cm

Article-Nr.	Version	Material	Availability	Supply
107900	A	Black+ BluLub	On request	3 m bars
107901	B	Black+ BluLub	On request	3 m bars

Base profile

Art-Nr.	Supply
18980	3 m bars

Label saver 2 cm

Art-Nr.	Supply
18987	30 m coils


Label saver 4 cm

Art-Nr.	Supply
18988	30 m coils

Single components

Easy Bendable



For the grooved version, just add "-S" to the related Article Nr.



1104

Guida laterale con salva etichetta / Side guide with lable saver / Seitenführung mit Etikettenschutz

Fit on 40 x 4 mm





Article-Nr.	Material	Availability	Supply
110405C	Blue	On request	3 m bars
110400BC	BluLub	On request	3 m bars
110404C	Grey	On request	3 m bars

1096


Guida laterale con salva etichetta / Side guide with lable saver / Seitenführung mit Etikettenschutz

Fit on 50 x 5 mm



Article-Nr.	Material	Availability	Supply
109600BLC	Blue	On request	3 m bars
109600BC	BluLub	Stock item	3 m bars
109605C	Grey	On request	3 m bars


Part 159
Page 159



Option of application - Guide

Easy Bendable



For the grooved version, just add "-S" to the related Article Nr.




189

Guida laterale / Side guide / Seitenführung



Fit on 50 x 6 mm




Article-Nr.	Material	Availability	Supply
18902BLC	Blue	On request	3 m bars
18902BC	BluLub	Stock item	3 m bars
18906C	Grey	On request	3 m bars



Guida laterale con salva etichetta Side guide with lable saver / Seitenführung mit Etikettenschutz




Article-Nr.	Material	Availability	Supply
18900BLC	Blue	On request	3 m bars
18900BC	BluLub	Stock item	3 m bars
18904C	Grey	Stock item	3 m bars





Easy Bendable

For the grooved version, just add "-S" to the related Article Nr.




Guida laterale con salva etichetta

Side guide with lable saver / Seitenführung mit Etikettenschutz



Article-Nr.	Material	Availability	Supply
18901BLC	Blue	On request	3 m bars
18901BC	BluLub	Stock item	3 m bars
18905C	Grey	On request	3 m bars

Plate
50 x 6 mm



Option of application - Plate



Part 159
Pag 159



Option of application - Guide

187 Guida laterale / Side guide / Seitenführung

Fit on 60 x 6 mm





Article-Nr.	Material	Availability	Supply
18705C	Blue	On request	3 m bars
18710BC	BluLub	Stock item	3 m bars
18714C	Grey	On request	3 m bars

Part 1089
Page 159



Option of application - Guide

Guida laterale con salva etichetta Side guide with lable saver / Seitenführung mit Etikettenschutz



Article-Nr.	A	Material	Availability	Supply
18725C	12	Blue	On request	3 m bars
18735C	20	Blue	On request	3 m bars
18745C	40	Blue	On request	3 m bars
18720BC	12	BluLub	Stock item	3 m bars
18730BC	20	BluLub	Stock item	3 m bars
18740BC	40	BluLub	Stock item	3 m bars
18724C	12	Grey	On request	3 m bars
18734C	20	Grey	On request	3 m bars
18744C	40	Grey	On request	3 m bars


Part 1089
Page 159



Option of application - Guide



Easy Bendable

For the grooved version, just add "-S" to the related Article Nr.



135 Guida laterale / Side guide / Seitenführung

Fit on 60 x 6 mm



Article-Nr.	Material	Availability	Supply
13502C	Blue RAL 5012	Stock item	3 m bars
13502	Blue RAL 5012	Stock item	6 m bars
13501C	Black	Stock item	3 m bars
13501	Black	Stock item	6 m bars

Plate
60 x 6 mm





Part 3310
pag 208

Option of application - Plate

136 Guida laterale / Side guide / Seitenführung

Fit on 60 x 6 mm





Article-Nr.	Material	Availability	Supply
13602C	Blue RAL 5012	Stock item	3 m bars
13602	Blue RAL 5012	Stock item	6 m bars
13601C	Black	Stock item	3 m bars
13601	Black	On request	6 m bars

1057/1077

Guida laterale / Side guide / Seitenführung

Fit on 50 x 6 mm



Article-Nr.	Material	Availability	Supply
105725C	Blue	On request	3 m bars
105720BLC	BluLub	Stock item	3 m bars
105721C	Black	On request	3 m bars
105724C	Grey	On request	3 m bars
105721AC	AS	On request	3 m bars

Plate
50 x 6 mm

Valid also for
RS versions



Option of application - Plate

Part 159
Pag 159

Valid also for
RS versions





Part 3311
pag 208

Option of application - Guide

Guida laterale con salva etichetta

Side guide with lable saver / Seitenführung mit Etikettenschutz



Article-Nr.	Material	Availability	Supply
107725C	Blue	On request	3 m bars
107720BLC	BluLub	Stock item	3 m bars
107721C	Black	On request	3 m bars
107724C	Grey	On request	3 m bars
107721AC	AS	On request	3 m bars

Plate
50 x 6 mm

Valid also for
RS versions



Option of application - Plate

Part 159
Pag 159

Valid also for
RS versions




Part 3311
pag 208

Option of application - Guide

Easy Bendable



For the grooved version,
just add "-S" to the
related Article Nr.




1077/1078 RS Guida laterale con salva etichetta / Side guide with lable saver / Seitenführung mit Etikettenschutz

Fit on 50 x 6 mm

Article-Nr.	Version	Material	Availability	Supply
107722	A	Black+ BluLub	On request	3 m bars
107723	B	Black+ BluLub	On request	3 m bars



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

Base profile

Art-Nr.	Supply
107790	3 m bars

Label saver 2 cm



Art-Nr.	Supply
18987	30 m coils

Label saver 4 cm


Art-Nr.	Supply
18988	30 m coils

Single components

Guida laterale con salva etichetta / Side guide with lable saver / Seitenführung mit Etikettenschutz



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

Article-Nr.	Version	Material	Availability	Supply
107822	A	Black+ BluLub	On request	3 m bars
107823	B	Black+ BluLub	On request	3 m bars

Base profile

Art-Nr.	Supply
107890	3 m bars

Label saver 2 cm

Art-Nr.	Supply
18987	30 m coils

Label saver 4 cm


Art-Nr.	Supply
18988	30 m coils

Label saver 2 cm and 4 cm can also be combined together to obtain different version.

Single components

Easy Bendable



For the grooved version, just add "S" to the related Article Nr.



1057/1077

Guida laterale / Side guide / Seitenführung

Fit on 60 x 6 mm



Article-Nr.	Material	Availability	Supply
105705C	Blue	On request	3 m bars
105700BC	BluLub	Stock item	3 m bars
105711C	Black	Stock item	3 m bars
105704C	Grey	Stock item	3 m bars

Part 1089
Pag 159





Valid also for
RS versions

Part 3311
pag 208

Option of application - Guide

Guida laterale con salva etichetta

Side guide with lable saver / Seitenführung mit Etikettenschutz



Article-Nr.	Material	Availability	Supply
107705C	Blue	On request	3 m bars
107700BC	BluLub	On request	3 m bars
107711C	Black	On request	3 m bars
107704C	Grey	On request	3 m bars

Part 1089
Pag 159




Valid also for
RS versions

Part 3311
pag 208

Option of application - Guide

Easy Bendable

For the grooved version, just add "-S" to the related Article Nr.





1077/1078


RS Guida laterale con salva etichetta / Side guide with lable saver / Seitenführung mit Etikettenschutz

Fit on 60 x 6 mm

Article-Nr.	Version	Material	Availability	Supply
107700	A	Black+ BluLub	On request	3 m bars
107701	B	Black+ BluLub	On request	3 m bars



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

Base profile

Art-Nr.	Supply
107791	3 m bars


Label saver 2 cm

Art-Nr.	Supply
18987	30 m coils

Label saver 4 cm



Art-Nr.	Supply
18988	30 m coils

Single components




Guida laterale con salva etichetta

Side guide with lable saver / Seitenführung mit Etikettenschutz



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

Article-Nr.	Version	Material	Availability	Supply
107800	A	Black+ BluLub	On request	3 m bars
107801	B	Black+ BluLub	On request	3 m bars

Base profile

Art-Nr.	Supply
107891	3 m bars

Label saver 2 cm

Art-Nr.	Supply
18987	30 m coils

Label saver 4 cm

Art-Nr.	Supply
18988	30 m coils


Label saver 2 cm and 4 cm can also be combined together to obtain different version.

Single components



Easy Bendable



For the grooved version, just add "S" to the related Article Nr.



193/189

Guida laterale / Side guide / Seitenführung

Fit on 60 x 5 mm



Article-Nr.	Material	Availability	Supply
19335C	Blue	On request	3 m bars
19330BC	BluLub	Stock item	3 m bars
19334C	Grey	On request	3 m bars

Part 1088
Pag 159





Part 3311
pag 208

Option of application - Guide

Guida laterale con salva etichetta

Side guide with lable saver / Seitenführung mit Etikettenschutz



Article-Nr.	Material	Availability	Supply
18985C	Blue	On request	3 m bars
18980BC	BluLub	Stock item	3 m bars
18984C	Grey	On request	3 m bars

Part 1088
Pag 159




Part 3311
pag 208

Option of application - Guide



Easy Bendable

For the grooved version, just add "-S" to the related Article Nr.



Guida laterale con salva etichetta

Side guide with lable saver / Seitenführung mit Etikettenschutz



Article-Nr.	Material	Availability	Supply
18945C	Blue	On request	3 m bars
18940BC	BluLub	Stock item	3 m bars
18944C	Grey	Stock item	3 m bars

Part 1088
Pag 159




Valid also for
RS versions

Part 3311
pag 208

Option of application - Guide



Easy Bendable

For the grooved version, just add "-S" to the related Article Nr.



193 Guida laterale / Side guide / Seitenführung

Fit on 60 x 6 mm



Article-Nr.	Material	Availability	Supply
19325C	Blue	On request	3 m bars
19320BC	BluLub	Stock item	3 m bars
19324C	Grey	Stock item	3 m bars

Part 1089
Pag 159





Part 3311
pag 208

Option of application - Guide

189 Guida laterale con salva etichetta / Side guide with lable saver / Seitenführung mit Etikettenschutz

Fit on 60 x 6 mm



Article-Nr.	Material	Availability	Supply
18925C	Blue	On request	3 m bars
18920BC	BluLub	Stock item	3 m bars
18924C	Grey	Stock item	3 m bars

Part 1089
Pag 159




Valid also for
RS versions

Part 3311
pag 208

Option of application - Guide



Easy Bendable

For the grooved version,
just add "-S" to the
related Article Nr.



Guida laterale con salva etichetta

Side guide with lable saver / Seitenführung mit Etikettenschutz



Article-Nr.	Material	Availability	Supply
18935C	Blue	On request	3 m bars
18930BC	BluLub	Stock item	3 m bars
18934C	Grey	Stock item	3 m bars

Part 1089
Pag 159



Valid also for
RS versions



Part 3311
pag 208

Option of application - Guide


1075 RS Guida laterale con salva etichetta / Side guide with lable saver / Seitenführung mit Etikettenschutz

Fit on 60 x 6 mm

Article-Nr.	Version	Material	Availability	Supply
107500	A	Black+ BluLub	On request	3 m bars
107501	B	Black+ BluLub	On request	3 m bars



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

Base profile

Art-Nr.	Supply
18990	3 m bars

Label saver 2 cm

Art-Nr.	Supply
18987	30 m coils


Label saver 4 cm

Art-Nr.	Supply
18988	30 m coils

Single components



Easy Bendable

For the grooved version, just add "-S" to the related Article Nr.



117


Profilo Omega / M-Profile / M-Profil



Used with part:
 137 - 183 - 189 - 1079

Article-Nr.	A	B	Availability	Supply
11703C	6	10	Stock item	3 m bars
11703	6	10	On request	6 m bars
11701C	8	8	Stock item	3 m bars
11701	8	8	Stock item	6 m bars
11702C	10	10	Stock item	3 m bars
11702	10	10	On request	6 m bars



Used with
BOLT M8



Example of application

1055


Profilo in Acciaio inox / Stainless steel Profile / Edelstahlprofil



Used with part:
 137 - 183 - 189
 1079 - 1042

Article-Nr.	A	B	Availability	Supply	Profile cover	Box
105501C	40	8	Stock item	3 m bars	301409	60 pcs
105501	40	8	On request	6 m bars	301409	60 pcs
105503C	50	6	Stock item	3 m bars	301410	60 pcs
105503	50	6	On request	6 m bars	301410	60 pcs



Used with
BOLT M8



Example of application

159-1088-1089


Profilo in Alluminio / Aluminum Profile / Aluminium Profil



Used with Part:
 158 - 187 - 189 - 193
 1075 - 1077 - 1078 - 1042

Article-Nr.	A	B	Availability	Supply	Profile cover	Box
15901C	50	6	Stock item	3 m bars	301411	60 pcs
15901	50	6	On request	6 m bars	301411	60 pcs
108801C	60	5	Stock item	3 m bars	301412	60 pcs
108801	60	5	On request	6 m bars	301412	60 pcs
108901C	60	6	Stock item	3 m bars	301413	60 pcs
108901	60	6	On request	6 m bars	301413	60 pcs



Used with T-bolt
Part 362
 pag 206



Example of application



119 Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
11905C	Blue	On request	3 m bars
11905	Blue	On request	6 m bars
11901BC	BluLub	Stock item	3 m bars
11901B	BluLub	On request	6 m bars
11901C	Ti-White	Stock item	3 m bars
11901	Ti-White	On request	6 m bars
11901AC	AS	Stock item	3 m bars
11901A	AS	On request	6 m bars

Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
11964C	Blue	On request	3 m bars
11964	Blue	On request	6 m bars
11963B	BluLub	On request	3 m bars
11967B	BluLub	On request	6 m bars
11963	Ti-White	Stock item	3 m bars
11967	Ti-White	On request	6 m bars
11963A	AS	Stock item	3 m bars
11967A	AS	On request	6 m bars





Article-Nr.	Material	Availability	Supply
11983C	Blue	On request	3 m bars
11987	Blue	On request	6 m bars
11953B	BluLub	On request	3 m bars
11957B	BluLub	On request	6 m bars
11953	Ti-White	On request	3 m bars
11957	Ti-White	Stock item	6 m bars

Materiale / Material / Materialien:
 Profilo metallico: Acciaio inox AISI 304
 Metal profile: Stainless steel AISI 304
 Metallprofil: Edelstahl AISI 304



121 Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
12105C	Blue	On request	3 m bars
12105	Blue	On request	6 m bars
12101BC	<i>BluLub</i>	On request	3 m bars
12101B	<i>BluLub</i>	On request	6 m bars
12101C	<i>Ti-White</i>	Stock item	3 m bars
12101	<i>Ti-White</i>	On request	6 m bars
12101AC	AS	Stock item	3 m bars
12101A	AS	On request	6 m bars



Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
12173	Blue	On request	3 m bars
12177	Blue	On request	6 m bars
12163B	<i>BluLub</i>	On request	3 m bars
12167B	<i>BluLub</i>	On request	6 m bars
12163	<i>Ti-White</i>	Stock item	3 m bars
12167	<i>Ti-White</i>	On request	6 m bars
12163A	AS	Stock item	3 m bars
12167A	AS	On request	6 m bars





Hygienic Version



Article-Nr.	Material	Availability	Supply
12183	Blue	On request	3 m bars
12187	Blue	On request	6 m bars
12153B	<i>BluLub</i>	On request	3 m bars
12157B	<i>BluLub</i>	On request	6 m bars
12153	<i>Ti-White</i>	Stock item	3 m bars
12157	<i>Ti-White</i>	On request	6 m bars



120 Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
12005C	Blue	On request	3 m bars
12005	Blue	On request	6 m bars
12001BC	BluLub	On request	3 m bars
12001B	BluLub	On request	6 m bars
12001C	Ti-White	Stock item	3 m bars
12001	Ti-White	On request	6 m bars
12001AC	AS	Stock item	3 m bars
12001A	AS	On request	6 m bars



Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
12063BL	Blue	On request	3 m bars
12067BL	Blue	On request	6 m bars
12063B	BluLub	On request	3 m bars
12067B	BluLub	On request	6 m bars
12063	Ti-White	Stock item	3 m bars
12067	Ti-White	On request	6 m bars
12063A	AS	Stock item	3 m bars
12067A	AS	On request	6 m bars



152 Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
15205C	Blue	On request	3 m bars
15200BC	BluLub	On request	3 m bars
15201C	Ti-White	Stock item	3 m bars



Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
15265C	Blue	On request	3 m bars
15260BC	BluLub	On request	3 m bars
15263	Ti-White	On request	3 m bars



1067 Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
106705C	Blue	On request	3 m bars
106700BC	<i>BluLub</i>	On request	3 m bars
106701C	<i>Ti-White</i>	On request	3 m bars



Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
106765C	Blue	On request	3 m bars
106760BC	<i>BluLub</i>	On request	3 m bars
106763	<i>Ti-White</i>	On request	3 m bars



143 Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
14305C	Blue	On request	3 m bars
14300BC	<i>BluLub</i>	On request	3 m bars
14301C	<i>Ti-White</i>	On request	3 m bars



Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
14365C	Blue	On request	3 m bars
14360BC	<i>BluLub</i>	On request	3 m bars
14363	<i>Ti-White</i>	Stock item	3 m bars

122 Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm



Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
12205C	Blue	On request	3 m bars
12200BC	BluLub	On request	3 m bars
12201C	Ti-White	Stock item	3 m bars
12201AC	AS	Stock item	3 m bars



Article-Nr.	Material	Availability	Supply
12263BLC	Blue	On request	3 m bars
12260BC	BluLub	On request	3 m bars
12263	Ti-White	Stock item	3 m bars
12263A	AS	Stock item	3 m bars

123 Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm



Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
12305C	Blue	On request	3 m bars
12300BC	BluLub	On request	3 m bars
12301C	Ti-White	Stock item	3 m bars
12301AC	AS	Stock item	3 m bars

Article-Nr.	Material	Availability	Supply
12363BLC	Blue	On request	3 m bars
12360BC	BluLub	On request	3 m bars
12363	Ti-White	Stock item	3 m bars
12363A	AS	Stock item	3 m bars

140 Guida conica / Guide rail / Konische Führung



Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
14005C	Blue	On request	3 m bars
14000BC	BluLub	On request	3 m bars
14001C	Ti-White	Stock item	3 m bars

Article-Nr.	Material	Availability	Supply
14005C	Blue	On request	3 m bars
14000BC	BluLub	On request	3 m bars
14001C	Ti-White	Stock item	3 m bars



Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
14063BLC	Blue	On request	3 m bars
14060BC	BluLub	On request	3 m bars
14063	Ti-White	Stock item	3 m bars



146 Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
14605C	Blue	On request	3 m bars
14600BC	BluLub	On request	3 m bars
14601C	Ti-White	On request	3 m bars

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
14663BLC	Blue	On request	3 m bars
14660BC	BluLub	On request	3 m bars
14663	Ti-White	On request	3 m bars

124



Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
12405C	Blue	On request	3 m bars
12400BC	<i>BluLub</i>	On request	3 m bars
12401C	<i>Ti-White</i>	Stock item	3 m bars
12401AC	AS	Stock item	3 m bars

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
12463BLC	Blue	On request	3 m bars
12460BC	<i>BluLub</i>	On request	3 m bars
12463	<i>Ti-White</i>	Stock item	3 m bars
12463A	AS	Stock item	3 m bars

141



Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
14105C	Blue	On request	3 m bars
14101BC	<i>BluLub</i>	On request	3 m bars
14101C	<i>Ti-White</i>	Stock item	3 m bars
14101AC	AS	Stock item	3 m bars



Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
14163BLC	Blue	On request	3 m bars
14160BC	<i>BluLub</i>	On request	3 m bars
14163	<i>Ti-White</i>	Stock item	3 m bars
14163A	AS	Stock item	3 m bars



142 Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
14205C	Blue	On request	3 m bars
14200BC	<i>BluLub</i>	On request	3 m bars
14201C	<i>Ti-White</i>	On request	3 m bars



Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
14263BLC	Blue	On request	3 m bars
14260BC	<i>BluLub</i>	On request	3 m bars
14263	<i>Ti-White</i>	On request	3 m bars



125 Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
12505C	Blue	On request	3 m bars
12500BC	<i>BluLub</i>	On request	3 m bars
12501C	<i>Ti-White</i>	On request	3 m bars



Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
12563BLC	Blue	On request	3 m bars
12560BC	<i>BluLub</i>	On request	3 m bars
12563	<i>Ti-White</i>	Stock item	3 m bars



144 Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
14405C	Blue	On request	3 m bars
14400BC	<i>BluLub</i>	On request	3 m bars
14401C	<i>Ti-White</i>	Stock item	3 m bars



Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
14463BLC	Blue	On request	3 m bars
14460BC	<i>BluLub</i>	On request	3 m bars
14463	<i>Ti-White</i>	Stock item	3 m bars



184 Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
18405C	Blue	On request	3 m bars
18400BC	<i>BluLub</i>	On request	3 m bars
18401C	<i>Ti-White</i>	On request	3 m bars

Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
18463BLC	Blue	On request	3 m bars
18460BC	<i>BluLub</i>	On request	3 m bars
18463	<i>Ti-White</i>	On request	3 m bars



Materiale / Material / Materialien:
 Profilo metallico: Acciaio inox AISI 304
 Metal profile: Stainless steel AISI 304
 Metallprofil: Edelstahl AISI 304

145-1087

Guide estruse / Extruded profiles / Extrudiertes Profil



145 Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
14505C	Blue	On request	3 m bars
14503C	BluLub	On request	3 m bars
14504C	Ti-White	On request	3 m bars



Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
14565	Blue	On request	3 m bars
14563	BluLub	On request	3 m bars
14564	Ti-White	On request	3 m bars

1087 Guida conica / Guide rail / Konische Führung

Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
108765	Blue	On request	3 m bars
108763	BluLub	On request	3 m bars
108764	Ti-White	On request	3 m bars

198-199

Macchina curvatrice / Bending machine / Biegemaschine



Electric Bending machine

Article-Nr. 19848

Dimension base: 665 x 740 mm
 Height: 1400 mm
 Approximate weight: 170 Kg
 Shafts diameter: 30 mm
 Rolls diameter: 137 mm
 Geared motor: HP 1
 Shafts speed: 9 RPM
 Steel frame
 Two forming rolls
 Steel shafts in special steel

Manual Bending machine

Article-Nr. 19999




Dimension: 570 x 260 mm
 Approximate weight: 19 Kg
 Shafts diameter: 25 mm


Height: 180 mm
 Steel frame

To achieve the correct curvature please follow below steps:


1 | Identify correct curve radius angle



2 | Insert the plate into the profile



3 | Bend assembled profile




For the related rollers, please refer to our general catalogue or ask to sales representative.

Easy Bendable

For the grooved version, you don't need to bend the profile but you can mount it directly on the curved steel plate.

4 | Assemble the curved profile on the line



*For narrower profiles, bending operation can be done directly on the line, by hand.

Material:

Polyethylene UHMW-PE with molecular density 5,600,000 g/mol
 Linear expansion coefficient: $1.1 \times 10^{-4} \text{ } ^\circ\text{F}^{-1}$ ($2 \times 10^{-4} \text{ } ^\circ\text{C}^{-1}$)
 Operating temperature: -40 to 176°F (-40 to +80°C)

151

Rulli per macchina curvatrice / Roller for bending machine / Rollen für Biegemaschine

Ø 25 mm Manual bending machine

Ø 30 mm Electric bending machine





Internal curve






External curve



Article-Nr.	Ø (mm)	Suitable for Part.
15101	25	119 - 120 - 121 - 152
15101E	30	119 - 120 - 121 - 152






Article-Nr.	Ø (mm)	Suitable for Part.
15102	25	122 - 123 - 124 - 142 - 140 - 146
15102E	30	122 - 123 - 124 - 142 - 140 - 146






Article-Nr.	Ø (mm)	Suitable for Part.
15103	25	141
15103E	30	141



Article-Nr.	Ø (mm)	Suitable for Part.
15104	25	144
15104E	30	144



Article-Nr.	Ø (mm)	Suitable for Part.
15105	25	Ø8 - Ø10 - Ø12
15105E	30	Ø8 - Ø10 - Ø12



Material:

Polyethylene UHMW-PE with molecular density 5,600,000 g/mol
 Linear expansion coefficient: $1.1 \times 10^{-4} \text{ } ^\circ\text{F}^{-1}$ ($2 \times 10^{-4} \text{ } ^\circ\text{C}^{-1}$)
 Operating temperature: -40 to 176°F (-40 to +80°C)

151

Rulli per macchina curvatrice / Roller for bending machine / Rollen für Biegemaschine

Ø 25 mm Manual bending machine

Ø 30 mm Electric bending machine





Internal curve






External curve




Article-Nr.	Ø (mm)	Suitable for Part.
15109	25	358
15109E	30	358






Article-Nr.	Ø (mm)	Suitable for Part.
15110	25	360
15110E	30	360





Article-Nr.	Ø (mm)	Suitable for Part.
15106	25	359
15106E	30	359



Article-Nr.	Ø (mm)	Suitable for Part.
15107	25	361
15107E	30	361




Article-Nr.	Ø (mm)	Suitable for Part.
15108	25	117
15108E	30	117



113 Pattino guida catena, centrale / Central wear strip shoe / Zentraler Einlaufschuh


Used with Part 112 Pag 123

Article-Nr.	Colour	Availability
11301	Black	On request



CON NERVATURA / WITH NOSE / MIT NASE


Article-Nr.	Colour	Availability
11302	Black	On request



113


Pattino guida catena, laterale / Lateral wear strip shoe / Seitlicher Einlaufschuh

VERSION LEFT



Article-Nr.	Colour	Availability
11351	Black	On request

VERSION RIGHT




Article-Nr.	Colour	Availability
11352	Black	On request

114

Blocchetto fissaggio / Fixing clamp / Fixierblock

Used with Part 112 Pag 123




Article-Nr.	A	B	C	Colour	Availability
11401	10	6,2	4,5	Black	On request
11402	13	8,2	6	Black	On request

116 Pattino guida catena, laterale / Side transfer guide shoe / Seitlicher Tranferschuh


Used with Part 112 Pag 123

Article-Nr.	Colour	Availability
11651	Black	On request


VERSION LEFT



VERSION RIGHT



Article-Nr.	Colour	Availability
11652	Black	On request




116

Pattino guida catena, laterale / Side transfer guide shoe / Seitlicher Transferschuh

Used with Part 112 Pag 123


VERSION LEFT

Article-Nr.	Colour	Availability
11601	Black	On request



VERSION RIGHT

Article-Nr.	Colour	Availability
11602	Black	On request




115

Blocchetto giunzione / Connecting element / Verbindungselement

Used with Part 112 Pag 123

Article-Nr.	A	B	C	Colour	Availability
11501	10	6,2	4,5	Black	On request
11502	13	8,2	6	Black	On request





Movex
OFFICIAL UK PARTNER

Oadby Conveyors

Oadby Conveyors
68 Scudamore Road
Braunstone Frith Ind. Est.
Leicester
LE3 1UA

0116 232 4848
convteam@oadbyplastics.co.uk

Head Office

Oadby Plastics Ltd
68 Scudamore Road
Braunstone Frith Ind. Est.
Leicester
LE3 1UA

0116 232 1010
sales@oadbyplastics.co.uk

For further information and specification details please visit our comprehensive website. Due to a policy of continual product development, Oadby Conveyors reserves the right to alter any of the specifications given in the publication without prior notice. The specification must be checked with Oadby Conveyors prior to manufacture. For this reason no responsibility or liability for accuracy is accepted by Oadby Conveyors.

Company registration No. 03542957 | www.oadbyconveyors.co.uk



Certificate Number 8147
ISO 9001, ISO 14001